

GLOBAL MANUFACTURING



ELECTRICAL FITTINGS & SUPPLIES

5TH EDITION



About

Our company is a leading provider of electrical and data communication products countrywide. Operating out of our 100,000 square foot warehouse in Ridgewood, New York, we concentrate our sales efforts towards the end user, specifier, and electrical wholesale distributor. We also maintain a 65,000 square foot warehouse in Edison, New Jersey. We man a fleet of 11 delivery trucks which include 4 flatbeds with boom crane operation for speed and efficiency.

In addition, we regularly call on specifying engineers, and register specifications for projects throughout the country and overseas.

We supply material for organizations such as National Grid, Consolidated Edison Company of New York, Public Service Gas and Electric of New Jersey, General Public Utilities, Niagara Mohawk, Metropolitan Transit Authority, Port Authority of New York / New Jersey, engineering contractors, export houses, government agencies and many more.

Terms & Conditions

Claims for shortages or deductions must be promptly presented and noted to Seller/Customer Service within 72-hrs or they will not be allowed.

All materials will be billed at prices in effect at time of sale. All items are carefully inspected by Global Manufacturing. Our policy is to replace such goods proven defective. Under no circumstance will we be responsible for any damages beyond the price of goods.

Return Goods

No material will be taken back, credited or replaced unless an RGA has been requested and processed. Claims for shortages or deductions must be reported within 72 hours of receiving material.

All prices subject to change without notice.



Contact us:

info@global-manufacturing.com

Phone: (718) 257-2111

Table of Contents

6	Steel Covers & Adapter Rings	88	Pulling Products/Rope
16	BX-Flex-MC and Conduit Fittings	92	Service Entrance
24	EMT Fittings	98	Strut & Strut Fittings
36	Rigid-IMC Fittings	106	Support Devices
50	Conduit Bodies	116	Spring Steel - Hanging & Support
56	Grounding & Bonding Fittings	130	Tape
62	Flexible Conduit & ENT	136	Threaded Rod
70	Liquid-Tight	140	Cords, Cables & Wires
74	Combination Fittings/Flex Cord Fittings	148	Wire Cover Guards & Termination
78	Insulated Multi-Tap Connectors	166	Miscellaneous
82	Lighting, Switches & Controls		



Steel Covers & Adapter Rings

4" Blank Junction Box Covers
4" Square to Round Mud Rings
4" One Gang Junction Box Raised Covers
4" Two Gang Junction Box Raised Covers
4" One Device Finished Covers
4" Two Device Finished Covers
4-11/16" - One Gang Junction Box Raised Covers
4-11/16" - Two Gang Junction Box Raised Covers
4-11/16" - Blank Junction Box Covers
Life Safety Appliances Raised Covers
4-11/16" - One Device Finished Covers
4-11/16" - Two Device Finished Covers
Gas/Oil Plate Covers
Plastic Extension Rings
Handy Box Covers




Steel Covers & Adapter Rings

4" Blank Junction Box Covers

- Material: Steel

Part Number	Description	Pkg
4B	4" Square	50
4BK	4" Square with KO	50
G4RB	4" Round	50
G4RBK	4" Round with KO	50



4" Square to Round Mud Rings

- Material: Steel


Part Number	Description	Pkg
4RB12	4" Square 1/2" Raised	50
4RB58	4" Square 5/8" Raised	50



4" One Gang Junction Box Raised Covers

- Material: Steel


Part Number	Description	Pkg
G4R14	4" 1G 1/4"	50
G4R12	4" 1G 1/2"	50
G4R58	4" 1G 5/8"	50
G4R34	4" 1G 3/4"	50
G4R1	4" 1G 1"	50
G4R114	4" 1G 1-1/4"	50
G4R112	4" 1G 1-1/2"	50



4" Two Gang Junction Box Raised Covers

- Material: Steel

Part Number	Description	Pkg
G24R14	4" 2G 1/4"	50
G24R12	4" 2G 1/2"	50
G24R58	4" 2G 5/8"	50
G24R34	4" 2G 3/4"	50
G24R1	4" 2G 1"	50
G24R114	4" 2G 1-1/4"	50
G24R112	4" 2G 1-1/2"	50
G24R2	4" 2G 2" Raised	50
G24RF	4" 2G Flat Cover	50



4" One Device Finished Covers

- Material: Steel
- Finish: Powder Coated Steel

Part Number	Description	Pkg
4T	4" Toggle	50
4D	4" Duplex	50
4SR	4" Single Receptacle	50
4R20	4" Power Outlet 20A	50
4R30	4" Power Outlet, 30A	50
4R30-50	4" Power Outlet 30-50A	50
4GFI	4" GFCI	50




4T



4D



4-GFI




4R30-50



4R20



4R30




4SR

Steel Covers & Adapter Rings

4" Two Device Finished Covers

- Material: Steel
- Finished: Powder Coated Steel
- Duplex receptacles include additional screwholes to meet NEC requirement

Part Number	Description	Pkg
4TT	4" 2 Toggles	50
4TD	4" Toggle/Duplex	50
4T-GFI	4" Toggle Switch GFCI	50
42GFI	4" 2 Gang GFCI	50
4DSR	4" Duplex/Single Receptacle	50
4SRSR	4" 2 Gang Single Receptacle	50
4DGFI	4" Duplex GFCI	50
4DD	4" 2 Gang Duplex	50




4TT



4TD



4T-GFI



4SRSR



4DD



4DSR



4DGFI



42GFI

4-11/16" - One Gang Junction Box Raised Covers

- Material: Steel

Part Number	Description	Pkg
G5R12	4-11/16" 1G 1/2"	50
G5R58	4-11/16" 1G 5/8"	50
G5R34	4-11/16" 1G 3/4"	50
G5R1	4-11/16" 1G 1"	50
G5R114	4-11/16" 1G 1 1/4"	50
G5R112	4-11/16" 1G 1 1/2"	50
G5R2	4-11/16" 1G 2"	50
G5RF	4-11/16" Flat	50



4-11/16" - Two Gang Junction Box Raised Covers

- Material: Steel

Part Number	Description	Pkg
G25R12	4-11/16" 2G 1/2"	50
G25R58	4-11/16" 2G 5/8"	50
G25R34	4-11/16" 2G 3/4"	50
G25R1	4-11/16" 2G 1"	50
G25R114	4-11/16" 2G 1-1/4"	50
G25R112	4-11/16" 2G 1-1/2"	50
G25R2	4-11/16" 2G 2"	50
G25RF	4-11/16" 2G Flat	50



4-11/16" - Blank Junction Box Covers

- Material: Steel

Part Number	Description	Pkg
5B	4-11/16" Square Blank	50



Steel Covers & Adapter Rings

Life Safety Appliances Raised Covers

*Now
In Stock*



Part Number	Description	Pkg
G-855	4-11/16" Square 2G 5/8" Raised	50
G-859	4-11/16" Square 2G 1-1/4" Raised	50
G-911-8	4" 2G Flat Blank - Red	50
G-911-16	4-11/16" Square 2G 5/8" Raised - Red	50
G-911-17	4-11/16" Square 2G 1-1/4" Raised - Red	50



G-855



G-859



G-911-8



G-911-16



G-911-17

4-11/16" - One Device Finished Covers

- Material: Steel
- Finish: Powder Coated Steel



Part Number	Description	Pkg
5T	4-11/16" Toggle	50
5D	4-11/16" Duplex	50
5SR	4-11/16" Square Single Receptacle	50
G5R20	4-11/16" Square 20A Power Outlet	50
5R30-50	4-11/16" Square Power Outlet 30-50A	50
5GFI	4-11/16" GFCI Decorative	50



5T



5SR



5D



G5R20



5R30-50




5GFI

4-11/16" - Two Device Finished Covers

- Material: Steel
- Finish: Powder Coated Steel
- Duplex receptacles include additional screwholes to meet NEC requirement



Part Number	Description	Pkg
5TT	4-11/16" 2 Toggles	50
5TD	4-11/16" Toggle/Duplex	50
5TGFI	4-11/16" Toggle Switch GFCI	50
52GFI	4-11/16" 2 Gang GFCI	50
5DGFI	4-11/16" Duplex GFCI	50
5DD	4-11/16" 2 Gang Duplex	50



5DGFI



52GFI



5TT



5TD



5TGFI




5DD

Steel Covers & Steel Rings


Gas/Oil Plate Covers

- Material: Steel
- Finish: Powder Coated Steel

Part Number	Description	Pkg
4GAS	1900 Red Gas Plate	50
4OIL	1900 Red Oil Plate	50
G1G-GAS	1 Gang Red Gas Plate Toggle	25



4GAS



4OIL



G1G-GAS




Plastic Extension Rings

- Material: PVC
- White Finish


Part Number	Description	Pkg
G-PR-1	1 Gang	25
G-PR-2	2 Gang	25
G-PR-3	3 Gang	10
G-PR-4	4 Gang	10
GPR-O	Octagon	10




G-PR-1



G-PR-2



G-PR-3



G-PR-4



GPR-O

*New Product
Coming Soon!*

Handy Box Covers

- Material: Steel
- Finish: Powder Coated Steel

Part Number	Description	Pkg
HB-B	Blank	50
HB-D	Duplex Receptacle	50
HB-GAS	Red Gas	50
HB-GFI	GFCI Decorative	50
HB-KO	1/2" KO's	50
HB-PO	Power Outlet, 20A & 30A, 1.6" Dia	50
HB-SR	Single Receptacle	50
HB-T	Toggle Switch	50



HB-GFI



HB-B



HB-D



HB-GAS



HB-KO



HB-PO



HB-SR



HB-T



BX-FLEX-MC and Conduit Fittings

FLEX-BX Connectors, Set Screw

BX/MC Duplex Connectors

Saddle Connectors

BX-MC Connectors

1-Hole BX/Straps

Straight BX Flex Squeeze Connectors

Straight BX Flex Squeeze Connectors - Insulated

90° Flex Squeeze Connectors

90° Flex Squeeze Connectors - Insulated

Push-in Cable Connectors

BX-Flex, NM & MC Cable Connectors

Snap In Connectors

Screw-In Flex Couplings

Bx-Flex Screw-In Connectors

Two Screw Connectors

Cable Connectors NM Sheathed

NM Snap-In Connectors

2 Piece NM Clamp Connectors

Watertight Compression Connectors



BX-Flex-MC and Conduit Fittings

FLEX-BX Connectors, Set Screw

- Connect Flex conduit to a steel outlet box or other metallic enclosure
- Zinc Die Cast
- Set Screw Type
- Not suitable for aluminum flexible metal conduit
- Indoor use only
- Dry location use only

Part Number	Trade Size	Pkg
G-BXFLSS-38	3/8"	100



BX/MC Duplex Connectors

- Zinc Die Cast
- Set Screw Type
- Indoor use only

Part Number	Trade Size	Pkg
G-DC38	3/8"	25
G-MCDX-38	3/8"	25
G-DC90-38	3/8" & 1/2"	25



G-DC38



G-MCDX-38



G-DC90-38

Saddle Connectors

- Connect flexible metal conduit or armored and metal clad cables to a junction box or enclosure
- Zinc Die Cast
- Zinc Plated Steel Strap
- Tri-Combo Screw Head
- Dry location use only

Part Number	Type	Trade Size	Pkg
G-BXMCSAD38	BX MC	3/8"	50



BX-MC Connectors

- Connect flexible metal conduit or armored and metal clad cables to a junction box or enclosure.
- Zinc Die Cast
- Zinc Plated Steel Strap
- Tri-Combo Screw Head
- Dry location use only

Part Number	Trade Size	Pkg
G-BXMCCON38	3/8"	100



BX-Flex-MC and Conduit Fittings

1-Hole BX/Straps

- Used to secure AC/BX cable to wood, masonry or similar surface
- Easy snap-in feature with Inverted rib for added strength
- Steel
- Easy to install
- For Indoor Use

Part Number	Trade Size	Pkg
G-BXSTRAP	3/8"	200



Straight BX Flex Squeeze Connectors

- Utilizing a squeeze type connection, connect flexible metal conduit to boxes at various angles and sizes
- Zinc Die Cast
- Zinc Plated Steel Strap
- Indoor use only
- Squeeze Type

Part Number	Trade Size	Pkg
G-BXFL038	3/8"	50
G-BXFL50	1/2"	25
G-BXFL75	3/4"	25
G-BXFL100	1"	10
G-BXFL125	1 1/4"	10
G-BXFL150	1 1/2"	5
G-BXFL200	2"	5
G-BXFL250	2 1/2"	5
G-BXFL300	3"	5
G-BXFL350	3 1/2"	1
G-BXFL400	4"	1



Straight BX Flex Squeeze Connectors - Insulated

- Zinc Die Cast
- Indoor use only
- Dry location use only
- Squeeze-straight with insulated throat

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-BXFL50I	1/2"	25
G-BXFL75I	3/4"	25
G-BXFL100I	1"	10
G-BXFL125I	1-1/4"	10
G-BXFL150I	1-1/2"	5
G-BXFL200I	2"	10



BX-Flex-MC and Conduit Fittings

90° Flex Squeeze Connectors

- Connect flexible metal conduit to boxes at 90 degrees
- Zinc Die Cast
- Zinc Plated Steel Strap
- Indoor use only
- Squeeze Type

Part Number	Trade Size	Pkg
G-BXFL90-38	3/8"	50
G-BXFL90-50	1/2"	50
G-BXFL90-75	3/4"	50
G-BXFL90-100	1"	50
G-BXFL90-125	1 1/4"	50
G-BXFL90-150	1 1/2"	20
G-BXFL90-200	2"	20
G-BXFL90-250	2 1/2"	10
G-BXFL90-300	3"	1
G-BXFL90-350	3 1/2"	1
G-BXFL90-400	4"	1



90° Flex Squeeze Connectors - Insulated

- Connect flexible metal conduit to boxes at 90 degrees
- Zinc Die Cast
- Zinc Plated Steel Strap
- Indoor use only
- Squeeze Type

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-BXFL90-38I	3/8"	50
G-BXFL90-50I	1/2"	25
G-BXFL90-75I	3/4"	10
G-BXFL90-100I	1"	5
G-BXFL90-125I	1-1/4"	10
G-BXFL90-150I	1-1/2"	10
G-BXFL90-200I	2"	1



Push-in Cable Connectors

- Zinc Die Cast

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-38AST	3/8"	50



BX-Flex-MC and Conduit Fittings

BX-Flex, NM & MC Cable Connectors

- Steel- Zinc Plated
- Single-Unit or Duplex construction with captive clamp
- Utilized for connecting sheathed cables to outlet boxes and enclosures

Part Number	Trade Size	Pkg
G-MC50	1/2"	25



*New Product
Coming Soon!*

Snap In Connectors

- Zinc Die Cast
- No tools required - Easy to install

*New Product
Coming Soon!*

Part Number	Trade Size	Type	Pkg
G-1001	3/8"	90° Duplex Connector - Snap in	25
G-1002	3/8"	Duplex Connector One Screw	25
G-1003	3/8"	Duplex Connector One Screw Clamp	25
G-1004A	3/8"	Flex Connector Saddle Type	50
G-1005A	3/8"	90° Squeeze Connector	25
G-1005B	1/2"	90° Squeeze Connector	25
G-1006	3/8"	Bx Connector Set Screw	100



G-1001



G-1002



G-1003



G-1004A



G-1005A & G-1005B



G-1006




BX-Flex-MC and Conduit Fittings

Screw-In Flex Couplings

- Zinc Die Cast
- Indoor use only
- Screw-in Coupling

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-FLEXC50	1/2"	50
G-FLEXC75	3/4"	25
G-FLEXC100	1	25
G-FLEXC125	1-1/4"	10
G-FLEXC150	1-1/2"	10
G-FLEXC200	2"	10



Bx-Flex Screw-In Connectors

- Zinc Die Cast
- Indoor use only
- Screw-in Connector

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-BXFSC38	3/8"	50
G-BXFSC50	1/2"	50
G-BXFSC75	3/4"	25
G-BXFSC100	1"	25
G-BXFSC125	1-1/4"	10
G-BXFSC150	1-1/2"	10
G-BXFSC200	2"	10



Two Screw Connectors

- Non-Metallic Two Screw Connector
- Zinc die cast
- Indoor use only

Part Number	Trade Size	Pkg
G-NMCON-38	3/8"	100
G-NMCON-34	3/4"	25
G-NMCON-100	1"	50
G-NMCON-125	1 1/4"	10
G-NMCON-150	1 1/2"	10
G-NMCON-200	2"	10



Cable Connectors NM Sheathed

- Plastic
- Rated 105°C

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-RCR050	1/2"	100
G-RCR075	3/4"	25



BX-Flex-MC and Conduit Fittings

NM Snap-In Connectors

- Plastic
- Connects NM cable in a dry location

*New Product
Coming Soon!*

Part Number	KO Size	Wire Size	Pkg
G-NMSC50	1/2"	14/2 & 12/2	100
G-NMSC75	3/4"	14/2 & 12/2	50
G-NMSCT50	1/2"	2-Wire Two: 14/2 or 12/2, One: 14/2 or 12/2, One: 14/2 or 10/2, One: 12/2 or 10/2	50
G-NMSCT75	3/4"	One: 14/3 or 12/3, One: 10/2, 8/3 or 6/3	50



G- NMSC50



G-NMSC75



G-NMSCT50



G-NMSCT75

2 Piece NM Clamp Connectors

- Steel
- Butterfly Type Clamp

*New Product
Coming Soon!*

Part Number	Trade Size	Cable	Pkg
G-NM2PCB38-50	3/8" to 1/2"	2 or 3#14, 12, 10, 8	100
G-NM2PCB75-100	3/4" to 1"	2 or 3#8, 6, 4	50
G-NM2PCB125	1-1/4"	#2/0	25
G-NM2PCB150	1-1/2"	#3/0, #4/0	25




Watertight Compression Connectors

- Zinc Die Cast
- SE/SEU Cable
- Compression Type
- Oval Grommet Opening

*New Product
Coming Soon!*

Part Number	Trade Size	Wire Size	Pkg
G-WTCO100	1"	3#8	10
G-WTCO100-A	1"	3#6	10
G-WTCO100-B	1"	3#4	10
G-WTCO125	1-1/4"	3#3	10
G-WTCO125-A	1-1/4"	3#2	10
G-WTCO125-B	1-1/4"	3#1	10
G-WTCO150	1-1/2"	3#1/0	5
G-WTCO150-A	1-1/2"	3#2/0	5
G-WTCO200	2"	3#1/0	5
G-WTCO200-A	2"	3#2/0	5
G-WTCO200-B	2"	3#3/0	5
G-WTCO200-C	2"	3#4/0	5
G-WTCO200-D	2"	3#4/0	5





EMT Fittings

EMT Set Screw Connectors - Zinc Die Cast
EMT Set Screw Couplings - Zinc Die Cast
EMT Set Screw Connectors - Steel
EMT Set Screw Connectors - Insulated - Steel
EMT Set Screw Couplings - Steel
EMT Compression Connectors - Steel
EMT Compression Connectors - Insulated - Steel
EMT Compression Couplings - Steel
EMT Raintight Compression Connectors - Steel
EMT Insulated Raintight Compression Connectors – Steel
EMT Raintight Compression Couplings - Steel
EMT Offset Set Screw Connectors
One Hole EMT Straps
Two Hole EMT Straps
EMT SS Corner Elbows
Box to Box Connectors
Combination Couplings - Screw-In EMT Compression to Flex
Combination Couplings Set Screw EMT to Rigid -Steel
Combination Couplings Compression - EMT To Liquidtight Steel
Combination Couplings Compression - EMT to Rigid Steel
EMT 90° Pull Elbows - Box To EMT - Set Screw
EMT 90° Pull Elbows - EMT to EMT- Set Screw
EMT Offset Compression Connectors - EMT to Box
EMT Insulating Bushings



EMT Set Screw Connectors- Zinc Die Cast

- Connect conduit to a steel outlet box or other metallic enclosure
- Concrete Tight
- Assembled with a die cast locknut

Part Number	Trade Size	Pkg
G-CONSS050	1/2"	50
G-CONSS075	3/4"	50
G-CONSS100	1"	50
G-CONSS125	1 1/4"	50
G-CONSS150	1 1/2"	25
G-CONSS200	2"	20
G-CONSS250	2 1/2"	12
G-CONSS300	3"	10
G-CONSS350	3 1/2"	10
G-CONSS400	4"	6



EMT Set Screw Couplings - Zinc Die Cast

- Connect conduit to a steel outlet box or other metallic enclosure
- Set Screw Type
- Concrete Tight when taped
- Assembled with a die cast locknut

Part Number	Trade Size	Pkg
G-COUPSS050	1/2"	50
G-COUPSS075	3/4"	50
G-COUPSS100	1"	50
G-COUPSS125	1 1/4"	25
G-COUPSS150	1 1/2"	25
G-COUPSS200	2"	20
G-COUPSS250	2 1/2"	12
G-COUPSS300	3"	12
G-COUPSS350	3 1/2"	6
G-COUPSS400	4"	6



EMT Set Screw Connectors - Steel

- Steel
- Set Screw Type Connector
- Concrete Tight when taped

Part Number	Trade Size	Pkg
G-SCONSS050	1/2"	50
G-SCONSS075	3/4"	25
G-SCONSS100	1"	20
G-SCONSS125	1 1/4"	25
G-SCONSS150	1 1/2"	20
G-SCONSS200	2"	20
G-SCONSS250	2 1/2"	12
G-SCONSS300	3"	12
G-SCONSS350	3 1/2"	6
G-SCONSS400	4"	6



EMT Set Screw Connectors - Insulated - Steel

- Steel
- Concrete Tight when taped
- Assembled with Insulated Throat

Part Number	Trade Size	Pkg
G-SCONSS050I	1/2"	50
G-SCONSS075I	3/4"	25
G-SCONSS100I	1"	25
G-SCONSS125I	1 1/4"	20
G-SCONSS150I	1 1/2"	20
G-SCONSS200I	2"	20
G-SCONSS250I	2 1/2"	12
G-SCONSS300I	3"	12
G-SCONSS350I	3 1/2"	10
G-SCONSS400I	4"	6



EMT Fittings

EMT Set Screw Couplings - Steel

- Connect conduit to conduit at various sizes
- Steel
- Set Screw Type Coupling
- Concrete Tight when Taped

Part Number	Trade Size	Pkg
G-SCOUPSS050	1/2"	50
G-SCOUPSS075	3/4"	25
G-SCOUPSS100	1"	25
G-SCOUPSS125	1 1/4"	25
G-SCOUPSS150	1 1/2"	20
G-SCOUPSS200	2"	20
G-SCOUPSS250	2 1/2"	12
G-SCOUPSS300	3"	12
G-SCOUPSS350	3 1/2"	6
G-SCOUPSS400	4"	6



EMT Compression Connectors - Steel

- Steel
- Compression Type Connector
- Concrete Tight

Part Number	Trade Size	Pkg
G-SCCON050	1/2"	25
G-SCCON075	3/4"	25
G-SCCON100	1"	25
G-SCCON125	1 1/4"	25
G-SCCON150	1 1/2"	20
G-SCCON200	2"	20
G-SCCON250	2 1/2"	12
G-SCCON300	3"	12
G-SCCON350	3 1/2"	6
G-SCCON400	4"	6



EMT Compression Connectors - Insulated - Steel

- Steel
- Compression Type Connector
- Concrete Tight
- Assembled with Insulated Throat

Part Number	Trade Size	Pkg
G-SCCON50I	1/2"	50
G-SCCON75I	3/4"	25
G-SCCON100I	1"	10
G-SCCON125I	1 1/4"	25
G-SCCON150I	1 1/2"	20
G-SCCON200I	2"	20
G-SCCON250I	2 1/2"	12
G-SCCON300I	3"	12
G-SCCON350I	3 1/2"	6
G-SCCON400I	4"	6



EMT Compression Couplings - Steel

- Steel
- Compression Type Coupling
- Concrete Tight

Part Number	Trade Size	Pkg
G-SCCOUP050	1/2"	50
G-SCCOUP075	3/4"	25
G-SCCOUP100	1"	20
G-SCCOUP125	1 1/4"	25
G-SCCOUP150	1 1/2"	25
G-SCCOUP200	2"	20
G-SCCOUP250	2 1/2"	12
G-SCCOUP300	3"	12
G-SCCOUP350	3 1/2"	6
G-SCCOUP400	4"	6



EMT Raintight Compression Connectors - Steel

- Steel/Zinc Plated
- Compression Couplings
- Concrete tight/Raintight

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-SSCON050RT	1/2"	50
G-SSCON075RT	3/4"	25
G-SSCON100RT	1"	25
G-SSCON125RT	1-1/4"	25
G-SSCON150RT	1-1/2"	20
G-SSCON200RT	2"	20
G-SSCON250RT	2-1/2"	12
G-SSCON300RT	3"	12
G-SSCON350RT	3-1/2"	6
G-SSCON400RT	4"	6



EMT Insulated Raintight Compression Connectors - Steel

- Body-Compression Nut -Locknut-Zinc Plated
- Gasket - Sealing rings - Thermoplastic
- Raintight - Insulated

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-SSCON050RTI	1/2"	50
G-SSCON075RTI	3/4"	25
G-SSCON100RTI	1"	25
G-SSCON125RTI	1-1/4"	25
G-SSCON150RTI	1-1/2"	20
G-SSCON200RTI	2"	20
G-SSCON250RTI	2-1/2"	12
G-SSCON300RTI	3"	12
G-SSCON350RTI	3-1/2"	6
G-SSCON400RTI	4"	6



EMT Raintight Compression Couplings - Steel

- Steel/Zinc Plated
- Compression Couplings
- Concrete Tight/Raintight

*New Product
Coming Soon!*


Part Number	Trade Size	Pkg
G-SCCOUP050RT	1/2"	50
G-SCCOUP075RT	3/4"	25
G-SCCOUP100RT	1"	25
G-SCCOUP125RT	1-1/4"	25
G-SCCOUP150RT	1-1/2"	20
G-SCCOUP200RT	2"	20
G-SCCOUP250RT	2-1/2"	12
G-SCCOUP300RT	3"	12
G-SCCOUP350RT	3-1/2"	6
G-SCCOUP400RT	4"	6



EMT Offset Set Screw Connectors

- Use to connect EMT conduit to a metal outlet box or enclosure where an offset is needed
- Zinc Die Cast
- Rated for Indoor Use
- Concrete Tight when Taped

Part Number	Trade Size	Pkg
G-OC50	1/2"	20
G-OC75	3/4"	10
G-OC100	1"	10



EMT Fittings

One Hole EMT Straps

- Secure EMT Conduit to wood, masonry, or other relative surfaces.
- Easy snap-in feature with a ribbed design
- Steel
- Zinc Plated
- Snap-on Type EMT Strap with One Hole
- Inverted Rib Strength
- Support EMT Conduit

Part Number	Trade Size	Pkg
G-1STRE05	1/2"	100
G-1STRE07	3/4"	100
G-1STRE10	1"	50
G-1STRE12	1-1/4"	25
G-1STRE15	1-1/2"	25
G-1STRE20	2"	15
G-1STRE25	2-1/2"	25
G-1STRE30	3"	25
G-1STRE35	3-1/2"	25
G-1STRE40	4"	25



Two Hole EMT Straps

- Secure conduit to wood, masonry, or other relative surfaces.
- Designed for greater load bearing
- Easy snap-in feature with a ribbed design
- Steel
- Zinc Plated
- Snap-on Type EMT Strap with One Hole
- Inverted Rib Strength
- Support EMT Conduit

Part Number	Trade Size	Pkg
G-2STRE05	1/2"	50
G-2STRE07	3/4"	50
G-2STRE10	1"	25
G-2STRE12	1-1/4"	50
G-2STRE15	1-1/2"	25
G-2STRE20	2"	10
G-2STRE25	2-1/2"	10
G-2STRE30	3"	10
G-2STRE35	3-1/2"	5
G-2STRE40	4"	5



EMT SS Corner Elbows

- Connects 2 lengths of EMT conduit for a 90° inside corner bend

Part Number	Trade Size	Pkg
G-CEB050	1/2"	10
G-CEB075	3/4"	25



Box to Box Connectors

- Connects two boxes or metal enclosures threaded knockouts
- Zinc Die Cast

Part Number	Trade Size	Pkg
G-BB50	1/2"	25



Combination Couplings - Screw-In EMT Compression to Flex

- Zinc Die-Cast
- Indoor Use
- Screw-in to Compression

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-SCCTF050	1/2"	25
G-SCCTF75	3/4"	10
G-SCCTF100	1"	5



Combination Couplings Set Screw EMT to Rigid -Steel

- Steel/Zinc Plated
- Set Screw
- Concrete-tight
- Indoor Use Only

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-CCSSER50	1/2"	25
G-CCSSER75	3/4"	10
G-CCSSER100	1"	10



EMT Fittings

Combination Couplings Compression - EMT To Liquidtight Steel

- Steel/ Zinc Plated
- EMT to Liquidtight
- Compression
- For Indoor or Outdoor Use
- Concrete tight/Raintight

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-CCELT50	1/2"	25
G-CCELT75	3/4"	25
G-CCELT100	1"	10



Combination Couplings Compression - EMT to Rigid Steel

- Steel/ Zinc Plated
- Compression EMT
- Raintight
- Indoor Use Only

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-CCER50	1/2"	10
G-CCER75	3/4"	10
G-CCER100	1"	10



EMT 90° Pull Elbows - Box To EMT - Set Screw

- Fitted with a gasket and removable cover
- Facilitate wire pulling and maintenance through a sharp bend in a run of threaded rigid or IMC conduit
- Corrosion resistant Zinc Die-Cast
- Die Cast Locknut Provided
- Removable Cover facilitates Wire pulling
- Indoor Use Only
- Can be used with EMT Indoors Only

Part Number	Trade Size	Pkg
G-PE050EBG	1/2"	5
G-PE075EBG	3/4"	5
G-PE100EBG	1"	25
G-PE125EBG	1-1/4"	20



EMT 90° Pull Elbows - EMT to EMT- Set Screw

- Zinc Die-Cast
- Corrosion Resistant Fabrication
- Removable Cover facilitates Wire pulling
- For Dry Location Use
- Use to connect EMT Conduit together on a 90° bend
- Can be used with EMT Indoors Only

Part Number	Trade Size	Pkg
G-PE050EEG	1/2"	10
G-PE075EEG	3/4"	5
G-PE100EEG	1"	25
G-PE125EEG	1-1/4"	20



EMT Offset Compression Connectors - EMT to Box

- Zinc Die-Cast
- Concrete Tight
- Indoor or Outdoor Use

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-OCC50	1/2"	20
G-OCC75	3/4"	10
G-OCC100	1"	10



EMT Insulating Bushings

- Polyethelene
- Indoor Use Only

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-IB50	1/2"	100
G-IB75	3/4"	100
G-IB100	1"	50
G-IB125	1-1/4"	25
G-IB150	1-1/2"	25
G-IB200	2"	20
G-IB250	2-1/2"	10
G-IB300	3"	10
G-IB350	3-1/2"	5
G-IB400	4"	5





Rigid-IMC Fittings

Reducing Bushings
Plastic Bushings
Reducing Washers
Chase Nipples
Malleable Iron Clamp Backs
Malleable Iron Straps
One Hole Rigid Straps
Two Hole Rigid Straps
Offset Nipples
Steel Locknuts
Sealing Locknuts - Steel
Grounding Locknuts
Malleable Iron Insulated Bushings
Insulated Grounding Bushings
Hot Dipped Galvanized Insulated Bushings
Insulated Bronze Bushings
Rigid Compression Connectors - Steel
Rigid Compression Couplings - Steel
Rigid Raintight Compression Connectors - Insulated
Rigid Raintight Compression Couplings
Water Tight Connectors
3-Piece Rigid Couplings
Rigid Pull Elbow EMT and Rigid Combo to Box
Conduit Bushing Pennies



Rigid-IMC Fittings

Reducing Bushings

- Rounded Bushing Protects Conductor
- Used to reduce the entry size of a run of threaded conduit
- Steel/Zinc Plated

Part Number	Trade Size	Pkg
G-RB50-38	1/2" - 3/8"	100
G-RB75-50	3/4" - 1/2"	100
G-RB100-50	1" - 1/2"	50
G-RB100-75	1" - 3/4"	50
G-RB125-50	1-1/4" - 1/2"	25
G-RB125-75	1-1/4" - 3/4"	25
G-RB125-100	1-1/4" - 1"	25
G-RB150-50	1-1/2" - 1/2"	25
G-RB150-75	1-1/2" - 3/4"	25
G-RB150-100	1-1/2" - 1"	25
G-RB150-125	1-1/2" x 1-1/4"	25
G-RB200-50	2" - 1/2"	10
G-RB200-75	2" - 3/4"	10
G-RB200-100	2" - 1"	10
G-RB200-125	2" - 1-1/4"	10
G-RB200-150	2" - 1-1/2"	10
G-RB250-150	2-1/2" x 1-1/2"	10
G-RB300-150	3" x 1-1/2"	10
G-RB300-200	3" x 2"	10
G-RB300-250	3" x 2-1/2"	10
G-RB400-300	4" x 3"	10
G-RB400-350	4" x 3-1/2"	10



*Additional
Sizes Being
Added*

Plastic Bushings

- Rated Flame Resistant to 105°C
- Indoor or Outdoor Use
- Use with locknut to terminate threaded Rigid or IMC Conduit to an outlet box
- Thermoplastic

Part Number	Trade Size	Pkg
PB050	1/2"	100
PB075	3/4"	100
PB100	1"	50
PB125	1-1/4"	50
PB150	1-1/2"	25
PB200	2"	20
PB250	2-1/2"	10
PB300	3"	10
PB350	3-1/2"	10
PB400	4"	10



Reducing Washers

- Steel - Zinc Plated
- Used in pairs to reduce the size of knockout holes

Part Number	Trade Size	Pkg
G-RW7550	3/4" x 1/2"	100
G-RW10050	1" x 1/2"	100
G-RW10075	1" x 3/4"	100
G-RW12550	1-1/4" x 1/2"	50
G-RW12575	1-1/4" x 3/4"	50
G-RW125100	1-1/4" x 1"	50
G-RW15050	1-1/2" x 1/2"	50
G-RW15075	1-1/2" x 3/4"	50
G-RW150100	1-1/2" x 1"	50
G-RW150125	1-1/2" x 1-1/4"	50
G-RW20050	2" x 1/2"	25
G-RW20075	2" x 3/4"	25
G-RW200100	2" x 1"	25
G-RW 200125	2" x 1-1/4"	25
G-RW 200150	2" x 1-1/2"	25
G-RW25050	2-1/2" x 1/2"	25
G-RW25075	2-1/2" x 3/4"	25
G-RW250100	2-1/2" x 1"	25
G-RW250125	2-1/2" x 1-1/4"	25
G-RW250150	2-1/2" x 1-1/2"	25
G-RW250200	2-1/2" x 2"	25
G-RW30050	3" x 1/2"	25
G-RW30075	3" x 3/4"	25

Part Number	Trade Size	Pkg
G-RW300100	3" x 1"	25
G-RW300125	3" x 1-1/4"	25
G-RW300150	3" x 1-1/2"	25
G-RW300200	3" x 2"	25
G-RW300250	3" x 2-1/2"	25
G-RW35050	3-1/2" x 1/2"	10
G-RW35075	3-1/2" x 3/4"	10
G-RW350100	3-1/2" x 1"	10
G-RW350125	3-1/2" x 1-1/4"	10
G-RW350150	3-1/2" x 1-1/2"	10
G-RW350200	3-1/2" x 2"	10
G-RW350250	3-1/2" x 2-1/2"	10
G-RW350300	3-1/2" x 3"	10
G-RW40050	4" x 1/2"	10
G-RW40075	4" x 3/4"	10
G-RW400100	4" x 1"	10
G-RW400125	4" x 1-1/4"	10
G-RW400150	4" x 1-1/2"	10
G-RW400200	4" x 2"	10
G-RW400250	4" x 2-1/2"	10
G-RW400300	4" x 3"	10
G-RW400350	4" x 3-1/2"	10



*New Product
Coming Soon!*

Rigid-IMC Fittings

Chase Nipples

- Zinc Die Cast
- Corrosion Resistant
- Use with locknuts
- Serves as a short raceway between electrical enclosures
- For indoor and outdoor use

Part Number	Size	Description	Pkg
G-CN050	1/2"	Standard	100
G-CN050L	1/2"	1/2" x 1" Long	100
G-CN075	3/4"	Standard	50
G-CN075L	3/4"	3/4" x 1" Long	50
G-CN100	1"	Standard	25
G-CN100L	1"	1" x 1" Long	25
G-CN125	1-1/4"	Standard	25
G-CN150	1-1/2"	Standard	25
G-CN200	2"	Standard	10
G-CN250	2-1/2"	Standard	10
G-CN300	3"	Standard	10
G-CN350	3-1/2"	Standard	10
G-CN400	4"	Standard	5



Malleable Iron Clamp Backs

- Malleable Iron
- Zinc Plated
- Extensive Size range for multiple specifications
- Fit for Indoor or Outdoor Use
- Used to provide spacing between mounting surface and Rigid Conduit

Part Number	Trade Size	Pkg
MICLB050	1/2"	100
MICLB075	3/4"	100
MICLB100	1"	50
MICLB125	1-1/4"	50
MICLB150	1-1/2"	25
MICLB200	2"	25
MICLB250	2-1/2"	20
MICLB300	3"	20
MICLB350	3-1/2"	10
MICLB400	4"	10



Malleable Iron Straps

- Malleable Iron/ Zinc Plated
- Inverted rib for strength
- For Indoor or Outdoor use
- Used to secure Rigid or IMC Conduit to wood, masonry, or similar surfaces where greater load bearing is required - To be used with Clamp Back

Part Number	Trade Size	Pkg
MISTP050	1/2"	50
MISTP075	3/4"	50
MISTP100	1"	25
MISTP125	1-1/4"	25
MISTP150	1-1/2"	25
MISTP200	2"	25
MISTP250	2-1/2"	20
MISTP300	3"	20
MISTP350	3-1/2"	10
MISTP400	4"	10



One Hole Rigid Straps

- Steel
- Inverted Rib for Added Strength
- Easy to install
- For Indoor or Outdoor use
- Use to secure Rigid or IMC Conduit to wood, masonry or where greater load bearing is required

Part Number	Trade Size	Pkg
G-1STRR05	1/2"	100
G-1STRR07	3/4"	100
G-1STRR10	1"	25
G-1STRR12	1-1/4"	20
G-1STRR15	1-1/2"	25
G-1STRR20	2"	25
G-1STRR25	2-1/2"	25
G-1STRR30	3"	25
G-1STRR35	3 1/2"	25
G-1STRR40	4"	25



Rigid-IMC Fittings

Two Hole Rigid Straps

- Steel
- Easy to install
- Indoor or Outdoor Use

Part Number	Trade Size	Pkg
G-2STRR05	1/2"	50
G-2STRR07	3/4"	50
G-2STRR10	1"	25
G-2STRR12	1-1/4"	25
G-2STRR15	1-1/2"	20
G-2STRR20	2"	10
G-2STRR25	2-1/2"	10
G-2STRR30	3"	5
G-2STRR35	3-1/2"	2
G-2STRR40	4"	2



Offset Nipples

- Zinc Die Cast
- Enables easier direction change of conduit
- For Indoor or Outdoor use
- Offsets the axis of the raceways by 3/4"
- Used as an offset connector between two enclosures

Part Number	Trade Size	Pkg
G-ON050	1/2"	10
G-ON075	3/4"	10
G-ON100	1"	10
G-ON125	1-1/4"	10
G-ON150	1-1/2"	5
G-ON200	2"	2
G-ON250	2-1/2"	1
G-ON300	3"	1
G-ON350	3-1/2"	1
G-ON400	4"	1



*Additional
Sizes Being
Added*

Steel Locknuts

- Steel/zinc plated
- Use to attach an externally threaded conduit or connector to a threadless opening in a box or enclosure

Part Number	Trade Size	Pkg
G-LN050	1/2"	250
G-LN075	3/4"	100
G-LN100	1"	100
G-LN125	1-1/4"	50
G-LN150	1-1/2"	50
G-LN200	2"	25
G-LN250	2-1/2"	50
G-LN300	3"	50
G-LN350	3-1/2"	25
G-LN400	4"	25



Sealing Locknuts - Steel

- Steel/ Zinc Plated
- PVC Gasket
- For Indoor or Outdoor Use

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-SL50	1/2"	50
G-SL75	3/4"	50
G-SL100	1"	25
G-SL125	1-1/4"	10
G-SL150	1-1/2"	10
G-SL200	2"	10
G-SL250	2-1/2"	5
G-SL300	3"	5
G-SL350	3-1/2"	5
G-SL400	4"	5



Rigid-IMC Fittings

Grounding Locknuts

- Zinc plated steel

Part Number	Trade Size	Pkg
G-GLN50	1/2"	200
G-GLN75	3/4"	100
G-GLN100	1"	100
G-GLN125	1-1/4"	50
G-GLN150	1-1/2"	50
G-GLN200	2"	50
G-GLN250	2-1/2"	25
G-GLN300	3"	25
G-GLN350	3-1/2"	5
G-GLN400	4"	5



Malleable Iron Insulated Bushings

- Malleable Iron
- Plastic Metaliner rated to 150° F

Part Number	Trade Size	Pkg
G-CBI050M	1/2"	100
G-CBI075M	3/4"	50
G-CBI100M	1"	50
G-CBI125M	1-1/4"	25
G-CBI150M	1-1/2"	25
G-CBI200M	2"	25
G-CBI250M	2-1/2"	10
G-CBI300M	3"	10
G-CBI350M	3-1/2"	10
G-CBI400M	4"	10



Insulated Grounding Bushings


- Zinc Die Cast
- Zinc Plated Steel Screws
- Plastic Metaliner rated to 150° F

Part Number	Trade Size	Pkg
G-MLGB50M	1/2"	50
G-MLGB75M	3/4"	50
G-MLGB100M	1"	25
G-MLGB125M	1-1/4"	25
G-MLGB150M	1-1/2"	25
G-MLGB200M	2"	25
G-MLGB250M	2-1/2"	10
G-MLGB300M	3"	10
G-MLGB350M	3-1/2"	10
G-MLGB400M	4"	10



Hot Dipped Galvanized Insulated Bushings

Part Number	Trade Size	Pkg
HDGB075	3/4"	100
HDGB100	1"	100
HDGB112	1-1/4"	50
HDGB150	1-1/2"	25
HDGB200	2"	20
HDGB250	2 1/2"	20
HDGB300	3"	15
HDGB350	3-1/2"	8
HDGB400	4"	10



Insulated Bronze Bushings

Part Number	Trade Size	Pkg
BIGB-075	3/4"	100
BIGB-100	1"	100
BIGB-125	1 1/4"	100
BIGB-150	1 1/2"	50
BIGB-200	2"	50
BIGB-250	2 1/2"	12
BIGB-300	3"	12
BIGB-350	3 1/2"	8
BIGB-400	4"	10



Rigid-IMC Fittings

Rigid Compression Connectors - Steel

- Zinc Plated
- Steel
- Threadless
- Concrete Tight

Part Number	Trade Size	Pkg
G-RCON50S	1/2"	25
G-RCON75S	3/4"	25
G-RCON100S	1"	15
G-RCON125S	1 1/4"	5
G-RCON150S	1 1/2"	5
G-RCON200S	2"	5
G-RCON250S	2-1/2"	5
G-RCON300S	3"	3
G-RCON350S	3-1/2"	2
G-RCON400S	4"	2



*Additional
Sizes Being
Added*

Rigid Compression Couplings - Steel

- Zinc Plated
- Steel
- Threadless
- Concrete Tight

Part Number	Trade Size	Pkg
G-RCOUP50S	1/2"	20
G-RCOUP75S	3/4"	25
G-RCOUP100S	1"	10
G-RCOUP125S	1 1/4"	5
G-RCOUP150S	1 1/2"	5
G-RCOUP200S	2"	5
G-RCOUP250S	2-1/2"	5
G-RCOUP300S	3"	3
G-RCOUP350S	3-1/2"	2
G-RCOUP400S	4"	2



*Additional
Sizes Being
Added*

Rigid Raintight Compression Connectors - Insulated

- Raintight
- Compression type couplings
- Threadless
- Body/Gland Nut: Steel/Zinc plated
- Gasket/Insulator: High performance thermoplastics
- Locknut: Steel/Zinc plated

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-RCON50RTI	1/2"	10
G-RCON75RTI	3/4"	10
G-RCON100RTI	1"	5
G-RCON125RTI	1-1/4"	5
G-RCON150RTI	1-1/2"	1
G-RCON200RTI	2"	1



Rigid Raintight Compression Couplings

- Raintight
- Compression type couplings
- Threadless
- Steel
- Zinc plated

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-RCOUP50RT	1/2"	10
G-RCOUP75RT	3/4"	10
G-RCOUP100RT	1"	5
G-RCOUP125RT	1-1/4"	5
G-RCOUP150RT	1-1/2"	1
G-RCOUP200RT	2"	1




Rigid-IMC Fittings

Water Tight Connectors

- Suitable for wet or dry locations
- Zinc Die Cast

Part Number	Trade Size	Pkg
G-WTHG-50I	1/2"	25
G-WTHG-75I	3/4"	25
G-WTHG-100I	1"	10
G-WTHG-125I	1 1/4"	10
G-WTHG-150I	1 1/2"	2
G-WTHG-200I	2"	2
G-WTHG-250I	2 1/2"	2
G-WTHG-300I	3"	2
G-WTHG-350I	3 1/2"	1
G-WTHG-400I	4"	1



3-Piece Rigid Couplings

- Malleable Iron - Zinc Plated
- Used For Threaded Rigid or IMC Conduit

Part Number	Trade Size	Pkg
3PCCPL050	1/2"	50
3PCCPL075	3/4"	50
3PCCPL100	1"	50
3PCCPL125	1 1/4"	25
3PCCPL150	1 1/2"	12
3PCCPL200	2"	12
3PCCPL250	2 1/2"	6
3PCCPL300	3"	4
3PCCPL350	3 1/2"	6
3PCCPL400	4"	3



Rigid Pull Elbow EMT and Rigid Combo to Box

- Zinc Die Cast
- Neoprene gasket
- Indoor or outdoor use

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-PE050ERG	1/2"	10
G-PE075ERG	3/4"	5
G-PE100ERG	1"	5
G-PE125ERG	1-1/4"	2



Conduit Bushing Pennies

- Steel - Zinc plated
- Prevents debris from falling in the conduit

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-PNY50	1/2"	50
G-PNY75	3/4"	50
G-PNY100	1"	25
G-PNY125	1-1/4"	25
G-PNY150	1-1/2"	25
G-PNY200	2"	25
G-PNY250	2-1/2"	10
G-PNY300	3"	10
G-PNY350	3-1/2"	5
G-PNY400	4"	5
G-PNY500	5"	5
G-PNY600	6"	5





Conduit Bodies

LC Type

LT Type

LB Type

LL Type

LR Type

Conduit Body Cover and Gasket



Conduit Bodies

LC Type

- Copper-Free Die Cast Aluminum/Powder Coated Steel
- Stamped Steel
- Neoprene Rubber

Part Number	Trade Size	Description	Pkg
LCC050	1/2"	Combo "C" Set Screw with C&G	10
LCC075	3/4"	Combo "C" Set Screw with C&G	10
LCC100	1"	Combo "C" Set Screw with C&G	5
LCC125	1-1/4"	Combo "C" Set Screw with C&G	2
LCC150	1-1/2"	Combo "C" Set Screw with C&G	2
LCC200	2"	Combo "C" Set Screw with C&G	1
LCC250-E	2-1/2"	EMT Set Screw with C&G	1
LCC250-R	2-1/2"	Rigid Threaded with C&G	1
LCC300-E	3"	EMT Set Screw with C&G	1
LCC300-R	3"	Rigid Threaded with C&G	1
LCC350-E	3-1/2"	EMT Set Screw with C&G	1
LCC350-R	3-1/2"	Rigid Threaded with C&G	1
LCC400-E	4"	EMT Set Screw with C&G	1
LCC400-R	4"	Rigid Threaded with C&G	1



LT Type

- Copper-Free Die Cast Aluminum/ Powder Coated Steel
- Stamped Steel
- Neoprene Rubber

Part Number	Trade Size	Description	Pkg
LTC050	1/2"	Combo "T" Set Screw with C&G	10
LTC075	3/4"	Combo "T" Set Screw with C&G	10
LTC100	1"	Combo "T" Set Screw with C&G	5
LTC125	1-1/4"	Combo "T" Set Screw with C&G	2
LTC150	1-1/2"	Combo "T" Set Screw with C&G	2
LTC200	2"	Combo "T" Set Screw with C&G	1
LTC250-E	2-1/2"	EMT Set Screw with C&G	1
LTC250-R	2-1/2"	Rigid Threaded with C&G	1
LTC300-E	3"	EMT Set Screw with C&G	1
LTC300-R	3"	Rigid Threaded with C&G	1
LTC350-E	3-1/2"	EMT Set Screw with C&G	1
LTC350-R	3-1/2"	Rigid Threaded with C&G	1
LTC400-E	4"	EMT Set Screw with C&G	1
LTC400-R	4"	Rigid Threaded with C&G	1



LB Type

- Copper-Free Die Cast Aluminum/Powder Coated Steel
- Stamped Steel
- Neoprene Rubber

Part Number	Trade Size	Description	Pkg
LBC050	1/2"	Combo "LB" Set Screw with C&G	10
LBC075	3/4"	Combo "LB" Set Screw with C&G	10
LBC100	1"	Combo "LB" Set Screw with C&G	5
LBC125	1-1/4"	Combo "LB" Set Screw with C&G	2
LBC150	1-1/2"	Combo "LB" Set Screw with C&G	2
LBC200	2"	Combo "LB" Set Screw with C&G	1
LBC250-E	2-1/2"	EMT Set Screw with C&G	1
LBC250-R	2-1/2"	Rigid Threaded with C&G	1
LBC300-E	3"	EMT Set Screw with C&G	1
LBC300-R	3"	Rigid Threaded with C&G	1
LBC350-E	3-1/2"	EMT Set Screw with C&G	1
LBC350-R	3-1/2"	Rigid Threaded with C&G	1
LBC400-E	4"	EMT Set Screw with C&G	1
LBC400-R	4"	Rigid Threaded with C&G	1



LL Type

- Copper-Free Die Cast Aluminum/ Powder Coated Steel
- Stamped Steel
- Neoprene Rubber

Part Number	Trade Size	Description	Pkg
LLC050	1/2"	Combo "LL" Set Screw with C&G	10
LLC075	3/4"	Combo "LL" Set Screw with C&G	10
LLC100	1"	Combo "LL" Set Screw with C&G	5
LLC125	1-1/4"	Combo "LL" Set Screw with C&G	2
LLC150	1-1/2"	Combo "LL" Set Screw with C&G	2
LLC200	2"	Combo "LL" Set Screw with C&G	1
LLC250-E	2-1/2"	EMT Set Screw with C&G	1
LLC250-R	2-1/2"	Rigid Threaded with C&G	1
LLC300-E	3"	EMT Set Screw with C&G	1
LLC300-R	3"	Rigid Threaded with C&G	1
LLC350-E	3-1/2"	EMT Set Screw with C&G	1
LLC350-R	3-1/2"	Rigid Threaded with C&G	1
LLC400-E	4"	EMT Set Screw with C&G	1
LLC400-R	4"	Rigid Threaded with C&G	1



Conduit Bodies

LR Type

- Copper-Free Die Cast Aluminum/Powder Coated Steel
- Stamped Steel
- Neoprene Rubber

Part Number	Trade Size	Description	Pkg
LRC050	1/2"	Combo "LR" Set Screw with C&G	10
LRC075	3/4"	Combo "LR" Set Screw with C&G	10
LRC100	1"	Combo "LR" Set Screw with C&G	5
LRC125	1-1/4"	Combo "LR" Set Screw with C&G	2
LRC150	1-1/2"	Combo "LR" Set Screw with C&G	2
LRC200	2"	Combo "LR" Set Screw with C&G	1
LRC250-E	2-1/2"	EMT Set Screw with C&G	1
LRC250-R	2-1/2"	Rigid Threaded with C&G	1
LRC300-E	3"	EMT Set Screw with C&G	1
LRC300-R	3"	Rigid Threaded with C&G	1
LRC350-E	3-1/2"	EMT Set Screw with C&G	1
LRC350-R	3-1/2"	Rigid Threaded with C&G	1
LRC400-E	4"	EMT Set Screw with C&G	1
LRC400-R	4"	Rigid Threaded with C&G	1



Conduit Body Cover and Gasket

- Powder Coated Steel
- Stamped Steel
- Neoprene Rubber

Part Number	Trade Size	Pkg
C050	1/2"	25
C075	3/4"	25
C100	1"	10
C125-150	1-1/4" & 1-1/2"	10
C200	2"	10





Grounding & Bonding Fittings

Ground Rods
Ground Rod Clamps
Ground Rod Couplings
Ground Clamps
Ground Clamp with Swivel Hubs
Green Grounding Screws
Green Grounding Pigtail
Green Ground Clips
Split Bolt Connectors



Grounding & Bonding Fittings

Ground Rods

- Provides electrical connection to the ground to carry current safely away from a circuit in the event of an electrical surge
- Steel coated in Copper
- Hot Dip Galvanized

Part Number	Trade Size	Length	Description	Pkg
GR128	1/2"	8'	Ground Rod (Copper)	10
GR128UL*	1/2"	8'	Ground Rod UL (Copper)	10
GR1210	1/2"	10'	Ground Rod (Copper)	10
GR348	3/4"	8'	Ground Rod (Copper)	10
GR3410	3/4"	10'	Ground Rod (Copper)	10
GR3410S	3/4"	10'	Ground Rod Sectional (Copper)	10
GR3410UL*	3/4"	10'	Ground Rod UL (Copper)	5
GR588	5/8"	8'	Ground Rod (Copper)	10
GR588UL*	5/8"	8'	Ground Rod UL (Copper)	10
GGR588	5/8"	8'	Ground Rod (Hot Dip Galvanized)	10
GR5810	5/8"	10'	Ground Rod (Copper)	10
GR5812	5/8"	12'	Ground Rod (Copper)	10
GR110	1"	10'	Ground Rod (Copper)	3


*UL Listed



Ground Rod Clamps

- Approved for direct burial in ground and concrete
- Corrosion resistant bronze construction
- Securely connects a grounding conductor to a drive
- Bronze with Stainless Steel Screw
- Wire Size Min. 10 SOL
- Wire Size Max. 2 STR

Part Number	Trade Size	Outer Dia. (Min)	Outer Dia. (Max)	Pkg
GRC12	1/2"	1.22	0.75	50
GRC34	3/4"	1.47	1.00	50
GRC58	5/8"	1.41	0.90	100
GRC-UNV	5/8", 1/2", 3/4"	-	-	100



Ground Rod Couplings

- High strength coupling threaded and chamfered at both ends for easy driving
- Corrosion-resistant
- Ensures permanent, low resistance copper-to-copper connections
- Bronze

Part Number	Trade Size	Length	Thread	Pkg
GRC34S	3/4"	2.5"	3/4" UNC	50




Grounding & Bonding Fittings

Ground Clamps

- Connects copper conductors to metallic water pipe, ground rods, or flexible gas piping.
- Available for 1/2" - 4" pipe


Part Number	Trade Size	Pkg
GPC050	1/2" - 1"	20
GPC114	1 1/4" - 2"	10
GPC250	2 1/2" - 4"	6



Ground Clamp with Swivel Hubs

- Assembled with threaded hub for use on Rigid conduit pipe
- Corrosion resistant bronze construction
- Use to ground copper or aluminum wires to water pipes, ground rods, rebar or other structural members, ensuring a positive grounding connection to earth.
- Bronze
- Screws - Zinc Plated

Part Number	Trade Size	Pkg
GPC050-360	1/2" - 1"	100



Grounding & Bonding Fittings

Green Grounding Screws

- Green zinc plated

Part Number	Wire Size	Description	Pkg
G-GGS	#12	Green Grounding Screw	100



Green Grounding Pigtail

- Use to ground receptacles to steel boxes
- Insulated solid copper wire

Part Number	Wire Size	Description	Pkg
GG12-7	#12	Green Grounding Pigtail 7" Long	100
GG12-12	#12	Green Grounding Pigtail 12" Long	100



Green Ground Clips

*New Product
Coming Soon!*

Part Number	Wire Gauge	Pkg
G-GC	#14 & #12	100




Split Bolt Connectors

- Used in order to join 2 copper wires in power or grounding electrical connection applications.
- Copper alloy bolt and nut construction provides reliable protection against corrosive elements.
- Features copper pressure bar and hex style head
- Highly resistant to corrosion and cracking
- Provides high contact pressure between conductors
- Suitable for Direct Burial
- Copper Alloy

*New Product
Coming Soon!*

Part Number	Wire Size	Product Description	Max. Run	Min. Tap	Box Qty
G-KSU6-10	#6	Split Bolt Connector	6 SOL	10 SOL	100
G-KSU4-8	#4	Split Bolt Connector	4 SOL	8 SOL	100
G-KSU3-6	#3	Split Bolt Connector	2 SOL	6 SOL	50
G-KSU2-6	#2	Split Bolt Connector	2 STR	6 SOL	50
G-KSU1/0-4	1/0	Split Bolt Connector	1/0 STR	4 SOL	25
G-KSU2/0-2	2/0	Split Bolt Connector	2/0 STR	2 SOL	25
G-KSU3/0-2	3/0	Split Bolt Connector	3/0 STR	2 SOL	12
G-KSU250-1/0	250MCM	Split Bolt Connector	250 MCM	1/0 SOL	10
G-KSU350-4/0	350MCM	Split Bolt Connector	350 MCM	4/0 STR	8
G-KSU500-250	500MCM	Split Bolt Connector	500 MCM	250 MCM	5





Flexible Conduit & ENT

Non-UL Greenfield Flex Conduit

UL Greenfield Flex Conduit

Non-UL Liquid - Tite Steel Core (EF Class)

UL Liquid-Tite

Liquid-Tite Non-Metallic

ENT Conduit Coils

ENT Conduit Reels

ENT Threaded Terminal Adapters

ENT Couplings

ENT Snap In



Flexible Conduit & ENT

Non-UL Greenfield Flex Conduit

- Steel Construction
- Hot Dip Galvanized Zinc Coating
- Smooth interior for easy wire pull through
- For use as an electrical raceway in close quarters requiring extra flexibility

Part Number	Trade Size	Inner (Min.)	Diameter (Max)	Outer (Min.)	Diameter (Max)	Pkg
GF0375-100	3/8"	0.374	0.376	0.555	0.571	100
GF0375-250	3/8"	0.374	0.376	0.555	0.571	250
GF0375-1000	3/8"	0.374	0.376	0.555	0.571	1000
GF0500-100	1/2"	0.618	0.634	0.850	0.866	100
GF0500-500	1/2"	0.618	0.634	0.850	0.866	500
GF0500-1000	1/2"	0.618	0.634	0.850	0.866	1000
GF0750-100	3/4"	0.827	0.846	1.043	1.063	100
GF0750-500	3/4"	0.827	0.846	1.043	1.063	500
GF1000-50	1"	1.039	1.059	1.280	1.299	50
GF1000-400	1"	1.039	1.059	1.280	1.299	400
GF1250-50	1-1/4"	1.319	1.343	1.512	1.535	50
GF1250-250	1-1/4"	1.319	1.343	1.512	1.535	250
GF1500-25	1-1/2"	1.496	1.520	1.827	1.850	25
GF1500-150	1-1/2"	1.496	1.520	1.827	1.850	150
GF2000-25	2"	2.047	2.075	2.335	2.362	25
GF2000-100	2"	2.047	2.075	2.335	2.362	100
GF2500-25	2-1/2"	2.520	2.559	2.913	2.953	25
GF3000-25	3"	3.071	3.110	3.465	3.504	25
GF3500-25	3-1/2"	3.504	3.551	3.909	3.957	25
GF4000-25	4"	4.094	4.154	4.449	4.508	25



UL Greenfield Flex Conduit

- Crush and corrosion resistant steel core for lasting mechanical protection
- High mechanical strength
- Temperature range is from -15°C to +70°C

Part Number	Trade Size	Inner (Min.)	Diameter (Max)	Outer (Min.)	Diameter (Max)	Pkg
GFUL0375-100	3/8"	0.484	0.504	0.689	0.709	100
GFUL0375-250	3/8"	0.484	0.504	0.689	0.709	250
GFUL0375-1000	3/8"	0.484	0.504	0.689	0.709	1000
GFUL0500-100	1/2"	0.622	0.642	0.819	0.839	100
GFUL0500-1000	1/2"	0.622	0.642	0.819	0.839	1000
GFUL0750-100	3/4"	0.815	0.835	1.032	1.051	100
GFUL0750-500	3/4"	0.815	0.835	1.032	1.051	500
GFUL1000-50	1"	1.032	1.055	1.287	1.315	50
GFUL1000-400	1"	1.032	1.055	1.287	1.315	400
GFUL1250-50	1 1/4"	1.370	1.394	1.630	1.661	50
GFUL1250-250	1 1/4"	1.370	1.394	1.630	1.661	250
GFUL1500-25	1 1/2"	1.579	1.598	1.866	1.902	25
GFUL1500-150	1 1/2"	1.579	1.598	1.866	1.902	150
GFUL2000-25	2"	2.020	2.043	2.339	2.374	25
GFUL2000-50	2"	2.020	2.043	2.339	2.374	50
GFUL2000-100	2"	2.020	2.043	2.339	2.374	100
GFUL2500-25	2-1/2"	2.480	2.504	2.839	2.874	25
GFUL3000-25	3"	3.070	3.098	3.460	3.500	25
GFUL3500-25	3-1/2"	3.550	3.576	3.950	3.995	25
GFUL4000-25	4"	4.000	4.039	4.457	4.500	25



Flexible Conduit & ENT

Non-UL Liquid-Tite Steel Core (EF Class)

- Crush and corrosion resistant steel core for lasting mechanical protection
- EF PVC jacket is oil and sunlight resistant
- Smooth interior for easy wire pull through
- For use in damp or wet locations, suitable for commercial or industrial use.
- Material: EF PVC Jacketed Steel Core Coil wrapped in clear plastic shrink wrap

Part Number	Trade Size	Description	Inner (Min.)	Diameter (Max)	Outer (Min.)	Diameter (Max)	Pkg
EF0375-100	3/8"	Carton	0.484	0.504	0.690	0.710	100
EF0375-1200	3/8"	Reel	0.484	0.504	0.690	0.710	1200
EF0500-100	1/2"	Carton	0.622	0.642	0.820	0.840	100
EF0500-1000	1/2"	Reel	0.622	0.642	0.820	0.840	1000
EF0750-100	3/4"	Carton	0.820	0.840	1.030	1.050	100
EF0750-500	3/4"	Reel	0.820	0.840	1.030	1.050	500
EF1000-100	1"	Carton	1.041	1.066	1.290	1.315	100
EF1000-400	1"	Reel	1.041	1.066	1.290	1.315	400
EF1250-050	1-1/4"	Carton	1.380	1.410	1.630	1.660	50
EF1250-250	1-1/4"	Reel	1.380	1.410	1.630	1.660	250
EF1500-050	1-1/2"	Carton	1.575	1.600	1.865	1.900	50
EF1500-200	1-1/2"	Reel	1.575	1.600	1.865	1.900	200
EF2000-050	2"	Carton	2.020	2.045	2.340	2.375	50
EF2000-100	2"	Reel	2.020	2.045	2.340	2.375	100
EF2500-025	2-1/2"	Carton	2.480	2.505	2.840	2.875	25
EF3000-025	3"	Carton	3.070	3.100	3.460	3.500	25
EF3500-025	3-1/2"	Carton	3.500	3.535	3.720	3.812	25
EF4000-025	4"	Carton	4.000	4.040	4.460	4.500	25



UL Liquid-Tite

- Flexible Steel Conduit
- Sunlight resistant
- Flame Retarded PVC Jacket
- Hot Dipped Zinc Galvanized low carbon steel core

Part Number	Trade Size	Inner (Min.)	Diameter (Max)	Outer (Min.)	Diameter (Max)	Pkg
UL0500-100	1/2"	0.622	0.642	0.820	0.840	100
UL0500-500	1/2"	0.622	0.642	0.820	0.840	500
UL0750-100	3/4"	0.820	0.840	1.030	1.050	100
UL0750-500	3/4"	0.820	0.840	1.030	1.050	500
UL1000-100	1"	1.041	1.066	1.290	1.315	100
UL1000-400	1"	1.041	1.066	1.290	1.315	400
UL1250-050	1-1/4"	1.380	1.410	1.630	1.660	50
UL1250-250	1-1/4"	1.380	1.410	1.630	1.660	250
UL1500-050	1-1/2"	1.575	1.600	1.865	1.900	50
UL1500-150	1-1/2"	1.575	1.600	1.865	1.900	150
UL2000-050	2"	2.020	2.045	2.340	2.375	50
UL2000-100	2"	2.020	2.045	2.340	2.375	100
UL2500-025	2-1/2"	2.480	2.505	2.840	2.875	25
UL3000-025	3"	3.070	3.100	3.460	3.500	25
UL4000-025	4"	4.000	4.040	4.460	4.500	25



Flexible Conduit & ENT

Liquid-Tite Non-Metallic

- Resists corrosion, abrasion, oil, water, acid, metal shavings, and rough environments
- UL Type B flexible nonmetallic liquidtight conduit
- Suitable for Indoor or Outdoor Use
- Integral Rigid and flexible PVC Construction

Part Number	Trade Size	Inner (Min.)	Diameter (Max)	Outer (Min.)	Diameter (Max)	Pkg
DC0500-100	1/2"	0.622	0.642	0.820	0.840	100
DC0500-1000	1/2"	0.622	0.642	0.820	0.840	1000
DC0750-100	3/4"	0.820	0.840	1.030	1.050	100
DC0750-800	3/4"	0.820	0.840	1.030	1.050	800
DC1000-100	1"	1.041	1.066	1.290	1.315	100
DC1000-500	1"	1.041	1.066	1.290	1.315	500
DC1250-50	1-1/4"	1.380	1.410	1.630	1.660	50
DC1250-100	1-1/4"	1.380	1.410	1.630	1.660	100
DC1500-050	1-1/2"	1.575	1.600	1.865	1.900	50
DC2000-050	2"	2.020	2.045	2.340	2.375	50



ENT Conduit Coils

- UV rated
- Suitable for concrete encasement
- Pull resistant, fire resistant
- Flexible enough to be bent by hand, tough enough to withstand crushing and breaking
- Standard Material: Heavy duty impact resistant PVC

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-ENT050-100	1/2"	100
G-ENT075-100	3/4"	100
G-ENT100-100	1"	100



ENT Conduit Reels

- UV rated
- Suitable for concrete encasement
- Pull resistant, fire resistant
- Flexible enough to be bent by hand, tough enough to withstand crushing and breaking
- Standard Material: Heavy duty impact resistant PVC

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-ENT050-1500R	1/2"	1500
G-ENT075-1000R	3/4"	1000
G-ENT100-750R	1"	750
G-ENT125-1000R	1-1/4"	1000
G-ENT150-750R	1-1/2"	750
G-ENT200-500R	2"	500



ENT Threaded Terminal Adapters

- Threaded male end
- Requires no solvent cement for installation
- Impact resistant
- Standard Material: Impact resistant PVC

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-ENTTA50	1/2"	100
G-ENTTA75	3/4"	100
G-ENTTA100	1"	50
G-ENTTA125	1-1/4"	25
G-ENTTA150	1-1/2"	25
G-ENTTA200	2"	20



ENT Coupling

- Snap In
- Material- Impact resistant PVC

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-ENTC50	1/2"	200
G-ENTC75	3/4"	200
G-ENTC100	1"	100
G-ENTC125	1-1/4"	30
G-ENTC150	1-1/2"	30
G-ENTC200	2"	20




ENT Snap In

- Double snap
- Requires no solvent cement for installation
- Impact resistant; rust proof
- Standard Material: Impact resistant PVC

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-ENTSNP50	1/2"	100
G-ENTSNP75	3/4"	100
G-ENTSNP100	1"	50





Liquid Tight Fittings

Liquid Tight Non-Metallic Connectors

Straight Liquid Tight Connectors - Steel

Straight Liquid Tight Connectors - Insulated Steel

90° Liquid Tight Connectors - Non-Metallic

90° Liquid Tight Connectors - Steel

90° Liquid Tight Connectors - Insulated Steel



Liquid Tight Fittings

Liquid Tight Non-Metallic Connectors

- Nylon
- Liquidtight , raintight, oiltight
- For Wet and Dry locations

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-LTNM38	3/8"	25
G-LTNM50	1/2"	25
G-LTNM75	3/4"	10
G-LTNM100	1"	5
G-LTNM125	1-1/4"	5
G-LTNM150	1-1/2"	5
G-LTNM200	2"	2




Straight Liquid Tight Connectors - Steel

- Steel
- Suitable for Wet Locations

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-LTCN50	1/2"	20
G-LTCN75	3/4"	10
G-LTCN100	1"	5
G-LTCN125	1-1/4"	5
G-LTCN150	1-1/2"	2
G-LTCN200	2"	2
G-LTCN250	2-1/2"	1
G-LTCN300	3"	1
G-LTCN350	3-1/2"	1
G-LTCN400	4"	1




Straight Liquid Tight Connectors - Insulated Steel

- Steel
- Suitable for Wet Locations

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-LTCN38I	3/8 1/2" KO	20
G-LTCN50I	1/2"	20
G-LTCN75I	3/4"	10
G-LTCN100I	1"	5
G-LTCN125I	1-1/4"	5
G-LTCN150I	1-1/2"	2
G-LTCN200I	2"	2



90° Liquid Tight Connectors - Non-Metallic

- Nylon
- Liquidtight , raintight, oiltight
- For Wet and Dry locations

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-LTNM90-38	3/8"	10
G-LTNM90-50	1/2"	10
G-LTNM90-75	3/4"	10
G-LTNM90-100	1"	5
G-LTNM90-125	1-1/4"	2
G-LTNM90-150	1-1/2"	2
G-LTNM90-200	2"	1



90° Liquid Tight Connectors - Steel

- Steel
- Suitable for Wet Locations

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-LTCN90-50	1/2"	25
G-LTCN90-75	3/4"	10
G-LTCN90-100	1"	5
G-LTCN90-125	1-1/4"	2
G-LTCN90-150	1-1/2"	2
G-LTCN90-200	2"	1
G-LTCN90-250	2-1/2"	1
G-LTCN90-300	3"	1
G-LTCN90-350	3-1/2"	1
G-LTCN90-400	4"	1



90° Liquid Tight Connectors - Insulated Steel

- Steel
- Suitable for Wet Locations

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-LTCN90-50I	1/2"	10
G-LTCN90-75I	3/4"	10
G-LTCN90-100I	1"	5
G-LTCN90-125I	1-1/4"	2
G-LTCN90-150I	1-1/2"	2
G-LTCN90-200I	2"	1





Combination Fittings/Flex Cord Fittings

EMT Flex Combination Couplings

Flex & EMT Couplings

Take All Connector NM+SE Connectors

Combination Couplings - Liquid Tight to Rigid Steel

Rubber Cord Connectors



Combination Fittings/Flex Cord Fittings

EMT Flex Combination Couplings

- Zinc Die Cast / Tri Combo Screw / Set Screw to Clamp type
- EMT to flex combination coupling
- Indoor Use only
- Use to join EMT conduit to flexible metal conduit

Part Number	Trade Size	Pkg
G-PEC50	1/2"	25
G-PEC75	3/4"	25
G-PEC100	1"	25
G-PEC125	1-1/4"	25



Flex & EMT Couplings

- Zinc Die Cast
- Use to join EMT Conduit to Flexible Metal Conduit

Part Number	Trade Size	Description	Pkg
G-CMB38	1/2 - 3/8"	EMT BX/NM (180)	50
G-CMB050	1/2"	FLEX-EMT, Set Screw	25
G-CMB075	3/4"	FLEX-EMT, Set Screw	25
G-CMB100	1"	FLEX-EMT, Set Screw	10



Take All Connector NM+SE Connectors

- Indoor use only
- Reversible steel strap for multiple application
- Body: Zinc Die Cast
- Strap: Zinc Plated Steel
- Screw: Zinc Plated Steel

Part Number	Trade Size	Pkg
G-TA050	1/2"	25
G-TA075	3/4"	20
G-TA100	1"	15
G-TA125	1 1/4"	10
G-TA150	1 1/2"	10
G-TA200	2"	10



Combination Fittings/Flex Cord Fittings

Combination Couplings - Liquid Tight to Rigid Steel

- Steel/ Zinc Plated
- LiquidTight Rated
- Suitable for wet locations

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-CCPLT38	3/8"	20
G-CCPLT50	1/2"	20
G-CCPLT75	3/4"	10
G-CCPLT100	1"	5
G-CCPLT125	1-1/4"	5
G-CCPLT150	1-1/2"	1
G-CCPLT200	2"	1



Rubber Cord Connectors

- Zinc Die Cast
- Indoor and Outdoor Use
- Provides Excellent Strain Relief and prevents Cable Pullout
- Provides tight seal against elemental damage

Part Number	Trade Size	Description	Pkg
G-GC50A250	1/2"	Cable .250	25
G-GC50A375	1/2"	Cable .375	25
G-GC50A500	1/2"	Cable .500	25
G-GC75A500	3/4"	Cable .500	25
G-GC75A625	3/4"	Cable .625	25
G-GC75A750	3/4"	Cable .750	25
G-GC100A750	1"	Cable .750	10
G-GC100A880	1"	Cable .800	10
G-GC100A985	1"	Cable .985	10





Insulated Multi-Tap Connectors

Wire Connectors
Black Insulated Inline Splice



Insulated Multi-Tap Connectors

IMTC - Insulated Multi-Tap Connectors

- Wire entry from either side
- Insulated with rugged high-dielectric rubber/vinyl coating
- Pre-filled with oxide inhibitor
- Dual-rated CU9AL 90°C 600V for Luminaires 1000V
- Easy re-entry for changes, inspection or troubleshooting
- Plugs marked with connector max wire size for easy identification
- One Wire per Terminal
- Temperature Range of -49°F to 194°F (-45° to 90°C)
- ANSI C119.4 & cultus 486B Listed through 750 MCM
- Rated for use with 194°F (90°C Cables)
- 600V



Part Number	No of Parts	Connector Size	Strip Length	Allen HEX	Wire Range, Cu	Wire Range, Al	Torque in-lbs.	Pkg
IMTC2-2	2	#2 AWG	7/8"	Slotted or 1/8"	14 AWG, Str/Sol	-	28	16
IMTC2-3	3				12 AWG, Str/Sol	-	35	8
IMTC2-4	4				10 AWG, Str/Sol	-	45	8
IMTC2-5	5				8 AWG, Str	-	55	6
IMTC2-6	6				6 AWG, Str	-	60	6
					2 - 4 AWG, Str	2 - 4 AWG, Str	75	
IMTC1/0-2	2	1/0 AWG	1"	Slotted or 1/8"	10 - 14 AWG, Str/Sol	-	35	18
IMTC1/0-3	3				8 AWG, Str	-	75	6
IMTC1/0-4	4				4 - 6 AWG, Str	4 AWG, Str	110	9
IMTC1/0-6	6				1 - 3 AWG, Str	1 - 3 AWG, Str	150	8
						1/0 AWG, Str	180	
IMTC2/0-2	2				2/0 AWG	1-1/16"	3/16"	6 AWG, Str
IMTC2/0-3	3	4 AWG, Str	4 AWG, Str	120				6
IMTC2/0-4	4	2 AWG, Str	2 AWG, Str	160				9
IMTC2/0-5	5	1 - 1/0 AWG, Str	1 - 1/0 AWG, Str	165				9
IMTC2/0-6	6	2/0 AWG, Str	2/0 AWG, Str	170				6
								2
IMTC2/0-8	8							
IMTC3/0-2	2	3/0 AWG	1-1/8"	1/4"	6 AWG, Str	6 AWG, Str	110	6
IMTC3/0-3	3				1 - 3 AWG, Str	1 - 3 AWG, Str	150	12
IMTC3/0-4	4				1/0 - 2/0 AWG, Str	1/0 - 2/0 AWG, Str	180	8
IMTC3/0-6	6					3/0 AWG, Str	250	2
IMTC250-2	2	250 MCM	1-3/8"	1/4"	6 AWG, Str	6 AWG, Str	110	6
IMTC250-3	3				3 AWG, Str	3 AWG, Str	150	5
IMTC250-4	4				250kcmil - 2 AWG, Str	250kcmil - 2 AWG, Str	360	3
IMTC250-5	5							3
IMTC250-6	6							1
IMTC250-8	8							1

Insulated Multi-Tap Connectors

IMTC - Insulated Multi-Tap Connectors (Continued)

Part Number	No of Parts	Connector Size	Strip Length	Allen HEX	Wire Range, Cu	Wire Range, Al	Torque in-lbs.	Pkg
IMTC350-2	2	350 MCM	1-1/2"	5/16"	6 AWG, Str	6 AWG, Str	110	4
IMTC350-3	3				3 - 1 AWG, Str	3 - 1 AWG, Str	150	1
IMTC350-4	4				350kcmil - 1/0 AWG, Str	350kcmil - 1/0 AWG, Str	400	2
IMTC350-6	6							1
IMTC350-8	8							1
IMTC500-2	2	500 MCM	1-3/4"	5/16"	4 AWG, Str	4 AWG, Str	110	6
IMTC500-3	3				1 - 3 AWG, Str	1 - 3 AWG, Str	150	4
IMTC500-4	4				500kcmil - 1/0 AWG, Str	500kcmil - 1/0 AWG, Str	450	3
IMTC500-5	5							2
IMTC500-6	6							2
IMTC500-8	8							2
IMTC600-2	2	600 MCM	2"	5/16"	1-4 AWG, Str	1-4 AWG, Str.	150	4
IMTC600-3	3				600kcmil - 1/0 AWG, Str	600kcmil - 1/0 AWG, Str	550	3
IMTC600-4	4							2
IMTC600-5	5							2
IMTC750-2	2	750MCM	2-1/2"	3/8"	750kcmil - 1/0 AWG, Str	750kcmil - 1/0 AWG, Str	550	4
IMTC750-3	3							3
IMTC750-4	4							2
IMTC750-5	5							2
IMTC750-6	6							1

Black Insulated Inline Splice

- One wire per terminal
- 6061-T6 Aluminum
- Rated for use with 194°F Aluminum and Copper Connector Type
- PVC insulating
- 600V Max Voltage
- Wire Range: #14-750 MCM
- Temp Rating: -49° to 194°F
- For indoor use only

*New Product
Coming Soon!*



Part Number	Trade Size	Ports	Pkg
IMTS 1/0-1	1/0-#14	Inline Splice	25
IMTS 2/0-1	3/0-#6	Inline Splice	25
IMTS 3/0-1	3/0-#14	Inline Splice	15
IMTS 250-1	250-#6	Inline Splice	10
IMTS 350-1	350-#6	Inline Splice	10
IMTS 500-1	500-#4	Inline Splice	5
IMTS 600-1	600-#4	Inline Splice	5
IMTS 700-1	750-#1/0	Inline Splice	2



Lighting, Switches & Controls

Portable Work Lights
Temporary Lighting - Right and Left Hand Pigtails
Porcelain Keyless Lamp Holders
Stringer Lights
LED Stringer Lights
Victor Splits/Porcelain Insulators
GFCI
Lamp Guards
Steel Tie Wire
Industrial Receptacles and Plugs



Lighting, Switches & Controls

Portable Work Lights

- Metallic bulb cage with a swivel hook for easy use.
- Ergonomically designed handle incorporates a grounded outlet for maximum efficiency

Part Number	Trade Size	Description	Pkg
37-25TL	16/3	25', 16ga	12
37-50TL	16/3	50', 16ga	6



Temporary Lighting - Right and Left Hand Pigtails

- #14 Stranded
- Brass Shell Contact
- Ideal for all temporary lighting applications
- Suitable for indoor and outdoor use

Part Number	Description	Pkg
G157X	Phenolic Left Hand - UL	100
GB157	Phenolic Right Hand - UL	100



GB157

G157X



Porcelain Keyless Lamp Holders

- Easily installed on a 3-1/4" to 4" electrical box
- Porcelain finish is great for matching any home decor.
- Indoor use only

Part Number	Description	Pkg
G1634P-L	Porcelain Lamp Holder with Leads - UL	50
G1634FG-PC	Phenolic Pull Chain with Leads - UL Fiber Pull Chain Socket	108
G1634FGL	Phenolic Keyless Lamp Holder with Leads - UL	108



Stringer Lights

- Construction grade temporary light solutions with molded plug and connector ends
- Heavy duty construction
- Ideal applications would include construction sites, barns, attics, warehouses, storage units

Part Number	Description	Pkg
STL100	100' Stringer Lights, 14/2 SJTW (UL)	1



LED Stringer Lights

- Construction grade temporary light solutions with molded plug and connector ends
- Heavy duty construction
- Ideal applications would include construction sites, barns, attics, warehouses, storage units

Part Number	Description	Pkg
STLED-100	100' LED Temp String Lights	1

*New Product
Coming Soon!*



Victor Splits/Porcelain Insulators

- Porcelain construction promotes lasting performance
- Use with Pigtail Socket
- For use as insulator in temporary lighting applications
- Glazed Porcelain units, etc.

Part Number	Description	Pkg
H22	#22 Victor Split (Dia 1-1/8") Pairs	25
H38	#38 Victor Split (Dia 1-5/8") Pairs	25
1 VICTOR	#1 Porcelain Spool (Dia 1/2") Special Order Only	25
2 VICTOR	#2 Porcelain Spool (Dia 5/8") Special Order Only	25
3 VICTOR	#3 Porcelain Spool (Dia 13/16") Special Order Only	25



Lighting, Switches & Controls

GFCI

- Protect against harmful electric shock from an electrical system.
- This outlet will constantly monitor the electricity flowing through a circuit, in order to sense interruptions in current. If the current suddenly fluctuates wildly or is dropped, the GFCI will trip, cutting all power immediately to prevent harmful electric shock.



Part Number	Description	Pkg
G-15-TR-W	15AMP GFCI Self-Test TR with LED - White	50
G-15-TRWR-W	15AMP GFCI Self-Test TR/WR with LED - White	50
G-15-TR-W-USB-C	15AMP Receptacle with USB Combo White	50
G-20-TR-W	20AMP GFCI Self-Test TR with LED - White	50
G-20-TRWR-W	20AMP GFCI Self-Test TR/WR with LED - White	50
G-20-TR-W-USB-C	20AMP Receptacle with USB Combo - White	50



G-15-TR-W



G-15-TR-W-USB-C

Lamp Guards

Part Number	Description	Pkg
BCAGE	Metal Lamp Guard	32
GYC	Yellow Plastic Lamp Cage	100



Steel Tie Wire

- 16-gauge annealed construction ensures flexibility and durability
- Tie wire is a very pliable and durable steel wire that is used by to tie reinforcing steel together.

Part Number	Description	Pkg
GTY-3S	3.5 Lbs., 16ga Steel Tie Wire (Black)	10
GTY-5	5 Lbs., 16ga Steel Tie Wire (Black)	10
GTY-12	12 Lbs., 16ga Steel Tie Wire (Black)	4



Industrial Receptacles and Plugs

*New Product
Coming Soon!*

Part Number	Description	NEMA #	Pkg
G-RSS50-BK	Recp Single Surface MT 50a, 125/250v, 10-50r 3p3w Black	10-50R	5
G-303P3W	Recp Single Surface MT 30a 125/250v 3p3w Black	10-30R	5
G-503P4W	Recp Single Surface MT 50a 125/250v 3p4w Black	14-50R	5
G-302P3W	Recp Single Surface MT 30a 250v 2p3w Black	6-30R	5
G-502P3W	Recp Single Surface MT 50a 250v 2p3w Black	6-50R	5
G-503P3WSF	Recp 50a 125/250v 3p3w Str Flush Mnt Black	10-50R	5
G-303P3WSF	Recp 30a 125/250v 3p3w Str Flush Mnt Black	10-30R	5
G-503P3WSFM	Recp 50a 125/250v 3p3w Str Flush Mnt BlackW	10-50R	5
G-503P4WSF	Recp Single Flush 50a 125/250v 3p4w Black	14-50R	5
G-302P3WSF	Recp Single Flush 30a 250v 2p3w Black	6-30R	5
G-502P3WF	Recp Single Flush 50a 250v 2p3w Black	6-30R	5
G-IP1050P	Industrial Plug, 50a 125/250v, 10-50p Black	10-50P	5
G-IP1030P	Industrial Plug, 30a 125/250v, 10-30p Black	10-30P	5
G-IP1450P	Industrial Plug, 30a/50a 125/250v, 14-50p Black	14-50P	5
G-IP650P	Industrial Plug, 30a/50a 250v, 6-50p Black	6-30P	5



G-303P3W




G-503P4W



G-302P3W



G-502P3W



G-503P3WSF



G-303P3WSF



G-503P3WSFM



G-503P4WSF



G-302P3WSF



G-IP1050P



G-IP1030P





G-IP1450P



G-IP650P





Pulling Products/ Rope

Conduit Measuring Tape
Double Braided Rope
Yellow Pulling Rope



Pulling Products/Rope

Conduit Measuring Tape


- Provides quick and accurate measurements of conduit runs
- Sequential foot markings imprinted on tape
- Fish and measure conduit runs in one operation
- Permanently printed measurements every foot from zero to 3000'
- Made of strong, waterproof polyester

Part Number	Size	Pkg
CMT425	3/16" x 3000'	4



Double Braided Rope

- Material: Poly/Nylon
- Color: White with Blue
- Volume Density: 1.14g/cm³
- Melting Point: 419° F
- Wet and Dry Strength: Wet Strength 5% less than Dry Strength
- Linear Density Tolerance: ±5% Diameter: ±2%



Part Number	Trade Size	Weight Each (lbs.)	Tensile Strength (lbs.)	Working Load (lbs.)	Pkg (Ft)	Box Qty
GDBR121200	1/2"	86.8	5,900	980	1200	1
GDBR12600	1/2"	43.5	5,900	980	600	1
GDBR34300	3/4"	53.9	14,300	2,380	300	1
GDBR34600	3/4"	107.6	14,300	2,380	600	1
GDBR38600	3/8"	25.6	35,000	580	600	1
GDBR581200	5/8"	133.7	9,600	1,600	1200	1
GDBR58300	5/8"	33.6	9,600	1,600	300	1
GDBR58600	5/8"	66.9	9,600	1,600	600	1
GDBR781200	7/8"	266.7	17,100	2,850	1200	1
GDBR78300	7/8"	66.9	17,100	2,850	300	1
GDBR78600	7/8"	133.7	17,100	2,850	600	1
GDBR916600	9/16"	54.6	7,400	1,230	600	1

Yellow Pulling Rope

- Low-friction polypropylene rope slides easily through conduit
- Non-sliver surface can be handled without gloves
- Will not rot or mildew
- Rugged, lightweight construction

Part Number	Trade Size	Weight Each (lbs.)	Tensile Strength (lbs.)	Working Load (lbs.)	Pkg (Ft)	Box Qty
GYR316250	3/16"	7.25	600	100	250	1
GYR14250	1/4"	2.43	990	165	250	1
GYR14600	1/4"	5.84	990	165	600	1
GYR141200	1/4"	11.66	990	165	1200	1
GYR142400	1/4"	23.36	990	165	2400	1
GYR516600	5/16"	8.66	1,200	200	600	1
GYR5161200	5/16"	17.32	1,200	200	1200	1
GYR38250	3/8"	5.2	1,700	280	250	1
GYR38600	3/8"	12.48	1,700	280	600	1
GYR381200	3/8"	24.96	1,700	280	1200	1
GYR382400	3/8"	49.92	1,700	280	2400	1
GYR12250	1/2"	9.23	2,900	480	250	1
GYR12600	1/2"	22.16	2,900	480	600	1
GYR121200	1/2"	44.32	2,900	480	1200	1
GYR58250	5/8"	15.94	5,000	830	250	1
GYR58600	5/8"	38.27	5,000	830	600	1
GYR581200	5/8"	76.54	5,000	630	1200	1
GYR34250	3/4"	20.98	6,600	1,100	250	1
GYR34600	3/4"	50.35	6,600	1,100	600	1
GYR341200	3/4"	100.7	6,600	1,100	1200	1





Service Entrance

Service Entrance Head - Clamp Type
Service Entrance Head - Threaded Type
Service Conduit Support with Lag Screws
Service Conduit Support
Bottom Reducers
Black Rubber Flashings
Wedge Grip Clamps
Porcelain Wire Holders
Support Grip Wire Cable Drops
Pipe Mounting Wireholders
Sill Plates
Spool Insulator Rack



Service Entrance

Service Entrance Head- Clamp Type

- Aluminum
- Steel Strap
- Clamp on style for unthreaded Conduit
- Mounts on top of EMT, Rigid, or IMC conduit
- Offers a water-resistant cap to safeguard service entrance cables

Part Number	Trade Size	Pkg
G-SHC50C	1/2"	25
G-SHC75C	3/4"	25
G-SHC100C	1"	20
G-SHC125C	1-1/4"	20
G-SHC150C	1-1/2"	10
G-SHC200C	2"	5
G-SHC250C	2-1/2"	2
G-SHC300C	3"	1
G-SHC350C	3-1/2"	1
G-SHC400C	4"	1

*New Product
Coming Soon!*



Service Entrance Head - Threaded Type

- Aluminum
- Offers a water-resistant cap to safeguard service entrance cables
- Threaded style for easy installation
- Mounts on top of EMT, Rigid, or IMC conduit

Part Number	Trade Size	Pkg
G-SHC50T	1/2"	25
G-SHC75T	3/4"	25
G-SHC100T	1"	20
G-SHC125T	1-1/4"	10
G-SHC150T	1-1/2"	10
G-SHC200T	2"	5
G-SHC250T	2-1/2"	1
G-SHC300T	3"	1
G-SHC350T	3-1/2"	1
G-SHC400T	4"	1

*New Product
Coming Soon!*



Service Conduit Support with Lag Screws

- Malleable Iron
- Lag Screw Style
- Easy to Install
- Indoor or Outdoor Use
- Secures service entrance conduit to any building surface

Part Number	Trade Size	Pkg
G2350L	2"	50
G2850L	2-1/2"	30



Service Conduit Support

- Malleable Iron
- Easy to Install
- Indoor or Outdoor Use
- Use to connect Rigid or IMC conduit to a metal base hub

Part Number	Trade Size	Pkg
G2350	2"	25
G2350BL	Bolt for G2350	1
G2850	2-1/2"	30
G2950	3"	2
G3050	3-1/2"	2
G3150	4"	2



Bottom Reducers

- Aluminum
- Inverted Rib for Added Strength
- Easy to Install
- Indoor or Outdoor Use
- Use to connect Rigid or IMC conduit to a metal base hub

Part Number	Trade Size	Pkg
G2700	Bottom Reducer, 1 1/4" Hub, 2-1/2"	10
G2750	Bottom Reducer, 1 1/2" Hub, 2-1/2"	10
G3600	Bottom Reducer, 2" Hub, 2-1/2"	10



Black Rubber Flashings

- The perfect solution for sealing piping against roof penetration.
- The flashing contains a base made of rigid thermoplastic with an elastomeric collar that seals watertight against the vent pipe.

Part Number	Trade Size	Pkg
G3000N	2-1/2"	25



Wedge Grip Clamps

- Steel reinforced aluminum conductor
- Solid 6-1/2" stainless steel bail

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-WGC6-2	6 ACSR - 2 ACSR	50
G-WGC4-1/0	4 ACSR - 1/0 ACSR	25
G-WGC2/0-4/0	2/0 ACSR - 4/0 ACSR	25



Porcelain Wire Holders

- Porcelain and Galvanized Steel Material
- Installs Overhead
- Easy to Install
- Indoor or Outdoor Use
- Heavy duty wireholder secures incoming wires for highest loads

Part Number	Trade Size	Pkg
G1940	2-1/4" Lag Screw, 7/8" x 1 Wire	25
G1988	4" Lag Screw, 7/8" x 1 Wire	50
G1996	5" Machine Screw, 7/8" x 1 Wire	25
G6912	Universal, 1-1/4" x 2 1/2" Wire	30
G6913	3"-4" Pipe Mount Type	15
G4050	Universal, 2-1/2" Pipe	10
G4400	Universal, 3" Pipe	5
G4500	Universal, 3-1/2" Pipe	5
G4600	Universal, 4" Pipe	5
G4111	4" Porcelain Extension 11/16" x 11/16" Bracket Oval	10
G4112	4" Porcelain Extension 11/16" x 1/2" Bracket Oval	10
G4170	6-1/2" Porcelain Extension 11/16" Bracket	12
G4172	4" Porcelain Extension 11/16" Bracket	10



Support Grip Wire Cable Drops

- Bus drop single eye closed mesh 1.0-1.30" in stainless steel

Part Number	Trade Size	Pkg
G-BDSG	1.0-1.30" in	1

*New Product
Coming Soon!*



Pipe Mounting Wireholders

- Porcelain

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-502	Strain Insulators L=3-1/2", Dia.=2-1/2", Hole=5/8"	50



Sill Plates

- Zinc Die Cast
- Protects wires and aluminum entry holes
- Sizes for EMT and SEU

*New Product
Coming Soon!*


Part Number	Trade Size	Pkg
G-SP50-75	1/2" EMT & 3/4" EMT	25
G-SP100-3/3	1" EMT & 3/3 SEU	25
G-SP125-2/3	1-1/4" EMT & 2/3 SEU	20
G-SP150	1-1/2" EMT	10
G-SP4/0	4/0 SEU	20
G-SP200	2" EMT	10



Spool Insulator Rack

Part Number	Trade Size	Pkg
GB38	4" Spool Insulator Rack	1





Strut & Strut Fittings

Struts Channel Bars
Rigid Strut Clamps
EMT Strut Clamps
Universal Strut Clamps
EMT One Piece Strut Clamps With Saddle
Strut Channel Nuts
10 Hole Single Post Base
Square Washers
Saddle Washers
Tee Corner Connectors 6 Holes
Corner Angle Strut Fittings
1-1/2" Yellow Zinc Strut Fittings



Strut & Strut Fittings

Struts Channel Bars

Part Number	Trade Size	Description	Pkg
G12-1316-158-O	13/16" • 1-5/8"	12 Ga Oval Slot 10 Ft.	500
G14-1316-158-O	13/16" • 1-5/8"	14 Ga Oval Slot 10 Ft.	500
G12-158-158-O	1-5/8" • 1-5/8"	12 Ga Oval Slot 10 Ft.	500
G14-158-158-O	1-5/8" • 1-5/8"	14 Ga Oval Slot 10 Ft.	500
G12-158-158-HDG	1-5/8" • 1-5/8"	12 Ga Hot Dipped Gal. 10 Ft.	500
G12-3-158-B2B	3-1/4" • 1-5/8"	12 Ga Back to Back, Oval Slot	500
G14-3-158-B2B	3-1/4" • 1-5/8"	14 Ga Back to Back, Oval Slot	500



Rigid Strut Clamps

- Steel
- Electro-Galvanized
- Extreme Durability
- High Impact Resistant
- Used to connect strut to an intersecting pipe


Part Number	Trade Size	Description	Pkg
GC112-050	1/2"	Rigid Galvanized	100
GC112-050YZ	1/2"	Rigid Yellow Zinc Plated	100
GC112-075	3/4"	Rigid Galvanized	100
GC112-075YZ	3/4"	Rigid Yellow Zinc Plated	100
GC112-100	1"	Rigid Galvanized	100
GC112-100YZ	1"	Rigid Yellow Zinc Plated	100
GC112-125	1-1/4"	Rigid Galvanized	100
GC112-125YZ	1-1/4"	Rigid Yellow Zinc Plated	100
GC112-150	1-1/2"	Rigid Galvanized	50
GC112-150YZ	1-1/2"	Rigid Yellow Zinc Plated	50
GC112-200	2"	Rigid Galvanized	50
GC112-200YZ	2"	Rigid Yellow Zinc Plated	50
GC112-250	2-1/2"	Rigid Galvanized	50
GC112-250YZ	2-1/2"	Rigid Yellow Zinc Plated	50
GC112-300	3"	Rigid Galvanized	50
GC112-300YZ	3"	Rigid Yellow Zinc Plated	50
GC112-350	3-1/2"	Rigid Galvanized	25
GC112-350YZ	3-1/2"	Rigid Yellow Zinc Plated	25
GC112-400	4"	Rigid Galvanized	25
GC112-400YZ	4"	Rigid Yellow Zinc Plated	25
GC112-500	5"	Rigid Galvanized	10
GC112-500YZ	5"	Rigid Yellow Zinc Plated	10
GC112-600	6"	Rigid Galvanized	10
GC112-600YZ	6"	Rigid Yellow Zinc Plated	10



EMT Strut Clamps

- Steel
- Electro-Galvanized
- Extreme Durability
- High Impact Resistant
- Used to connect strut at an intersecting pipe


Part Number	Trade Size	Description	Pkg
GC110-050	1/2"	EMT Galvanized	100
GC110-050YZ	1/2"	EMT Yellow Zinc Plated	100
GC110-075	3/4"	EMT Galvanized	100
GC110-075YZ	3/4"	EMT Yellow Zinc Plated	100
GC110-100	1"	EMT Galvanized	100
GC110-100YZ	1"	EMT Yellow Zinc Plated	100
GC110-125	1-1/4"	EMT Galvanized	100
GC110-125YZ	1-1/4"	EMT Yellow Zinc Plated	100
GC110-150	1-1/2"	EMT Galvanized	50
GC110-150YZ	1-1/2"	EMT Yellow Zinc Plated	50
GC110-200	2"	EMT Galvanized	50
GC110-200YZ	2"	EMT Yellow Zinc Plated	50



Universal Strut Clamps

- Steel
- Electro-Galvanized
- Extreme Durability
- High Impact Resistant
- Use to connect strut at an intersecting pipe

Part Number	Trade Size	Description	Pkg
GC114-050	1/2"	Galvanized	100
GC114-050YZ	1/2"	Yellow Zinc Plated	100
GC114-075	3/4"	Galvanized	100
GC114-075YZ	3/4"	Yellow Zinc Plated	100
GC114-100	1"	Galvanized	100
GC114-100YZ	1"	Yellow Zinc Plated	100
GC114-125	1-1/4"	Galvanized	100
GC114-125YZ	1-1/4"	Yellow Zinc Plated	100
GC114-150	1-1/2"	Galvanized	50
GC114-150YZ	1-1/2"	Yellow Zinc Plated	50
GC114-200	2"	Galvanized	50
GC114-200YZ	2"	Yellow Zinc Plated	50



Strut & Strut Fittings

EMT One Piece Strut Clamps With Saddle

- Zinc Plated
- Secures conduit, flexible conduit, or cables to standard strut channels

Part Number	Trade Size	Pkg
G-SCS038	3/8"	100
G-SCS050	1/2"	100
G-SCS075	3/4"	100
G-SCS110	1"	50
G-SCS125	1-1/4"	50
G-SCS150	1-1/2"	50
G-SCS200	2"	50
G-SCS250	2-1/2"	50
G-SCS300	3"	25
G-SCS350	3-1/2"	25
G-SCS400	4"	25

*New Product
Coming Soon!*



Strut Channel Nuts

- Steel
- Electro-Galvanized
- Extreme Durability, High Impact Resistant
- Used to connect strut at an angle

Part Number	Trade Size	Description	Pkg
GTSN800	1/4" • 20	Top Spring Galvanized	100
GTSN801	3/8" • 16	Top Spring Galvanized	100
GTSN802	1/2" • 13	Top Spring Galvanized	100
GN800	1/4" • 20	No Spring Galvanized	100
GN801	3/8" • 16	No Spring Galvanized	100
GN810	1/4" • 20	Short Spring Galvanized	100
GN811	3/8" • 16	Short Spring Galvanized	100
GN812	1/2" • 13	Short Spring Galvanized	100
GN-820	1/4" • 20	Regular Spring Galvanized	100
GN-821	3/8" • 16	Regular Spring Galvanized	100
GN-822	1/2" • 13	Regular Spring Galvanized	100
GN-830	1/4" • 20	Long Spring Galvanized	100
GN-831	3/8" • 16	Long Spring Galvanized	100



GTSN800



GN811




GN-830

10 Hole Single Post Base

- Steel
- Electro-Galvanized
- Extreme Durability
- High Impact Resistant
- Used to connect strut at an angle


Part Number	Trade Size	Description	Pkg
G620	6" x 6" x 3-1/2"	10 Holes Single Post Base	1



Square Washers

- Electro-Galvanized
- Made with 12-Gauge metal for strength/reinforcement for added durability
- High Impact Resistant
- Used to connect strut at an angle


Part Number	Trade Size	Pkg
G201-037	3/8"	250
G201-050	1/2"	200
G201-062	5/8"	100
G201-075	3/4"	100



Saddle Washers

- Steel
- Electro-Galvanized
- Made with 12-Gauge metal for strength/reinforcement for added durability
- High Impact Resistant
- Used to connect strut at an angle


Part Number	Trade Size	Pkg
GH120	1/2" x 3/8"	100



Tee Corner Connectors 6 Holes

- Steel
- Electro-Galvanized
- Made with 12-Gauge metal for strength/reinforcement for added durability
- High Impact Resistant
- Used to connect strut at an intersecting pipe

Part Number	Trade Size	Pkg
G221	9-1/8" x 3-1/2"	10



Strut & Strut Fittings

Corner Angle Strut Fittings

- Steel
- Electro-Galvanized
- Made with 12-Gauge metal for strength/reinforcement for added durability
- High Impact Resistant
- Used to connect strut at an angle

Part Number	Trade Size	Description	Pkg
G205	1-5/8" x 7-1/4"	Splice Plate - 4 Holes	15
G206	1-5/8" x 5-3/8"	Splice Plate - 3 Holes	20
G207-1	5-1/4" x 3-5/8"	Swivel Plate - 2 Holes	25
G208	1-5/8" x 9-1/8"	Splice Plate - 5 Holes	25
G210	3-1/2" x 3-1/2"	Angle Plate - 3 Holes	25
G214	5-3/8" x 3-1/2"	Corner Joiner Plate - 4 Holes	20
G216	5-3/8" x 5-3/8"	Cross Plate - 5 Holes	10
G217	5-3/8" x 3-1/2"	4 Hole Connector	10
G218	5-3/8" x 3-1/2"	Corner Connector - 4 Holes	15
G219	5-3/8" x 5-3/8"	Connector - 5 Holes	25
G219-1	5-3/8" x 5-3/8"	Corner Connector - 5 Holes	25
G301	3" x 1-7/8"	Corner Angle - 2 Holes	50
G302	2" x 1-7/8"	Connection Angle - 2 Holes	50
G305	3-5/16" x 2-1/16"	Open Angle - 2 Holes	25
G306	4-1/8" x 1-5/8"	Corner Angle - 3 Holes	25
G307-1	3-1/2" x 2-5/16"	Corner Angle Shelf - 3 Holes	25
G309	4-1/8" x 3-1/2"	Joint Connector Angle - 4 Holes	25
G311	4-1/8" x 3-1/2"	90 Degree Corner Angle - 4 Holes	50
G311-2	4-1/8" x 3-1/2"	Corner Angle - 5 Holes	50
G312	5-3/8" x 2"	Bent Tree - 4 Holes	25
G313	3-1/2" x 4-3/16"	Duplex Corner Angle - 5 Holes	20
G317-1	45°	Closed Angle - 2 Holes	25
G317-2	67°	Closed Angle - 2 Holes	25

Part Number	Trade Size	Description	Pkg
G319-1	82-1/2°	Open Angle Bracket - 2 Holes	25
G319-2	75°	Open Angle Bracket - 2 Holes	25
G319-3	67-1/2°	Open Angle Bracket - 2 Holes	25
G319-4	60°	Open Angle Bracket - 2 Holes	25
G319-5	52-1/2°	Open Angle Bracket - 2 Holes	25
G319-6	37-1/2°	Open Angle Bracket - 2 Holes	25
G319-7	30°	Open Angle Bracket - 2 Holes	25
G319-8	22-1/2°	Open Angle Bracket - 2 Holes	25
G319-9	15°	Open Angle Bracket - 2 Holes	25
G319-10	7-1/2°	Open Angle Bracket - 2 Holes	25
G319-11	45°	Open Angle Bracket - 2 Holes	25
G320-5	37-1/2°	Open Angle Bracket - 4 Holes	25
G320-6	45°	Open Angle Bracket - 4 Holes	25
G320-7	52-1/2°	Open Angle Bracket - 4 Holes	25
G320-8	60°	Open Angle Bracket - 4 Holes	25
G320-10	75°	Open Angle Bracket - 4 Holes	25
G320-11	82-1/2°	Open Angle Bracket - 4 Holes	25
G322	3-1/2" x 1-5/8"	Z Angle - 3 Holes	50
G329-1	15/16" x 9-3/16"	Triple Angle Wing Conn - 12 Holes	10
G402-1	*	U-Bolt Beam Clamp	25
G403	*	Single Bolt Slot Hold Beam Clamps	25
G606-1	7-1/4" x 1-5/8"	Splice Channel - 4 Holes	10
G606-2	7-1/4" x 13/16"	Splice Channel - 4 Holes	10
GLO 213	3/8" x 3-1/2"	Tee Plate - 4 Holes	15



1-1/2" Yellow Zinc Strut Fittings

Part Number	Trade Size	Description	Pkg
GB911-1/4	1/4" • 20	Regular Spring Nut - Yellow Zinc Plated	100
GB911-3/8	3/8" • 16	Regular Spring Nut - Yellow Zinc Plated	100
GB911-1/2	1/2" • 13	Regular Spring Nut - Yellow Zinc Plated	100
GB917	4-1/8" x 3-1/2"	Angle Connector - 5 holes - Yellow Zinc Plated	50
GB921	4-1/2" x 2-3/4"	2 Sides Corner Connector - 8 holes - Yellow Zinc Plated	25
GB922	4-1/2" x 1-1/4"	Opposite Side Angle Conn - 8 holes - Yellow Zinc Plated	10
GB923	4-1/2" x 1-1/4"	3-sides Angle Connector - 9 holes - Yellow Zinc Plated	25
GB924	6" x 6" x 3-1/2"	Post Base Connector - Yellow Zinc Plated	10
GB936	5-3/8" x 3-1/2"	Flat Angle Connector - 4 holes - Yellow Zinc Plated	100
GB938	135°	Open Angle Connector - 3 holes - Yellow Zinc Plated	100
GB939	45°	Closed Angle Connector - 2 holes - Yellow Zinc Plated	100




GB938



GB911-1/2



GB917



GB924




GB922



GB923



GB921



Support Devices

Conduit Hangers with Nut & Bolt
Right Angle Conduit Support - Malleable Iron
Conduit Spacers
Riser Clamps
Lag Threaded Screw Eye Bolts
NJ-Hooks
Service Bolts
Street Light Anchor Bolts
Square Washer/Nuts
Con Ed Service Eye
Jack Chains
GCAT Anchors
Welded Chains
Fluorescent Fixture Chains
S-Hooks
Cable Staples
Nail Safety Plates
Anchor Kits
Ceiling Fan Support Bars
Bar Ceiling Box Support
T Bar Hangers
Old Work Clips
Swivel Fixture Hangers
Bridle Rings
Self Drilling & Tapping Screws
Perforated Banding Iron
RMC U-Bolt With Hex Nuts - Hot Dipped Galvanized



Support Devices

Conduit Hangers with Nut & Bolt

- Standard Material: Steel or Die Cast
- Standard Finish: Steel or Zinc Plated
- Assembled with nut and bolt

Part Number	Size	Trade Size (Rigid)	Trade Size (EMT)	Pkg
G-HB50	0	3/8" - 1/2"	1/2"	100
G-HB75	1	3/4"	3/4"	100
G-HB100	2	1"	1"	100
G-HB125A	2 1/2	-	1-1/4"	100
G-HB125	3	1-1/4"	1-1/2"	100
G-HB150	4	1-1/2"	-	100
G-HB200	5	2"	2"	50
G-HB250	6	2-1/2"	2-1/2"	50
G-HB300	7	3"	3"	25
G-HB350	8	3-1/2"	3-1/2"	25
G-HB400	9	4"	4"	25



Right Angle Conduit Support - Malleable Iron


- Heavy Duty Galvanized U-Bolt
- Provides a secure connection and tight clamping action capable of withstanding heavy loads
- Zinc Plated
- Malleable Iron
- Galvanized Steel Hardware

Part Number	Trade Size	Pkg
G-KRA-50M	1/2"	50
G-KRA-75M	3/4"	50
G-KRA-100M	1"	50
G-KRA-125M	1-1/4"	50
G-KRA-150M	1-1/2"	50
G-KRA-200M	2"	25
G-KRA-250M	2-1/2"	25
G-KRA-300M	3"	10
G-KRA-350M	3-1/2"	10
G-KRA-400M	4"	10



Conduit Spacers

Part Number	Trade Size	Description	Pkg
EYE2050	1/2"	Double Hole	100
EYE2034	3/4"	Double Hole	100
EYE2100	1"	Double Hole	100
EYE3050	1/2"	Triple Hole	100
EYE3034	3/4"	Triple Hole	100
EYE3100	1"	Triple Hole	100



Riser Clamps

- Designed to fasten a vertical run of piping at each floor level

Part Number	Trade Size	Pkg
G-RC050	1/2"	50
G-RC075	3/4"	50
G-RC100	1"	50
G-RC125	1-1/4"	50
G-RC150	1-1/2"	50
G-RC200	2"	40
G-RC250	2-1/2"	25
G-RC300	3"	25
G-RC350	3-1/2"	25
G-RC400	4"	25
G-RC500	5"	25
G-RC600	6"	1



Lag Threaded Screw Eye Bolts

- Hot Dip Galvanized
- Designed to attach rope to cable or surfaces
- Formed circular eye on non-threaded end
- Durable construction for long-lasting use

Part Number	Description	Pkg
G9165	4"	20
G9168	8"	20



NJ-Hooks

- Galvanized Steel Construction
- Threaded for ease of installation
- Suitable for a wide variety of applications
- Used to mount cabling in an even distribution

Part Number	Trade Size	Pkg
GJ-6	J Hook (NJ Service Hook), 6"	50




Support Devices

Service Bolts

- Hot Dip Galvanized
- Designed to attach rope to cable of surfaces
- Formed circular eye on non-threaded end
- Durable construction for long-lasting use

Part Number	Description	Pkg
G5816	Service Bolt, Machine Screw (ConEd), 14"	24



Street Light Anchor Bolts

Part Number	Trade Size	Pkg
G139	NYC Street Lighting Anchor Bolt, 3/4" x 18-1/2"	1
G140	NYC Street Lighting Anchor Bolt, 1" x 31"	1
G141	NYC Street Lighting Anchor Bolt, 1-1/4" x 38"	1



Square Washer/Nuts

- For use with Con Ed bolts
- 1/4" thick steel

Part Number	Description	Pkg
G5816-SW	Square Washers for G5816 & ConEd Bolts	100
G5816-N	Nut for G5816	100
G140-LN	G140 Long Nut	50
G140-SN	G140 Small Nut	50
G140SW	Square Washer For G140	50
G141-LN	G141 Long Nut	50
G141-SN	G141 Small Nut	50
G141SW	Square Washer for G141	50



G5816-SW



G5816-N

Con Ed Service Eye

Part Number	Description	Pkg
G5819	19" Con Ed Service Eye	12



Jack Chains

- Galvanized Steel Construction
- Suitable for a wide variety of applications, available in 10 and 12 Gauge

Part Number	Description	Pkg
JC100	12 Ga Single, 100'	4
JC10	10 Ga, 100'	1



GCAT Anchors

- A. Material : Tin Plate Steel, Grade A Sheet Size : .240*973.OW*712.O
Testing Number : 33B07C1045
- B. Material : Twisting Hemp / Jute Rope Serial Number : MR T-4CA B

Part Number	Description	Pkg
GCAT	NYC School Anchor (Concrete)	100



Welded Chains

- Zinc plated finish
- Good weather resistance
- Do not use for overhead lifting
- Grade 30 Proof
- 3/8" working load limit of 2,650 lbs.

Part Number	Trade Size	Pkg
LC50	3/8" Ladder Chain, 50'	1



Fluorescent Fixture Chains

- Steel Construction
- Suitable for indoor use
- Coated for superior rust resistance
- Workload limit: 50 Lbs.

Part Number	Description	Pkg
FC300	300'	1



Support Devices

S-Hooks

- Made from strong and heavy steel with zinc plating.
- Steel/ Zinc plated
- Easy to install

Part Number	Description	Pkg
S-HOOKS	Zinc Plated 14 Ga, 1 1/4"	100



Cable Staples

- Plastic insulator reduces risk of cutting through a wire
- Easy to install in tight spaces
- Steel construction for durability
- Insulator made from durable polyethylene to protect cables and help prevent arc faults
- Ideal for securing and protecting 14/2 and 12/2 non-metallic BX, MC, AC and UF cable

Part Number	Description	Pkg
GSI	14-10 Insulated	1000



Nail Safety Plates

- 1/2 in. integral spikes used to mount to wood stud
- Made of pre-galvanized 0.0625 in. thick steel
- Interlocking feature allows installer to easily increase area that requires protection
- No additional hardware required, just position and hammer down spurs
- Protects NMSC or raceway type wires from being severed
- Pregalvanized steel construction for corrosion resistance

Part Number	Trade Size	Pkg
NP	1-3/4" x 3-1/2"	200
NPS	1-1/2" x 2-3/4" with nail holes	200



Anchor Kits

- Includes Drill Bit, Plastic Anchors
- Perfect for anchoring application
- #10 Sizing
- Extreme Durability, High Impact Resistant

Part Number	Trade Size	Pkg
AKC10X1	#10 Conical Anchor Kit, 1"	25
AKC10X1-1/4	#10 Conical Anchor Kit, 1-1/4"	25
AKCJ10X1	#10 Conical Anchor Kit, 1" (Jar)	20
AKCJ10X1-1/4	#10 Conical Anchor Kit, 1-1/4" (Jar)	20
AKR10X1	#10 Ribbed Anchor Kit, 1"	25
AKR10X1-1/4	#10 Ribbed Anchor Kit, 1-1/4"	25
AKRJ10X1	#10 Ribbed Anchor (Jar), 1"	20
AKRJ10X114	#10 Ribbed Anchor (Jar), 1-1/4"	20



Ceiling Fan Support Bars

- Safely and easily hang a ceiling fan or lighting fixture during new construction or remodeling
- Designed for installation without having to access attic space
- UL listed to support lighting fixtures 150 lbs. or less on 16 in. centers and 50 lbs. or less on 24 in. centers; supports fans 70 lbs. or less
- Comes with everything you need for installation, including easy-to-follow instructions


Part Number	Description	Pkg
GCFB	6 knockouts for conduit or Romex connections; includes 1 Romex connector	24



Bar Ceiling Box Support

- Ideal for installations with limited space and access constraints
- Steel

Part Number	Description	Pkg
G-CBS	Bar Ceiling Box Support	100




Support Devices

T Bar Hangers

- Galvanized Steel
- Mount with Box Lock Clip and Threaded Stud
- 13 lb. load limit when intended to support a fixture or luminaire in a wall


Part Number	Trade Size	Pkg
GHBS	16"-24" Stud Length	100
G512	24"	100
GI-75	24"	50



Old Work Clips

- Clips lock old work steel switch boxes tightly to wall
- Adapts to any wall thickness up to 3/4"
- Zinc Plated Steel Construction
- Sold in Pairs

Part Number	Description	Pkg
G-OWC	Old Work Clips	100




Swivel Fixture Hangers

- Steel
- Ball type swivel/swing
- Overhead suspension

Part Number	Description	Pkg
G-FHR	1/2" or 3/4" Round	25
G-FHS	1/2" or 3/4" Square	25

*New Product
Coming Soon!*



Bridle Rings

- Steel
- Electro-Galvanized
- Perfect when used for up to 50 lb. loads
- Suitable for a wide variety of applications

*Additional
Sizes Being
Added*

Part Number	Description	Pkg
G-CR125	1/4-20 x 1-1/4"	100
G-CR150	1/4-20 x 1-1/2"	100
G-CR200	1/4-20 x 2"	100
G-CR400	1/4-20 x 4"	100



Self Drilling & Tapping Screws

Part Number	Description	Pkg
G-SMS8	Self-drilling & Tapping Screw	1000



Perforated Banding Iron

- 20 Gauge Steel
- 1/4" Holes 1/2" on center
- Paired with beam clamps to install conduit - eliminating the need for fasteners

Part Number	Description	Pkg
G-BI	3/4 x 10 Band Iron	10



RMC U-Bolt With Hex Nuts - Hot Dipped Galvanized

- Malleable Iron
- Hot-dip galvanized zinc coating on malleable iron for enhanced durability and corrosion resistance

*New Product
Coming Soon!*

Part Number	Description	Pkg
G-UB50HDG	1/2"	50
G-UB75HDG	3/4"	25
G-UB100HDG	1"	20
G-UB125HDG	1-1/4"	20
G-UB150HDG	1-1/2"	10
G-UB200HDG	2"	10
G-UB250HDG	2-1/2"	10
G-UB300HDG	3"	10
G-UB350HDG	3-1/2"	1
G-UB400HDG	4"	1





Spring Steel - Hanging & Support

Snap Close - Conduit to Flange Clip Bottom Mount
Push Close - Conduit to Flange Clip Bottom Mount
Snap Close - Conduit to Flange Clip Side Mount
Push Close - Conduit to Flange Clip Side Mount
Push-In Conduit Clips
Push-in Conduit Hangers Back-to-Back for EMT
Snap-Close Conduit Clamps
Beam Clamp, Reversible Stamped
Cable/Conduit Wire Clip
Cable/Conduit Rod/Wire Clip - Push-in
Conduit to Beam Clips - Bottom Mount
Cable/Conduit Rod/Wire Clip
Cable Snap Clips
Flange Clip with Stud
Threaded Rod Flange Clip Supports
Cable to Flange Clip
Conduit Hanger with Beam Clamp
Beam Clamps, Wide Mouth
Universal Beam Clamps
C Beam Clamp/Rod Hanger - Zinc Plated Steel
Beam Clamps - Malleable Iron
J- Style Beam Clamps
Beam Clamps - Steel
Box Support - Steel
J-Hooks - Steel/Galvanized
J-Hooks - Stainless Steel
J-Hooks Assembled to Screw on Beam Clamp
J-Hook with Rod/Wire Clip Cablecat
J-Hooks Cable with Stamped Steel Beam Clamp
Twist Clip with Wing Nut
Parallel Conduit Support HDG
Box Mounting Bracket - Angled
Telescoping Bracket
Straight Box Mounting Bracket
Cable Support CJ6 Straps
Steel Cable Hangers



Spring Steel - Hanging & Support

Snap Close - Conduit to Flange Clip Bottom Mount

- Easy hammer-on installation
- The snap-close clip rotates a full 360°
- Spring Steel

*New Product
Coming Soon!*




Part Number	Flange Thickness	EMT/RIGID Size	FMC Size	MC/AC Size	Static Load (Lbs)	Pkg
G-6M24	1/8" – 1/4"	---	3/8"	14-2 – 12-3	75	100
G-812M24	1/8" – 1/4"	1/2" & 3/4"	---	---	75	100
G-16M24	1/8" – 1/4"	1"	---	---	75	100
G-20M24	1/8" – 1/4"	1-1/4"	---	---	75	50
G-BC18KC112	1/8" – 1/4"	1-1/2"	---	---	75	50
G-32M24	1/8" – 1/4"	2"	---	---	75	50
G-6M58	5/16" – 1/2"	---	3/8"	14-2 – 12-3	75	100
G-812M58	5/16" – 1/2"	1/2" & 3/4"	---	---	75	100
G-BC516KC1	5/16" – 1/2"	1	---	---	75	50
G-BC516KC114	5/16" – 1/2"	1-1/4"	---	---	75	50
G-BC516KC112	5/16" – 1/2"	1-1/2"	---	---	75	50
G-BC516KC2	5/16" – 1/2"	2"	---	---	75	50
G-6M912	9/16" – 3/4"	---	3/8"	14-2 – 12-3	75	100
G-812M912	9/16" – 3/4"	1/2" & 3/4"	---	---	75	100
G-16M912	9/16" – 3/4"	1"	---	---	75	50

Push Close - Conduit to Flange Clip Bottom Mount

- Easy hammer-on installation
- The snap-close clip rotates a full 360°
- Spring Steel

*New Product
Coming Soon!*



Part Number	Flange Thickness	EMT Size	Rigid Size	Static Load (Lbs)	Pkg
G-8P24	1/8" – 1/4"	1/2"	---	25	100
G-8P58	5/16" – 1/2"	1/2"	---	25	100
G-8P912	9/16" – 3/4"	1/2"	---	25	50
G-12P24	1/8" – 1/4"	3/4"	3/4"	25	100
G-12P58	5/16" – 1/2"	3/4"	3/4"	25	100
G-12P912	9/16" – 3/4"	3/4"	3/4"	25	100
G-16P24	1/8" – 1/4"	1"	1"	25	100
G-16P58	5/16" – 1/2"	1"	1"	25	100
G-16P912	9/16" – 3/4"	1"	1"	25	100

Spring Steel - Hanging & Support

Snap Close - Conduit to Flange Clip Side Mount

- Easy hammer-on installation
- The snap-close clip rotates a full 360°
- Spring Steel

*New Product
Coming Soon!*



Part Number	Flange Thickness	EMT/RIGID Size	FMC Size	MC/AC Size	Static Load (Lbs)	Pkg
G-6M24SM	1/8" – 1/4"	-	3/8"	14-2, 12-3	25	100
G-16M24SM	1/8" – 1/4"	1"	---	---	25	100
G-20M24SM	1/8" – 1/4"	1-1/4"	---	---	25	100
G-24M24SM	1/8" – 1/4"	1-1/2"	---	---	25	50
G-32M24SM	1/8" – 1/4"	2"	---	---	25	50
G-812M24SM	1/8" – 1/4"	1/2" & 3/4"	---	---	25	100
G-16M58SM	5/16" – 1/2"	1"	---	---	25	100
G-20M58SM	5/16" – 1/2"	1-1/4"	---	---	25	100
G-24M58SM	5/16" – 1/2"	1-1/2"	---	---	25	50
G-32M58SM	5/16" – 1/2"	2"	---	---	25	50
G-812M58SM	5/16" – 1/2"	1/2" & 3/4"	---	---	25	100
G-6M912SM	9/16" – 3/4"	-	3/8"	14-2, 12-3	25	100
G-16M912SM	9/16" – 3/4"	1"	---	---	25	100
G-20M912SM	9/16" – 3/4"	1-1/4"	---	---	25	100
G-32M912SM	9/16" – 3/4"	2"	---	---	25	50
G-812M912SM	9/16" – 3/4"	1/2" & 3/4"	---	---	25	100

Push Close - Conduit to Flange Clip Side Mount

- Easy hammer-on installation
- The snap-close clip rotates a full 360°
- Spring Steel

*New Product
Coming Soon!*



Part Number	Flange Thickness	EMT Size	Rigid Size	Static Load (Lbs)	Pkg
G-8P24SM	1/8" – 1/4"	1/2"	---	15	100
G-8P58SM	5/16" – 1/2"	1/2"	---	15	100
G-8P912SM	9/16" – 3/4"	1/2"	---	15	100
G-12P24SM	1/8" – 1/4"	3/4"	1/2"	15	100
G-12P58SM	5/16" – 1/2"	3/4"	1/2"	15	100
G-12P912SM	9/16" – 3/4"	3/4"	1/2"	15	100
G-16P24SM	1/8" – 1/4"	1"	3/4"	15	100
G-16P58SM	5/16" – 1/2"	1"	3/4"	15	100
G-16P912SM	9/16" – 3/4"	1"	3/4"	15	100

Spring Steel - Hanging & Support

Push-In Conduit Clips

- Vertical or horizontal Installation
- Hole Type Plain
- Spring Steel

*New Product
Coming Soon!*



Part Number	EMT Size	RIGID Size	Hole Size	Hole Type	Load Capacity (Lbs) Vertical Horizontal	Pkg
G-8P	1/2"	---	9/32"	Plain	25	100
G-12P	3/4"	1/2"	9/32"	Plain	25	100
G-16P	1"	3/4"	9/32"	Plain	25	100

Push-in Conduit Hangers Back-to-Back for EMT

- No tools for installation
- Spring Steel

*New Product
Coming Soon!*



Part Number	(1) EMT Size	(2) EMT Size	Load Capacity (Lbs)	Pkg
G-8P8P	1/2"	1/2"	25	100
G-8P12P	1/2"	3/4"	25	50
G-8P16P	1/2"	1"	25	50
G-12P12P	3/4"	3/4"	25	50
G-12P16P	3/4"	1"	25	50
G-16P16P	1"	1"	25	50

Snap-Close Conduit Clamps

- Vertical or horizontal Installation
- Spring Steel

*New Product
Coming Soon!*



Part Number	Hole Type	Hole Size	FMC Size	MC/AC Size	EMT/RIGID Size	Load Capacity (Lbs) Vertical Horizontal	Pkg
G-6M	Plain	9/32"	3/8"	14-2 – 12-3	---	100	100
G-16M	Plain	9/32"	---	---	1"	100	100
G-20M	Plain	9/32"	---	---	1-1/4"	100	100
G-24M	Plain	9/32"	---	---	1-1/2"	100	100
G-32M	Plain	9/32"	---	---	2"	100	100
G-812M	Plain	9/32"	---	---	1/2" & 3/4"	100	100
G-6M4I	Threaded	1/4"	3/8"	14-2 – 12-3	---	100	100
G-16M4I	Threaded	1/4"	---	---	1"	100	100
G-20M4I	Threaded	1/4"	---	---	1-1/4"	100	100
G-24M4I	Threaded	1/4"	---	---	1-1/2"	100	100
G-32M4I	Threaded	1/4"	---	---	2"	100	100
G-812M4I	Threaded	1/4"	---	---	1/2" & 3/4"	100	100

Spring Steel - Hanging & Support

Beam Clamp, Reversible Stamped

*New Product
Coming Soon!*

Part Number	Material	Jaw Opening	Hole	Pkg
G-BC3816	Zinc Plated Steel	3/4"	3/8" – 16	25
G-BC3816SS	304 Stainless Steel	3/4"	3/8" – 16	25



Cable/Conduit Wire Clip

- No tools for installation
- Spring Steel

*New Product
Coming Soon!*

Part Number	EMT Conduit Size	MC/AC Cable Size	Wire Size	Hole Size	Static Load (Lbs)	Pkg
G-PCS1	---	14-2 – 10-3	#8 – #12	1/4"	25	100
G-PCS2	1/2" & 3/4"	10-3 – 6-3	#8 – #12	1/4"	25	100



Cable/Conduit Rod/Wire Clips - Push-in

- No tools for installation
- Clip rotates a full 360°
- Spring Steel

*New Product
Coming Soon!*

Part Number	Flange Thickness	EMT Size	RIGID Size	Rod Size	Wire Size	Pkg
G-4Z348P	1/8" – 3/8"	1/2"	---	1/4"	#12	100
G-4Z3412P	1/8" – 3/8"	3/4"	1/2"	1/4"	#12	100
G-4Z3416P	1/8" – 3/8"	1"	3/4"	1/4"	#12	100
G-6Z348P	3/8" – 7/16"	1/2"	---	3/8"	---	100
G-6Z3412P	3/8" – 7/16"	3/4"	1/2"	3/8"	---	100
G-6Z3416P	3/8" – 7/16"	1"	3/4"	3/8"	---	100



Conduit to Beam Clips - Bottom Mount

- Conduit hanger rotates 360° to accommodate
- Various directions of conduit

*New Product
Coming Soon!*

Part Number	EMT Size	Flange Size	Thread Hole Size	Load Capacity (Lbs)	Pkg
G-BC8P	1/2"	1/2"	10 – 24 & 1/4" – 20	100	100
G-BC12P	3/4"	1/2"	10 – 24 & 1/4" – 20	100	100
G-BC16P	1"	1/2"	10 – 24 & 1/4" – 20	100	100



Spring Steel - Hanging & Support

Cable/Conduit Rod/Wire Clips

- No tools for installation
- Supports conduit to Rod, wire or Flange
- Spring Steel




Part Number	Trade Size	Description	Pkg
G-K8	Cond Hanger 1/2" EMT to 1/4"	Cable Data: Cable Size 12-3 Wire Size #8 #9 #1	100
G-K12	Cond Hanger 3/4" EMT to 1/4"	-	100
G-K16	Cond Hanger 1" EMT to 1/4"	-	100
G-K20	Cond Hanger 1-1/4" EMT to 1/4"	-	100
G-KX	Cond Hanger MC/AC or BX #8 Wire	Cable Data: Cable Size 14-2, 14-3, 12-2 12-3 Wire Size #12 #8 #9	100

Conduit Size	#10 #12 Wire	#8, #9 Wire	3/16" 1/4" Rod	1/8" - 1/4" Flange	5/16" - 3/8" Flange	7-16" - 1/2" Flange
1/2" EMT	G-K8	G-K8	G-K8	G-K8	G-K12	G-K12
1/2" Rigid	G-K8	G-K12	G-K12	G-K12	G-K12	G-K16
3/4" EMT	G-K12	G-K12	G-K12	G-K12	G-K16	G-K16
3/4" Rigid	G-K12	G-K12	G-K16	G-K16	G-K20	G-K20
1" EMT	-	G-K16	G-K16	G-K16	G-K20	G-K20
1" Rigid	-	-	-	G-K20	G-K20	G-K20
1-1/4" EMT	-	G-K20	G-K20	G-K20	-	-

Cable Snap Clips

- Easy hammer-on installation
- Spring Steel

*New Product
Coming Soon!*



Part Number	Flange Thickness	Cable Diameter	Pkg
G- SC2D	1/16" – 3/16"	.472" – .551"	100
G- SC2F	1/16" – 3/16"	.748" – .945"	100
G- SC4D	3/16" – 9/32"	.472" – .551"	100
G- SC4E	3/16" – 9/32"	.591" – .709"	100

Flange Clips with Stud

- Hammer on Installation
- Bottom Mount
- 1/4"-20 Threaded stud; 3/8" length
- 1/4" size rod
- Spring Steel

*New Product
Coming Soon!*



Part Number	Flange Thickness	Vertical Rod	Horizontal Rod	Vertical Strap	Pkg
G-M24S	1/8" – 1/4"	100	25	75	100
G-M58S	5/16" – 1/2"	100	25	75	100
G-M912S	9/16" – 3/4"	100	25	75	100

Spring Steel - Hanging & Support

Threaded Rod Flange Clips Supports

- Hammer on Installation
- Bottom Mount
- 1/4" size rod
- Spring Steel

*New Product
Coming Soon!*



Part Number	Flange Thickness	Vertical Rod	Horizontal Rod	Vertical Strap	Pkg
G-M24	1/8" – 1/4"	100	25	75	100
G-M58	5/16" – 1/2"	100	25	75	100
G-M912	9/16" – 3/4"	100	25	75	100

Cable to Flange Clips

- 14-2 to 12-2 NM Cables
- Flange thickness of 5/16" - 1/2"
- Hammer on Installation
- Spring Steel

*New Product
Coming Soon!*



Part Number	Pkg
G-RMX58	100

Conduit Hanger with Beam Clamps

- Conduit Hanger Rotates 360°
- Plated steel

*New Product
Coming Soon!*

Part Number	For EMT Size	For RIGID Size	Pkg
G-BC200CD0B	1/2"	1/2"	50
G-BC200CD1B	3/4"	3/4"	50
G-BC200CD2B	1"	1"	50
G-BC200CD2.5B	1-1/4"	---	50
G-BC200CD3B	1-1/2"	1-1/4"	50
G-BC200CD4B	---	1-1/2"	50
G-BC200CD5B	2"	2"	50



Beam Clamps, Wide Mouth

- Tapped holes on side and bottom
- Iron/ Zinc Plated

*New Product
Coming Soon!*



Part Number	Jaw Opening	Side/Bottom Threaded Holes	Static Load (Lbs)	Pkg
G-BC-1420WM	3-1/8"	1/4"-20	50	50
G-BC-3816WM	3-1/8"	3/8"-16	25	25
G-BC-1213WM	3-1/8"	1/2"-13	10	10

Spring Steel - Hanging & Support

Universal Beam Clamps

- Electrogalvanized coating for corrosion protection
- Steel/Galvanized

*New Product
Coming Soon!*

Part Number	Rod Size	Flange Thickness	Mount Qty	Pkg
G-3000037EG	3/8"	3/4"	300	100
G-3000050EG	1/2"	3/4"	300	100
G-3000062EG	5/8"	3/4"	300	50
G-3000075EG	3/4"	3/4"	300	50
G-3100037EG	3/8"	1-1/4"	300	50
G-3100050EG	1/2"	1-1/4"	300	50



C Beam Clamp/Rod Hanger - Zinc Plated Steel

- C-style rod hanger
- Steel/Electroplated zinc or 304 Stainless steel

*New Product
Coming Soon!*

Part Number	Jaw Opening	Bottom Mounting Hole Thread	Finish	Pkg
G-CBC1213	3/4"	1/2-13	Zinc Plated	25
G-CBC5811	3/4"	5/8-11	Zinc Plated	25
G-CBC3410	3/4"	3/4-10	Zinc Plated	25
G-CBC3816SS	3/4"	3/8-16	Zinc Plated	25
G-CBC1213SS	3/4"	1/2-13	304 Stainless Steel	25
G-CBC5811SS	3/4"	5/8-11	304 Stainless Steel	25
G-CBC3410SS	3/4"	3/4-10	304 Stainless Steel	25
G-CBC3816BK	3/4"	3/8-16	304 Stainless Steel	25
G-CBC1213BK	3/4"	1/2-13	Unfinished Black Steel	25
G-CBC5811BK	3/4"	5/8-11	Unfinished Black Steel	25
G-CBC3410BK	3/4"	3/4-10	Unfinished Black Steel	25



Beam Clamps - Malleable Iron

- Use to support strut channel
- Galvanized finish provides superior protect against moisture
- Compatible with A,B,C series strut channels
- Suitable for indoor and outdoor use
- Resists corrosion and peeling

Part Number	Trade Size	Pkg
G901	1/4" • 20	50
G904	3/8" • 16	25
G904S	Small body, 3/8" • 16	25
G905	1/2" • 13	25



Spring Steel - Hanging & Support

J- Style Beam Clamps

- Malleable iron/Zinc plated

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-JC50	1/2"	50
G-JC75	3/4"	50
G-JC100	1"	25
G-JC125	1-1/4"	25
G-JC150	1-1/2"	25
G-JC250	2-1/2"	5
G-JC350	3-1/2"	1



Beam Clamps - Steel

*New Product
Coming Soon!*

Part Number	Description	Pkg
G-BCS001	Threads 10-24 & 1/4-20	100
G-BCS002	Threads 1/4 -20	100



Box Support-Steel

- Break apart design for easy handling
- Sold in pairs
- Steel

*New Product
Coming Soon!*


Part Number	Trade Size	Pkg
G-DSI2A	1/4"-1-1/2"	50



Spring Steel - Hanging & Support

J-Hooks - Steel/Galvanized

Part Number	Trade Data	Pkg
G-CAT12	3/4"	100
G-CAT21	1-5/16"	40
G-CAT32	2"	50
G-CAT64	4"	25
G-CAT84	6'	25



*Additional
Sizes Being
Added*

J-Hooks - Stainless Steel

*New Product
Coming Soon!*

Part Number	Trade Data	Pkg
G-CAT12SS	3/4"	50
G-CAT21SS	1-5/16"	50
G-CAT32SS	2"	50
G-CAT64SS	4"	25



J-Hooks Assembled to Screw on Beam Clamp

- Clamp: Spring Steel
- J-Hook: Steel/Galvanized

Part Number	Trade Data	Pkg
G-CAT12BC	3/4"	40
G-CAT21BC	1-5/16"	50
G-CAT32BC	2"	40



*Additional
Sizes Being
Added*

Spring Steel - Hanging & Support

J-Hook with Rod/Wire Clip Cablecat

Part Number	xxxxxx	Pkg
G-CAT324Z34	Cablecat J-Hook with Rod/Wire Clip	40



J-Hooks Cable with Stamped Steel Beam Clamp

- Steel/Zinc plated

Part Number	Trade Data	Pkg
G-JHK21BC	1-5/16"	50
G-JHK32BC	2"	50
G-JHK64BC	4"	25



*New Product
Coming Soon!*

Twist Clip with Wing Nuts

- No tools for installation
- Wing Nut Included
- Spring Steel

Part Number	Trade Data	Pkg
G-4G16	15/16" T-Grid 9/16" Screw Length	50



Parallel Conduit Support HDG

- Malleable iron/hot dip galvanized

*New Product
Coming Soon!*

Part Number	Rod Size	Flange Thickness	Pkg
G-PC50HDG	1/2"	50	100
G-PC75HDG	3/4"	50	100
G-PC100HDG	1"	50	50
G-PC125HDG	1-1/4"	25	50
G-PC150HDG	1-1/2"	25	50
G-PC200HDG	2"	25	50
G-PC250HDG	2-1/2"	10	5
G-PC300HDG	3"	10	5
G-PC350HDG	3-1/2"	10	2
G-PC400HDG	4"	10	2




Spring Steel - Hanging & Support

Box Mounting Bracket - Angled

- Compatible with 4" and 4-11/16" electrical boxes
- Easily attaches to wood and metal studs
- Steel


Part Number	Description	Pkg
GH23	Quick Mount Box	50



Telescoping Brackets

- Innovative one-piece, break-apart design
- Interlocking tab ensures secure assembly and prevents accidental disconnection
- Steel


Part Number	Description	Pkg
GTSGB16	Screwgun Bracket	50
GTSGB24	Screwgun Bracket	50
G-TSRBS1625	16-24"	50



Straight Box Mounting Bracket

- Mounting Holes allow for the mounting of 4" rings for low voltage applications
- Accommodates up to 3 boxes and/or rings
- Supports boxes and low voltage devices on one rigid bracket
- Low profile design limits drywall bulging

Part Number	Description	Pkg
GRB16	Accommodates up to (3) 4S or 5S boxes. Mounts on 1-1/2" or 2-1/8" deep boxes.	50



Spring Steel - Hanging & Support

Cable Support CJ6 Straps

- Easy-to-use locking tab
- Cable to wood or metal stud support

Part Number	Description	Pkg
WS	T-Bar Hanger	100



Steel Cable Hangers

*New Product
Coming Soon!*

Part Number	Trade Size	Pkg
G-MX3	1-1/8"	100
G-MX6	1-3/4"	100





Tape

Friction Tape

Rubber Tape

Caution Tape

Detectable Tape

Duct Tape

Black Electrical Tape

Color Electrical Tape

Aluminum Foil Tape

Mastic Pads

Fire Barrier Pads



Friction Tape

- Cotton friction tape reduces motion
- Tears by hand
- Provides a clean grip
- Medium grade tape
- Helps provide abrasion protection on wires and cables

Part Number	Description	Size	Pkg
FT34	Black	3/4" x 60'	100



Rubber Tape

- Neoprene rubber
- Sponge consistency - compressible
- Self-adhesive on one side only
- Resistant to aging, ozone, oil, acid and weathering

Part Number	Description	Size	Pkg
RT34	Black	3/4" x 22'	60
RT2	Black	2" x 22'	50



Caution Tape

- Useful for setting up warnings and zoning off areas
- Contractor-grade polyurethane is job-site tough
- Unleaded pigments and inks for safe handling
- Plastic remains pliant even in cold weather

Part Number	Description	Size	Pkg
CT31000-Y	Yellow - Caution	3" x 1000'	8
RL31000-R	Red - Buried Electric	3" x 1000'	1



Detectable Tape

- Formulated to resist degradation from acid and alkali commonly found in soils
- Lead free pigments and organic lead free inks
- Meets or exceeds all industry standards including the American public works association (APWA) color code
- Thickness of 5.0 mils, tensile strength of 35 lbs./in. (15,000 psi), elongation 80%
- Bottom layer PE, top layer PET, foil industry standard

Part Number	Description	Size	Pkg
D3105R6-457	Red	3" x 1000'	1
D6105R6-457	Red	6" x 1000'	1



Duct Tape

Part Number	Description	Size	Pkg
DT-2	silver	2" x 60 yards	24



Black Electrical Tape

- Adhesion: 18 oz/in
- Maximum Temperature: -20°F to + 176°F
- Tensile Strength: 18 lbs/in.
- Elongation: 200%
- Total tape thickness: 7 mil.

Part Number	Description	Size	Pkg
PT2-66	Black	2" x 66'	80
PT3460	Black	3/4" x 60'	200



Color Electrical Tape

- Adhesion: 18 oz/in
- Maximum Temperature: -20°F to + 176°F
- Tensile Strength: 18 lbs/in.
- Elongation: 200%
- Total tape thickness: 7 mil.

Part Number	Description	Size	Pkg
34 BLU	Blue	3/4" x 60'	200
34 BRN	Brown	3/4" x 60'	200
34 GRAY	Gray	3/4" x 60'	200
34 GRN	Green	3/4" x 60'	200
34 ORG	Orange	3/4" x 60'	200
34 PUR	Purple	3/4" x 60'	200
34 WHT	White	3/4" x 60'	200
34 RED	Red	3/4" x 60'	200
34 YEL	Yellow	3/4" x 60'	200



Aluminum Foil Tape

- Adhesive Tape: this foil tape with aggressive rubber adhesive sticks well to most surfaces. The vapor shielding tape also adheres to irregular surfaces, irrespective of the weather conditions
- Applications: the silver aluminum tape can be used for shielding, patching, seaming, and sealing to protect the materials from moisture, heat, odor, and chemical transmission.
- Temperature Friendly: the odor resistant tape meets American UL-723 standards for flame spread and smoke. The rubber adhesive tape dissipates excess heat and ensures heating and cooling efficiency of sensitive materials
- Multipurpose Tape: this adhesive foil tape works suitably well in general, commercial, and industrial applications. It can be used for aluminum seams and joints, sheet metals, fibrous and metal ducts, and aluminum backed duct boards

Part Number	Description	Size	Pkg
AFT-2	2"	60'	24



Mastic Pads

- Vinyl


Part Number	Description	Size	Pkg
G2200	Black	6-1/2" x 4-1/2"	10



Fire Barrier Pads

Part Number	Description	Pkg
GFPP77	7x7 Fire Barrier Putty Pad Red	10





Threaded Rod

Threaded Rods
Hex Couplings Nuts



Threaded Rod

Threaded Rods

Part Number	Trade Size	Length	Bundle Qty.	Bundle	Qty - Ft
TR12	1/2"	6'	Low Carbon Steel	72'	3,600
TR12-SS	1/2"	6'	Stainless Steel	72'	3,600
TR12-HDG	1/2"	6'	Hot Dipped Galvanized	72'	3,600
TR1210	1/2"	10'	Low Carbon Steel	120'	6,000
TR1212	1/2"	12'	Low Carbon Steel	144'	7,200
TR14	1/4"	6'	Low Carbon Steel	300'	15,000
TR14-SS	1/4"	6'	Stainless Steel	300'	15,000
TR1410	1/4"	10'	Low Carbon Steel	500'	12,500
TR34	3/4"	6'	Low Carbon Steel	30'	1,500
TR34-SS	3/4"	6'	Stainless Steel	30'	1,500
TR34-HDG	3/4"	6'	Hot Dipped Galvanized	30'	1,500
TR38	3/8"	6'	Low Carbon Steel	150'	7,500
TR38-SS	3/8"	6'	Stainless Steel	150'	7,500
TR38-HDG	3/8"	6'	Hot Dipped Galvanized	150'	7,500
TR3810	3/8"	10'	Low Carbon Steel	250'	12,500
TR3812	3/8"	12'	Low Carbon Steel	300'	15,000
TR516	5/16"	6'	Low Carbon Steel	210'	10,500
TR58	5/8"	6'	Low Carbon Steel	48'	2,400



Hex Coupling Nuts

Part Number	Trade Size	Qty
TRC14	1/4"	100
TRC516	5/16"	100
TRC38	3/8"	100
TRC12	1/2"	100
TRC58	5/8"	100
TRC34	3/4"	100





Cords, Cables & Wires

Portable Work Lights
Extension Cords
16 Gauge Cube Tap Extension Cords
Extension Cords & GFCI Cords
6-Outlet Surge Protectors
SRDT Range & Dryer Cords
Air Conditioner Extension Cords
Power Supply
10 Point Meter Cable
SOOW Stranded Copper Insulated Cords
SJOOW Stranded Copper Insulated Cords



Cords, Cables & Wires

Portable Work Lights

Part Number	Description	Pkg
37-50TL	50', 16 ga Portable Light	6
37-25TL	25', 16 ga Portable Light	12



Extension Cords

- 120 Volt
- Flexible vinyl jacket provides protection against moisture, abrasion, and sunlight.
- Come in heavy duty 12, 14, and 16 Gauge wire.
- Reinforced blades that add durability and protect prongs from bending or breaking
- Contractor Grade

Part Number	Length	Description	Pkg
37-1225-18	25'	12 ga	12
37-1250-18	50'	12 ga	6
37-1210-18	100'	12 ga	4
37-1425-18	25'	14 ga	12
37-1450-18	50'	14 ga	8
37-1410-18	100'	14 ga	4
37-1625-18	25'	16 ga	12
37-1650-18	50'	16 ga	8
37-1610-18	100'	16 ga	4



16 Gauge Cube Tap Extension Cords

- Perfect for indoor use of tools, appliances, lamps, and more
- Offered in Brown and White
- SPT-2 Insulation
- 15 AMPs
- 120V



Part Number	Length	Description	Pkg
CLV00216-SPT	6'	16 ga - Brown	25
CLV00219-SPT2	9'	16 ga - Brown	25
CLV00222-SPT2	12'	16 ga - Brown	25
CLV00225-SPT2	15'	16 ga - Brown	25
CLV00316-SPT2	6'	16 ga - White	25
CLV00319-SPT2	9'	16 ga - White	25
CLV00322-SPT2	12'	16 ga - White	25
CLV00325-SPT2	15'	16 ga - White	25

Extension Cords & GFCI Cords

- Orange
- 10' TriT-ap
- 16/3 Gauge
- Vinyl Jacket provides Heavy Duty Durability
- Three Triple Pronged Electrical Receptacles
- 15 AMPs
- 125V
- UL Listed for outdoor use

Part Number	Length	Description	Pkg
CLV0689	10'	16/3 Extension Cord (Tri-Tap)	12
CLV0506	25'	16/3 Retractable Ext Cord (Tri-Tap)	6
CLV0781	2'	Portable GFCI	12
CLV0782	6'	Portable GFCI	12



CLV0506



CLV0689



CLV0781 / CLV0782



Cords, Cables & Wires

6-Outlet Surge Protectors

- White
- Six Triple Pronged Outlets with Lighted Switch
- 14/3 Gauge
- 15 AMPs
- SJTW Cord Jacket provides Heavy Duty Durability
- 125V

Part Number	Length	Pkg
SP6	1'	25



SRDT Range & Dryer Cords

Part Number	Length	# of Conductors	Description	Pkg
37-9017-18	4'	3 Wire	10/3 SRDT Dryer Cord	12
37-9018-18	5'	3 Wire	10/3 SRDT Dryer Cord	12
37-9019-18	6'	3 Wire	10/3 SRDT Dryer Cord	12
37-9025-18	4'	4 Wire	10/4 SRDT Dryer Cord	12
37-9035-18	5'	4 Wire	10/4 SRDT Dryer Cord	12
37-9049-18	6'	4 Wire	10/4 SRDT Dryer Cord	12
37-9020-18	4'	3 Wire	6/2+8/1 SRDT Range Cord	12
37-9021-18	5'	3 Wire	6/2+8/1 SRDT Range Cord	12
37-9022-18	6'	3 Wire	6/2+8/1 SRDT Range Cord	12
37-9026-18	4'	4 Wire	6/2+8/2 SRDT Range Cord	12
37-9036-18	5'	4 Wire	6/2+8/2 SRDT Range Cord	12
37-9048-18	6'	4 Wire	6/2+8/2 (9046) Range Cord	12



Air Conditioner Extension Cords

Part Number	Trade Size	Description	Pkg
37-1500-18	3'	Air Conditioner Cord, 125V, 15A	25
37-1501-18	6'	Air Conditioner Cord, 125V, 15A	25
37-1502-18	9'	Air Conditioner Cord, 125V, 15A	25
37-1503-18	12'	Air Conditioner Cord, 125V, 15A	25
37-1504-18	15'	Air Conditioner Cord, 125V, 15A	25
37-1509-18	9'	Air Conditioner Cord, 250V, 15A	25
37-2009-18	9'	Air Conditioner Cord, 250V, 20A	25



Power Supply

Part Number	Trade Size	Description	Pkg
G163-30	16/3	Female Laundry Drop 30"	100
G163-30Y	16/3	Laundry Drop Yellow 30"	100
G-MLD163-8	16/3	Male Laundry Drop 6'	50
G-MLD143-8	14/3	Male Laundry Cord - Black 8'	50



10 Point Meter Cable

Part Number	Description	Pkg
81570	10 Point Meter Cable (Con Ed)	Cut to Size



SOOW Stranded Copper Insulated Cords

- Service Cord (600 Volts)
- Oil resistant both inside insulation and outside jacket
- CSA designation for weather/water resistance



Part Number	Conductor Size AWG	# of Conductors	Description	Pkg
SOOW103-250	10	3	Stranded Copper (SOOW Cord)	250
SOOW103-1000	10	3	Stranded Copper (SOOW Cord)	1000
SOOW104-250	10	4	Stranded Copper (SOOW Cord)	250
SOOW104-500	10	4	Stranded Copper (SOOW Cord)	500
SOOW104-1000	10	4	Stranded Copper (SOOW Cord)	1000
SOOW105-1000	10	5	Stranded Copper (SOOW Cord)	1000
SOOW123-250	12	3	Stranded Copper (SOOW Cord)	250
SOOW123-1000	12	3	Stranded Copper (SOOW Cord)	1000
SOOW124-250	12	4	Stranded Copper (SOOW Cord)	250
SOOW124-1000	12	4	Stranded Copper (SOOW Cord)	1000
SOOW125-250	12	5	Stranded Copper (SOOW Cord)	250
SOOW125-500	12	5	Stranded Copper (SOOW Cord)	500
SOOW125-1000	12	5	Stranded Copper (SOOW Cord)	1000
SOOW143-250	14	3	Stranded Copper (SOOW Cord)	250
SOOW144-250	14	4	Stranded Copper (SOOW Cord)	250
SOOW144-1000	14	4	Stranded Copper (SOOW Cord)	1000

Cords, Cables & Wires

SOOW Stranded Copper Insulated Cords

- Service Cord (600 Volts)
- Oil resistant both inside insulation and outside jacket
- CSA designation for weather/water resistance

Part Number	Conductor Size AWG	# of Conductors	Description	Pkg
SOOW23-250	2	3	Stranded Copper (SOOW Cord)	250
SOOW23-500	2	3	Stranded Copper (SOOW Cord)	500
SOOW23-1000	2	3	Stranded Copper (SOOW Cord)	1000
SOOW24-250	2	4	Stranded Copper (SOOW Cord)	250
SOOW24-500	2	4	Stranded Copper (SOOW Cord)	500
SOOW24-1000	2	4	Stranded Copper (SOOW Cord)	1000
SOOW25-500	2	5	Stranded Copper (SOOW Cord)	500
SOOW25-1000	2	5	Stranded Copper (SOOW Cord)	1000
SOOW43-250	4	3	Stranded Copper (SOOW Cord)	250
SOOW43-500	4	3	Stranded Copper (SOOW Cord)	500
SOOW43-1000	4	3	Stranded Copper (SOOW Cord)	1000
SOOW44-250	4	4	Stranded Copper (SOOW Cord)	250
SOOW44-500	4	4	Stranded Copper (SOOW Cord)	500
SOOW44-1000	4	4	Stranded Copper (SOOW Cord)	1000
SOOW63-500	6	3	Stranded Copper (SOOW Cord)	500
SOOW63-1000	6	3	Stranded Copper (SOOW Cord)	1000
SOOW64-500	6	4	Stranded Copper (SOOW Cord)	500
SOOW64-1000	6	4	Stranded Copper (SOOW Cord)	1000
SOOW65-250	6	5	Stranded Copper (SOOW Cord)	250
SOOW65-1000	6	5	Stranded Copper (SOOW Cord)	1000
SOOW83-250	8	3	Stranded Copper (SOOW Cord)	250
SOOW83-500	8	3	Stranded Copper (SOOW Cord)	500
SOOW83-1000	8	3	Stranded Copper (SOOW Cord)	1000
SOOW84-500	8	4	Stranded Copper (SOOW Cord)	500
SOOW84-1000	8	4	Stranded Copper (SOOW Cord)	1000



SJOOW Stranded Copper Insulated Cords

- Junior Service Cord (300 Volts)
- Oil Resistant both inside insulation and outside jacket
- CSA designation for weather/water resistance

Part Number	Conductor Size AWG	# of Conductors	Description	Pkg
SJOOW103-250	10	3	Stranded Copper (SOOW Cord)	250
SJOOW103-1000	10	3	Stranded Copper (SOOW Cord)	1000
SJOOW104-250	10	4	Stranded Copper (SOOW Cord)	250
SJOOW104-1000	10	4	Stranded Copper (SOOW Cord)	1000
SJOOW122-250	12	2	Stranded Copper (SOOW Cord)	250
SJOOW122-1000	12	2	Stranded Copper (SOOW Cord)	1000
SJOOW123-250	12	3	Stranded Copper (SOOW Cord)	250
SJOOW123-1000	12	3	Stranded Copper (SOOW Cord)	1000
SJOOW124-250	12	4	Stranded Copper (SOOW Cord)	250
SJOOW124-1000	12	4	Stranded Copper (SOOW Cord)	1000
SJOOW142-250	14	2	Stranded Copper (SOOW Cord)	250
SJOOW143-250	14	3	Stranded Copper (SOOW Cord)	250
SJOOW143-1000	14	3	Stranded Copper (SOOW Cord)	1000
SJOOW144-250	14	4	Stranded Copper (SOOW Cord)	250
SJOOW144-1000	14	4	Stranded Copper (SOOW Cord)	1000
SJOOW162-250	16	2	Stranded Copper (SOOW Cord)	250
SJOOW163-250	16	3	Stranded Copper (SOOW Cord)	250
SJOOW164-250	16	4	Stranded Copper (SOOW Cord)	250
SJOOW182-250	18	2	Stranded Copper (SOOW Cord)	250
SJOOW183-250	18	3	Stranded Copper (SOOW Cord)	250
SJOOW184-250	18	4	Stranded Copper (SOOW Cord)	250





Wire Cover Guards & Wire Termination

Cable Tie Mounting Pads
Black Cable Ties
Natural Cable Ties
Black Mounting Hole Cable Ties
Natural Mounting Hole Cable Ties
Wire Termination
Grounding Wire Connectors
Super B Wire Connectors
Anti-Short Bushings
Universal Snap-in Bushings
Cable Clamp
Cable Stacker
Voltage Label Stickers - Small
Voltage Label Stickers - Medium
Voltage Label Stickers - Large
Pocket Pack Marker Books
Ring Terminals - Red Nylon
Ring Terminals - Blue Nylon
Ring Terminals - Yellow Nylon
Ring Terminals - Red PVC
Ring Terminals - Blue PVC

Ring Terminals - Yellow PVC
Ring Terminals - Bare - CU - Tin Plated
Spade Terminals - Red PVC
Spade Terminals - Blue PVC
Spade Terminals - Yellow PVC
Spade Terminals - Red Nylon
Spade Terminals - Blue Nylon
Spade Terminals - Yellow Nylon
Spade Terminals - Bare - CU - Tin Plated
Female Disconnects with Copper Crimp Sleeves - PVC
Male Disconnects with Copper Crimp Sleeves - PVC
Bullet Connectors with Copper Crimp Sleeves - PVC
Receptacle Connectors with Copper Crimp Sleeves - PVC
Piggy Back Disconnects with Copper Crimp Sleeves - PVC
Female Disconnects Fully Insulated - Nylon
Butt Connectors Insulated - PVC
Butt Connectors Insulated - Nylon
Quick Splice Connectors - PVC
Closed End Connectors - Copper/Nylon
Flag Disconnects - Nylon



Wire Cover Guards & Termination

Cable Tie Mounting Pads

*New Product
Coming Soon!*

Part Number	Description	Pkg
G-MP4A	25mm x 25mm, 4-Way Adhesive Base - White	100
G-MP4AB	25mm x 25mm, 4-Way Adhesive Base - Black	100
G-MP4S	28mm x 28mm, 4-Way Screw Mount - White	100
G-MP4SB	28mm x 28mm, 4-Way Screw Mount - Black	100



Black Cable Ties

- Nylon

*New Product
Coming Soon!*

Part Number	Description	Pkg
GCT418-B	4" 18 lbs.	100
GCT618-B	6" 18 lbs.	100
GCT750-B	7" 50 lbs.	100
GCT850-B	8" 50 lbs.	100
GCT1150-B	11" 50 lbs.	100
GCT1450-B	14" 50 lbs.	100
GCT1550-B	15" 50 lbs.	100



Wire Cover Guards & Termination

Natural Cable Ties

- Nylon

Part Number	Description	Pkg
GCT418-N	4" 18 lbs.	100
GCT518-N	6" 18 lbs.	100
GCT750-N	7" 50 lbs.	100
GCT850-N	8" 50 lbs.	100
GCT1150-N	11" 50 lbs.	100
GCT1450-N	14" 50 lbs.	100
GCT1550-N	15" 50 lbs.	100

*New Product
Coming Soon!*



Black Mounting Hole Cable Ties

- Nylon

Part Number	Description	Pkg
GCT418-BH	4"	100
GCT618-BH	6"	100
GCT750-BH	7"	100
GCT850-BH	8"	100
GCT1150-BH	11"	100
GCT1450-BH	14"	100

*New Product
Coming Soon!*




Natural Mounting Hole Cable Ties

- Nylon

Part Number	Description	Pkg
GCT418-NH	4"	100
GCT618-NH	6"	100
GCT750-NH	7"	100
GCT850-NH	8"	100
GCT1150-NH	11"	100
GCT1450-NH	14"	100

*New Product
Coming Soon!*



Wire Cover Guards & Termination

Wire Termination

Part Number	Description	Pkg
P1000	600V - Gray	100
P1700	600V - Blue	50
P2000	600V - Blue	100
P3000	600V - Orange	100
P3B00	150° High Temp - Black	100
P1100	600V Winged - Yellow	100 (Box)
P1101	600V Winged - Yellow	500 (Bag)
P1200	600V Winged - Tan	100 (Box)
P1201	600V Winged - Tan	500 (Bag)
P1300	600V Winged - Red	100 (Box)
P1301	600V Winged - Red	500 (Bag)



Grounding Wire Connectors

Part Number	Description	Pkg
P9900	600V Grounding - Green	100 (Box)
P9901	600V - Green	500 (Bag)



Super B Wire Connectors

Part Number	Description	Pkg
GBC100P	NON Silicone Gel - White	1000
GBC100S	Silicone Gel - Blue	1000



Wire Cover Guards & Termination

Anti-Short Bushings

Part Number	Description	Pkg
G-1	Red - 3/8"	100
G-0	Red - 5/16"	100



Universal Snap-in Bushings

Part Number	Description	Pkg
G-USB	Universal Snap-In Bushing	100



Cable Clamp

Part Number	Description	Pkg
GCCH58W	5/8" Nylon Cable Clamp	100



Cable Stacker

Part Number	Description	Pkg
G-CS-1	Cable Stacker UF or NMB	25/Bag



Wire Cover Guards & Termination

Voltage Label Stickers - Small

- 18 Markers per Card (marker size 1/2"H x 2 1/4"W with 5/16" character height)

Part Number	Description	Pkg
GVM-110-S	VM-110V	25
GVM-115-S	VM-115V	25
GVM-120-S	VM-120V	25
GVM-120/208-S	VM-120/208V	25
GVM-120/240-S	VM-120/240V	25
GVM-208-S	VM-208V	25
GVM-220-S	VM-220V	25
GVM-230-S	VM-230V	25
GVM-240-S	VM-240V	25
GVM-277-S	VM-277V	25
GVM-277/240-S	VM-277/240V	25



Wire Cover Guards & Termination

Voltage Label Stickers - Medium

- 4 Markers per Card (marker size 1 1/8"H x 4 1/8"W with 7/8" character height)

Part Number	Description	Pkg
GVM-110-M	VM-110V	25
GVM-115-M	VM-115V	25
GVM-120-M	VM-120V	25
GVM-120/208-M	VM-120/208V	25
GVM-120/240-M	VM-120/240V	25
GVM-208-M	VM-208V	25
GVM-220-M	VM-220V	25
GVM-230-M	VM-230V	25
GVM-240-M	VM-240V	25
GVM-277-M	VM-277V	25
GVM-277/240-M	VM-277/240V	25
GVM-440-M	VM-440V	25
GVM-460-M	VM-460V	25
GVM-480-M	VM-480V	25
GVM-480-3P-M	VM-480/3 Phase	25
GVM-550-M	VM-550V	25
GVM-600-M	VM-600V	25
GVM-2400-M	VM-2400V	25
GVM-4160-M	VM-4160V	25
GVM-13200-M	VM-13200V	25
GVM-13800-M	VM-13800V	25
GVM-AC-M	VM-AC	25
GVM-DC-M	VM-DC	25
GVM-EMER-M	VM-Emergency	25
GVM-LTG-M	VM-Lighting	25
GVM-LT/POWER-M	VM-Light & Power	25
GVM-POWER-M	VM-Power	25
GVM-1P-M	VM-Single Phase	25
GVM-3P-M	VM-Three Phase	25
GVM-CABLE-M	VM-Cable	25
GVM-TEL-M	VM-Telephone	25
GVM-FO-M	VM-Fiber Optic	25
GVM-BLANK-M	VM- -Volts	25
GVM-MAIN DIS-M	VM-Main Disconnects	25
GVM-HIGH VOLT-M	VM-High Voltage	25



Wire Cover Guards & Termination

Voltage Label Stickers - Large

- 1 Marker per Card (marker size 2 1/4"H x 9"W with 1 7/8" character height)

Part Number	Description	Pkg
GVM-110-L	VM-110V	25
GVM-115-L	VM-115V	25
GVM-120-L	VM-120V	25
GVM-120/208-L	VM-120/208V	25
GVM-120/240-L	VM-120/240V	25
GVM-208-L	VM-208V	25
GVM-220-L	VM-220V	25
GVM-230-L	VM-230V	25
GVM-240-L	VM-240V	25
GVM-277-L	VM-277V	25
GVM-277/240-L	VM-277/240V	25
GVM-440-L	VM-440V	25
GVM-460-L	VM-460V	25
GVM-480-L	VM-480V	25
GVM-480/3P-L	VM-480/3 Phase	25
GVM-550-L	VM-550V	25
GVM-600-L	VM-600V	25
GVM-2400-L	VM-2400V	25
GVM-4160-L	VM-4160V	25
GVM-13200-L	VM-13200V	25
GVM-13800-L	VM-13800V	25
GVM-AC-L	VM-AC	25
GVM-DC-L	VM-DC	25
GVM-EMER-L	VM-Emergency	25
GVM-LTG-L	VM-Lighting	25
GVM-LT/POWER-L	VM-Light & Power	25
GVM-POWER-L	VM-Power	25
GVM-1P-L	VM-Single Phase	25
GVM-3P-L	VM-Three Phase	25
GVM-CABLE-L	VM-Cable	25
GVM-TEL-L	VM-Telephone	25
GVM-FO-L	VM-Fiber Optic	25
GVM-BLANK-L	VM - Volts	25
GVM-MAIN DIS-L	VM-Main Disconnects	25
GVM-HIGH VOLT-L	VM-High Voltage	25

277 VOLTS

Wire Cover Guards & Termination

Pocket Pack Marker Books

Part Number	Description	Pkg
G027	Number Book 0-9	10
G028	Number Book A-Z,0-15,+,-,/	10
G029	Number Book 1-45	10
G030	Number Book 46-90	10
G035	Number Book 1-15,6-90,0,A-Z,+,-,/	10
G036	Number Bk 1,2,3,A,B,C,T1,T2,T3,L1,L2,L3	10



Ring Terminals - Red Nylon

- Electrical crimp terminals

Part Number	Description	Pkg
GRN-R4	22-16 Awg, No.4 Stud	Inner 25/Master 100
GRN-R6	22-16 Awg, No.6 Stud	Inner 25/Master 100
GRN-R8	22-16 Awg, No.8 Stud	Inner 25/Master 100
GRN-R10	22-16 Awg, No.10 Stud	Inner 25/Master 100
GRN-R14	22-16 Awg, 1/4" Stud	Inner 25/Master 100
GRN-R516	22-16 Awg, 5/16" Stud	Inner 25/Master 100
GRN-R38	22-16 Awg, 3/8" Stud	Inner 25/Master 100



Ring Terminals - Blue Nylon

Part Number	Description	Pkg
GRN-B4	16-14 Awg, No.4 Stud	Inner 25/Master 100
GRN-B6	16-14 Awg, No.6 Stud	Inner 25/Master 100
GRN-B8	16-14 Awg, No.8 Stud	Inner 25/Master 100
GRN-B10	16-14 Awg, No.10 Stud	Inner 25/Master 100
GRN-B14	16-14 Awg, 1/4" Stud	Inner 25/Master 100
GRN-B516	16-14 Awg, 5/16" Stud	Inner 25/Master 100
GRN-B38	16-14 Awg, 3/8" Stud	Inner 25/Master 100



Wire Cover Guards & Termination

Ring Terminals - Yellow Nylon

Part Number	Description	Pkg
GRN-Y4	12-10 Awg, No.4 Stud	Inner 25/Master 100
GRN-Y6	12-10 Awg, No.6 Stud	Inner 25/Master 100
GRN-Y8	12-10 Awg, No.8 Stud	Inner 25/Master 100
GRN-Y10	12-10 Awg, No.10 Stud	Inner 25/Master 100
GRN-Y14	12-10 Awg, 1/4" Stud	Inner 25/Master 100
GRN-Y516	12-10 Awg, 5/16" Stud	Inner 25/Master 100
GRN-Y38	12-10 Awg, 3/8" Stud	Inner 25/Master 100



Ring Terminals - Red PVC

Part Number	Description	Pkg
GRV-R4	22-16 Awg, No.4 Stud	Inner 25/Master 100
GRV-R6	22-16 Awg, No.6 Stud	Inner 25/Master 100
GRV-R8	22-16 Awg, No.8 Stud	Inner 25/Master 100
GRV-R10	22-16 Awg, No.10 Stud	Inner 25/Master 100
GRV-R14	22-16 Awg, 1/4" Stud	Inner 25/Master 100
GRV-R516	22-16 Awg, 5/16" Stud	Inner 25/Master 100
GRV-R38	22-16 Awg, 3/8" Stud	Inner 25/Master 100



Ring Terminals - Blue PVC

Part Number	Description	Pkg
GRV-B4	16-14 Awg, No.4 Stud	Inner 25/Master 100
GRV-B6	16-14 Awg, No.6 Stud	Inner 25/Master 100
GRV-B8	16-14 Awg, No.8 Stud	Inner 25/Master 100
GRV-B10	16-14 Awg, No.10 Stud	Inner 25/Master 100
GRV-B14	16-14 Awg, 1/4" Stud	Inner 25/Master 100
GRV-B516	16-14 Awg, 5/16" Stud	Inner 25/Master 100
GRV-B38	16-14 Awg, 3/8" Stud	Inner 25/Master 100



Wire Cover Guards & Termination

Ring Terminals- Yellow PVC

Part Number	Description	Pkg
GRV-Y4	12-10 Awg, No.4 Stud	Inner 25/Master 100
GRV-Y6	12-10 Awg, No.6 Stud	Inner 25/Master 100
GRV-Y8	12-10 Awg, No.8 Stud	Inner 25/Master 100
GRV-Y10	12-10 Awg, No.10 Stud	Inner 25/Master 100
GRV-Y14	12-10 Awg, 1/4" Stud	Inner 25/Master 100
GRV-Y516	12-10 Awg, 5/16" Stud	Inner 25/Master 100
GRV-Y38	12-10 Awg, 3/8" Stud	Inner 25/Master 100



Ring Terminals - Bare - CU - Tin Plated

Part Number	Description	Pkg
GRB-R4	22-16 Awg, No.4 Stud	Inner 25/Master 100
GRB-R6	22-16 Awg, No.6 Stud	Inner 25/Master 100
GRB-R8	22-16 Awg, No.8 Stud	Inner 25/Master 100
GRB-R10	22-16 Awg, No.10 Stud	Inner 25/Master 100
GRB-R14	22-16 Awg, 1/4" Stud	Inner 25/Master 100
GRB-R516	22-16 Awg, 5/16" Stud	Inner 25/Master 100
GRB-R38	22-16 Awg, 3/8" Stud	Inner 25/Master 100
GRB-B4	16-14 Awg, No.4 Stud	Inner 25/Master 100
GRB-B6	16-14 Awg, No.6 Stud	Inner 25/Master 100
GRB-B8	16-14 Awg, No.8 Stud	Inner 25/Master 100
GRB-B10	16-14 Awg, No.10 Stud	Inner 25/Master 100
GRB-B14	16-14 Awg, 1/4" Stud	Inner 25/Master 100
GRB-B516	16-14 Awg, 5/16" Stud	Inner 25/Master 100
GRB-B38	16-14 Awg, 3/8" Stud	Inner 25/Master 100
GRB-Y4	12-10 Awg, No.4 Stud	Inner 25/Master 100
GRB-Y6	12-10 Awg, No.6 Stud	Inner 25/Master 100
GRB-Y8	12-10 Awg, No.8 Stud	Inner 25/Master 100
GRB-Y10	12-10 Awg, No.10 Stud	Inner 25/Master 100
GRB-Y14	12-10 Awg, 1/4" Stud	Inner 25/Master 100
GRB-Y516	12-10 Awg, 5/16" Stud	Inner 25/Master 100
GRB-Y38	12-10 Awg, 3/8" Stud	Inner 25/Master 100



Wire Cover Guards & Termination

Spade Terminals - Red PVC

Part Number	Description	Pkg
GSV-R4	22-16 Awg, No.4 Stud	Inner 25/Master 100
GSV-R6	22-16 Awg, No.6 Stud	Inner 25/Master 100
GSV-R8	22-16 Awg, No.8 Stud	Inner 25/Master 100
GSV-R10	22-16 Awg, No.10 Stud	Inner 25/Master 100
GSV-R14	22-16 Awg, 1/4" Stud	Inner 25/Master 100



Spade Terminals - Blue PVC

Part Number	Description	Pkg
GSV-B4	16-14 Awg, No.4 Stud	Inner 25/Master 100
GSV-B6	16-14 Awg, No.6 Stud	Inner 25/Master 100
GSV-B8	16-14 Awg, No.8 Stud	Inner 25/Master 100
GSV-B10	16-14 Awg, No.10 Stud	Inner 25/Master 100
GSV-B14	16-14 Awg, 1/4" Stud	Inner 25/Master 100
GSV-B516	16-14 Awg, 5/16" Stud	Inner 25/Master 100



Spade Terminals - Yellow PVC

Part Number	Description	Pkg
GSV-Y6	12-10 Awg, No.6 Stud	Inner 25/Master 100
GSV-Y8	12-10 Awg, No.8 Stud	Inner 25/Master 100
GSV-Y10	12-10 Awg, No.10 Stud	Inner 25/Master 100
GSV-Y14	12-10 Awg, 1/4" Stud	Inner 25/Master 100



Wire Cover Guards & Termination

Spade Terminals - Red Nylon

Part Number	Description	Pkg
GSN-R4	22-16 Awg, No.4 Stud	Inner 25/Master 100
GSN-R6	22-16 Awg, No.6 Stud	Inner 25/Master 100
GSN-R8	22-16 Awg, No.8 Stud	Inner 25/Master 100
GSN-R10	22-16 Awg, No.10 Stud	Inner 25/Master 100
GSN-R14	22-16 Awg, 1/4" Stud	Inner 25/Master 100



Spade Terminals - Blue Nylon

Part Number	Description	Pkg
GSN-B4	16-14 Awg, No.4 Stud	Inner 25/Master 100
GSN-B6	16-14 Awg, No.6 Stud	Inner 25/Master 100
GSN-B8	16-14 Awg, No.8 Stud	Inner 25/Master 100
GSN-B10	16-14 Awg, No.10 Stud	Inner 25/Master 100
GSN-B14	16-14 Awg, 1/4" Stud	Inner 25/Master 100
GSN-B516	16-14 Awg, 5/16" Stud	Inner 25/Master 100



Spade Terminals - Yellow Nylon

Part Number	Description	Pkg
GSN-Y6	12-10 Awg, No.6 Stud	Inner 25/Master 100
GSN-Y8	12-10 Awg, No.8 Stud	Inner 25/Master 100
GSN-Y10	12-10 Awg, No.10 Stud	Inner 25/Master 100
GSN-Y14	12-10 Awg, 1/4" Stud	Inner 25/Master 100



Wire Cover Guards & Termination

Spade Terminals - Bare - CU - Tin Plated

Part Number	Description	Pkg
GSB-R4	22-16 Awg, No.4 Stud	Inner 25/Master 100
GSB-R6	22-16 Awg, No.6 Stud	Inner 25/Master 100
GSB-R8	22-16 Awg, No.8 Stud	Inner 25/Master 100
GSB-R10	22-16 Awg, No.10 Stud	Inner 25/Master 100
GSB-R14	22-16 Awg, 1/4" Stud	Inner 25/Master 100
GSB-B4	16-14 Awg, No.4 Stud	Inner 25/Master 100
GSB-B6	16-14 Awg, No.6 Stud	Inner 25/Master 100
GSB-B8	16-14 Awg, No.8 Stud	Inner 25/Master 100
GSB-B10	16-14 Awg, No.10 Stud	Inner 25/Master 100
GSB-B14	16-14 Awg, 1/4" Stud	Inner 25/Master 100
GSB-B516	16-14 Awg, 1/4" Stud	Inner 25/Master 100
GSB-Y6	12-10 Awg, No.6 Stud	Inner 25/Master 100
GSB-Y8	12-10 Awg, No.8 Stud	Inner 25/Master 100
GSB-Y10	12-10 Awg, No.10 Stud	Inner 25/Master 100
GSB-Y14	12-10 Awg, 1/4" Stud	Inner 25/Master 100



Female Disconnects with Copper Crimp Sleeves - PVC

Part Number	Description	Pkg
GFDV-R187	22-16 Awg, .187x.020 (RED)	Inner 25/Master 100
GFDV-R25	22-16 Awg, .250x.032 (RED)	Inner 25/Master 100
GFDV-B187	16-14 Awg, .187x.020/.032 (BLUE)	Inner 25/Master 100
GFDV-B25	16-14 Awg, .250x.032 (BLUE)	Inner 25/Master 100
GFDV-Y25	12-10 Awg, .250x.32 (YELLOW)	Inner 25/Master 100
GFDV-Y375	12-10 Awg, .375x.048 (YELLOW)	Inner 25/Master 100



Male Disconnects with Copper Crimp Sleeves - PVC

Part Number	Description	Pkg
GMDV-R187	22-16 Awg, .187x.020/.032 (RED)	Inner 25/Master 100
GMDV-R25	22-16 Awg, .250x.032 (RED)	Inner 25/Master 100
GMDV-B187	16-14 Awg, .187x.020/.032 (BLUE)	Inner 25/Master 100
GMDV-B25	16-14 Awg, .250x.032 (BLUE)	Inner 25/Master 100
GMDV-Y25	12-10 Awg, .250x.032 (YELLOW)	Inner 25/Master 100



Wire Cover Guards & Termination

Bullet Connectors with Copper Crimp Sleeves - PVC

Part Number	Description	Pkg
GBCV-R156	22-16 Awg, 0.156 (RED)	Inner 25/Master 100
GBCV-B156	16-14 Awg, 0.156 (BLUE)	Inner 25/Master 100



Receptacle Connectors with Copper Crimp Sleeves - PVC

Part Number	Description	Pkg
GRCV-R156	22-16 Awg, 0.156 (RED)	Inner 25/Master 100
GRCV-B156	16-14 Awg, 0.156 (BLUE)	Inner 25/Master 100



Piggy Back Disconnects with Copper Crimp Sleeves - PVC

Part Number	Description	Pkg
GPBV-R25	22-16 Awg, .250x0.32 (RED)	Inner 25/Master 100
GPBV-B25	16-14 Awg, .250x0.32 (BLUE)	Inner 25/Master 100
GPBV-Y25	12-10 Awg, .250x0.32 (YELLOW)	Inner 25/Master 100



Female Disconnects Fully Insulated - Nylon


Part Number	Description	Pkg
GFDN-R25	22-16 Awg, 0.25 (RED)	Inner 25/Master 100
GFDN-B25	16-14 Awg, 0.25 (BLUE)	Inner 25/Master 100
GFDN-Y25	12-10 Awg, 0.25 (YELLOW)	Inner 25/Master 100



Wire Cover Guards & Termination

Butt Connectors Insulated - PVC

Part Number	Description	Pkg
GBUCV-R	22-16 Awg, RED	Inner 25/Master 100
GBUCV-B	16-14 Awg, BLUE	Inner 25/Master 100
GBUCV-Y	12-10 Awg, YELLOW	Inner 25/Master 100




Butt Connectors Insulated - Nylon

Part Number	Description	Pkg
GBUCN-B	16-14 Awg, BLUE	Inner 25/Master 100
GBUCN-Y	12-10 Awg, YELLOW	Inner 25/Master 100



Quick Splice Connectors - PVC

Part Number	Description	Pkg
GQSCV-R	22-16 Awg, RED	Inner 25/Master 100
GQSCV-B	16-14 Awg, BLUE	Inner 25/Master 100
GQSCV-Y	12-10 Awg, YELLOW	Inner 25/Master 100



Wire Cover Guards & Termination

Closed End Connectors - Copper/Nylon

Part Number	Description	Pkg
GCC-22-14	22-14 Awg, WHITE	Inner 25/Master 100
GCC-22-11	22-12 Awg, WHITE	Inner 25/Master 100
GCC-16-10	16-10 Awg, WHITE	Inner 25/Master 100



Flag Disconnects - Nylon

Part Number	Description	Pkg
GFDN-R	22-18 Awg, RED	Inner 25/Master 100
GFDN-B	16-14 Awg, BLUE	Inner 25/Master 100





Miscellaneous

First Aid Kits
Latex Palm Gloves
Black Electrical Gloves
Cut Resistant Gloves
Oil
Duct Seal
PVC Cement
Conduit Bender Heads and Handles
Elevator Mirror
Meter Block
Linen Tag
Roof Blocks
Cold Shrink
Edge Guards
Traffic Sleeve
Non-Fusible AC Pullout Disconnect
AC Whips
Knockout Seals - 1 pc Push-In
Knockout Seals - 3 pc
Knockout Seals - Oil Tight Knockout Seal
Hand Dryer



First Aid Kits

Part Number	Description	Pkg
FAK-10	10 Man First Aid Kit	1
FAK-25	25 Man First Aid Kit	1



Latex Palm Gloves

- Commonly used in wet and oily conditions, offering excellent abrasion resistance.
- The most popular and widely recognized gloves on the market, featuring a flexible latex palm and finger coating over a durable knit.

Part Number	Description	Pkg
GBG	Blue Latex Palm Gloves	240
GRG	Red Latex Palm Gloves	300



Black Electrical Gloves

- Offer the mechanical protection needed against cuts, abrasion, and punctures.

Part Number	Description	Pkg
GBLKG	Data-Electrical, Max Grip, Wet-Dry Applications	240



Cut Resistant Gloves

- Offer the mechanical protection needed against cuts, abrasion, and punctures.
- Cut 3 is safe for handling sheet metals
- Cut 5 is safe for handling glass

Part Number	Description	Pkg
GC3G	Cut 3 Gloves	10
GC5G	Cut 5 Gloves	10



Oil

Part Number	Description	Pkg
93392	1 Qt. Light Cutting Oil Lube	1
93272	1 Gal Light Cutting Oil Lube	1
93192	5 Gal Light Cutting Oil Lube	1
HO1G	1 Gal Hydraulic Oil	1



Duct Seal

Part Number	Description	Pkg
G184	1 Lb.	50
GLO 185	5 Lb.	10



PVC Cement

Part Number	Description	Pkg
GC-PT	PVC Elec Cond Cement, pt.	12
GC-QT	PVC Elec Cond Cement, qt.	12
GC-GAL	PVC Cement, Med Clear, gal.	1
GC-1/2PT	PVC Cond Cement, 1/2 pt.	24
PW-PT	Polar Weld PVC Cmt, pt.	12
PW-QT	Polar Weld PVC Cmt, qt.	12
GCL-PT	SAM CL-3 Cleaner, pt.	12
GCL-QT	SAM CL-3 Cleaner, qt.	12
GCL-1/2PT	PVC Cleaner, 1/2 pt.	24
GPR-PT	PVC Primer, pt.	12
GPR-QT	PVC Primer, qt.	12



Conduit Bender Heads and Handles

- Performs common bends such as stub-ups, offsets, back-to-back and saddle bends.
- The head features well-defined cast-in benchmark symbols and scales to assist with the most accurate bending.
- Constructed with a durable, lightweight die-cast aluminum head mounted on a steel handle.


Part Number	Trade Size	Pkg
G-TCB50H	1/2" Conduit Bender Head	1
G-TCB75H	3/4" Conduit Bender Head	1
G-TCB100H	1" Conduit Bender Head	1
G-TCB50P	1/2" Conduit Bender Pole	1
G-TCB75P	3/4" Conduit Bender Pole	1
G-TCB100P	1" Conduit Bender Pole	1



Elevator Mirror

- Triangular curved reflective surface
- Meant for use in the interior of an elevator.

Part Number	Trade Size	Pkg
EM	Elevator Mirror	20



Meter Block


Part Number	Trade Size	Pkg
MB	Meter Block	5



Linen Tag

- Used for labeling purposes

Part Number	Description	Pkg
GLT	Linen Tag	1000



Roof Blocks

Part Number	Description	Pkg
G-C10	Rubber Base Roof Block 4-7/8" x 6" x 9.6"	1
G-C20	Rubber Base Roof Block 4-7/8" x 6" x 19.2"	1
G-C30	Rubber Base Roof Block 7-7/8" x 6" x 28.8"	1
G-CB10-28	Roof Support Stand	1
G-CE10-12	Rubber Base Raised Roof Block 12" x 6" x 9.6"	1
G-CE10-16	Rubber Base Raised Roof Block 16" x 6" x 9.6"	1
G-CEW12-12	Roof Block 12" x 12" x 12"	1
GC510	Roof Block 5-5/8" x 6" x 9.6"	1
GC610	Roof Block 6-7/16" x 6" x 9.6"	1
GC620	Roof Block 6-7/16" x 6" x 19.2"	1



Cold Shrink

Part Number	Trade Size	Pkg
G8424-8	8" Insulated 10-1/0 AWG & Kcmil	25
G8426-11	11" Insulated 2/0-250 AWG & Kcmil	25
G8427-12	12" Insulated 250-400 AWG & Kcmil	25
G8428-12	12" Insulated 450-800 AWG & Kcmil	10



Edge Guards

- Double Lip

Part Number	Description	Pkg
EG-BK-100	Black - 100 Ft Box	1
EG-OG-100	Orange - 100 Ft Box	1



Traffic Sleeve

Part Number	Description	Pkg
GS258	2-1/2" x 8" Traffic Sleeve	1
GS358	3-1/2" x 8" Traffic Sleeve	1



Non-Fusible AC Pullout Disconnect

Part Number	Trade Size	Pkg
G-ACD60NF	60A Non-Fusible Pullout Disc	12



AC Whips

- Non- Metallic
- Resistant to corrosion, moisture, rust, and UV rays

*New Product
Coming Soon!*

Part Number	Trade Size	Length	Connectors	Wire Type	Wires	Pkg
G-ACW 4-10	1/2"	4'	1/2" ST. & 1/2" 90°	#10 Gauge Stranded THNN	1-Black-1-Red-1-Green	12
G-ACW 6-10	1/2"	6'	1/2" ST. & 1/2" 90°	#10 Gauge Stranded THNN	1-Black-1-Red-1-Green	12
G-ACW 4-8	3/4"	4'	3/4" ST. & 3/4" 90°	#8 Gauge Stranded THNN	1-Black-1-Red-1-Green	12
G-ACW 6-8	3/4"	6'	3/4" ST. & 3/4" 90°	#8 Gauge Stranded THNN	1-Black-1-Red-1-Green	12



Knockout Seals - 1 pc Push-In

- Designed to easily cover exposed knock-out holes in steel boxes and other metallic enclosures.
- Zinc-plated steel and are corrosion resistant
- Suitable for indoor use onlt

Part Number	Trade Size	Pkg
G-KS50S	1/2"	100
G-KS75S	3/4"	100
G-KS100S	1"	50
G-KS125S	1-1/4"	50
G-KS150S	1-1/2"	50
G-KS200S	2"	50



Knockout Seals - 3 pc

- Designed to easily cover exposed knock-out holes in steel boxes and other metallic enclosures.
- Zinc-plated steel and are corrosion resistant
- Suitable for indoor use only

Part Number	Trade Size	Pkg
G-KOS050S	1/2"	100
G-KOS075S	3/4"	100
G-KOS100S	1"	100
G-KOS125S	1-1/4"	25
G-KOS150S	1-1/2"	25
G-KOS200S	2"	25
G-KOS250S	2-1/2"	10
G-KOS300S	3"	10
G-KOS350S	3-1/2"	10
G-KOS400S	4"	10



Knockout Seals - Oil Tight Knockout Seal

- 16 Gauge Galvanized Steel Backplate
- Plated stud and wing nut
- Steel seals have polyester powder paint finish over galvanized front surfacing
- With rubber gasket

Part Number	Trade Size	Pkg
G-OS050	1/2"	100
G-OS075	3/4"	100
G-OS100	1"	100
G-OS114	1-1/4"	25
G-OS112	1-1/2"	25
G-OS200	2"	25
G-OS250	2-1/2"	10
G-OS300	3"	10
G-OS350	3-1/2"	10
G-OS400	4"	10



Hand Dryer

Part Number	Description	Pkg
KW-1030	Hand Dryer 110V - 120V Eco-Friendly	1



Index

81570.....	143	4GAS.....	12	D6105R6-457.....	131	G-16M.....	118
93192.....	167	4GFI.....	7	DC0500-100.....	66	G-16M24.....	116
93272.....	167	4OIL.....	12	DC0500-1000.....	66	G-16M24SM.....	117
93392.....	167	4R20.....	7	DC0750-100.....	66	G-16M4I.....	118
1 VICTOR.....	83	4R30.....	7	DC0750-800.....	66	G-16M58SM.....	117
2 VICTOR.....	83	4R30-50.....	7	DC1000-100.....	66	G-16M912.....	116
3 VICTOR.....	83	4RB12.....	6	DC1000-500.....	66	G-16M912SM.....	117
34 BLU.....	132	4RB58.....	6	DC1250-100.....	66	G-16P.....	118
34 BRN.....	132	4SR.....	7	DC1250-50.....	66	G-16P16P.....	118
34 GRAY.....	132	4SRSR.....	8	DC1500-050.....	66	G-16P24.....	116
34 GRN.....	132	4T.....	7	DC2000-050.....	66	G-16P24SM.....	117
34 ORG.....	132	4T-GFI.....	8	DT-2.....	131	G-16P58.....	116
34 PUR.....	132	4TD.....	8	EF0375-100.....	64	G-16P58SM.....	117
34 RED.....	132	4TT.....	8	EF0375-1200.....	64	G-16P912.....	116
34 WHT.....	132	52GFI.....	11	EF0500-100.....	64	G-1STRE05.....	30
34 YEL.....	132	5B.....	9	EF0500-1000.....	64	G-1STRE07.....	30
37-1210-18.....	140	5D.....	10	EF0750-100.....	64	G-1STRE10.....	30
37-1225-18.....	140	5DD.....	11	EF0750-500.....	64	G-1STRE12.....	30
37-1250-18.....	140	5DGFI.....	11	EF1000-100.....	64	G-1STRE15.....	30
37-1410-18.....	140	5GFI.....	10	EF1000-400.....	64	G-1STRE20.....	30
37-1425-18.....	140	5R30-50.....	10	EF1250-050.....	64	G-1STRE25.....	30
37-1450-18.....	140	5SR.....	10	EF1250-250.....	64	G-1STRE30.....	30
37-1500-18.....	142	5T.....	10	EF1500-050.....	64	G-1STRE35.....	30
37-1501-18.....	142	5TD.....	11	EF1500-200.....	64	G-1STRE40.....	30
37-1502-18.....	142	5TGFI.....	11	EF2000-050.....	64	G-1STRR05.....	39
37-1503-18.....	142	5TT.....	11	EF2000-100.....	64	G-1STRR07.....	39
37-1504-18.....	142	AFT-2.....	132	EF2500-025.....	64	G-1STRR10.....	39
37-1509-18.....	142	AKC10X1.....	111	EF3000-025.....	64	G-1STRR12.....	39
37-1610-18.....	140	AKC10X1-1/4.....	111	EF3500-025.....	64	G-1STRR15.....	39
37-1625-18.....	140	AKCJ10X1.....	111	EF4000-025.....	64	G-1STRR20.....	39
37-1650-18.....	140	AKCJ10X1-1/4.....	111	EG-BK-100.....	169	G-1STRR25.....	39
37-2009-18.....	142	AKR10X1.....	111	EG-OG-100.....	169	G-1STRR30.....	39
37-25TL.....	82	AKR10X1-1/4.....	111	EM.....	168	G-1STRR35.....	39
37-25TL.....	140	AKRJ10X1.....	111	EYE2034.....	106	G-1STRR40.....	39
37-50TL.....	82	AKRJ10X114.....	111	EYE2050.....	106	G-20-TR-W.....	84
37-50TL.....	140	BCAGE.....	84	EYE2100.....	106	G-20-TR-W-USB-C.....	84
37-9017-18.....	142	BIGB-075.....	43	EYE3034.....	106	G-20-TRWR-W.....	84
37-9018-18.....	142	BIGB-100.....	43	EYE3050.....	106	G-20M.....	118
37-9019-18.....	142	BIGB-125.....	43	EYE3100.....	106	G-20M24.....	116
37-9020-18.....	142	BIGB-150.....	43	FAK-10.....	166	G-20M24SM.....	117
37-9021-18.....	142	BIGB-200.....	43	FAK-25.....	166	G-20M4I.....	118
37-9022-18.....	142	BIGB-250.....	43	FC300.....	109	G-20M58SM.....	117
37-9025-18.....	142	BIGB-300.....	43	FT34.....	130	G-20M912SM.....	117
37-9026-18.....	142	BIGB-350.....	43	G-16P912SM.....	117	G-24M.....	118
37-9035-18.....	142	BIGB-400.....	43	G-0.....	151	G-24M24SM.....	117
37-9036-18.....	142	C050.....	53	G-1.....	151	G-24M4I.....	118
37-9048-18.....	142	C075.....	53	G-1001.....	19	G-24M58SM.....	117
37-9049-18.....	142	C100.....	53	G-1002.....	19	G-2STRE05.....	30
3PCCPL050.....	46	C125-150.....	53	G-1003.....	19	G-2STRE07.....	30
3PCCPL075.....	46	C200.....	53	G-1004A.....	19	G-2STRE10.....	30
3PCCPL100.....	46	CLV00216-SPT.....	141	G-1005A.....	19	G-2STRE12.....	30
3PCCPL125.....	46	CLV00219-SPT2.....	141	G-1005B.....	19	G-2STRE15.....	30
3PCCPL150.....	46	CLV00222-SPT2.....	141	G-1006.....	19	G-2STRE20.....	30
3PCCPL200.....	46	CLV00225-SPT2.....	141	G-12P.....	118	G-2STRE25.....	30
3PCCPL250.....	46	CLV00316-SPT2.....	141	G-12P12P.....	118	G-2STRE30.....	30
3PCCPL300.....	46	CLV00319-SPT2.....	141	G-12P16P.....	118	G-2STRE35.....	30
3PCCPL350.....	46	CLV00322-SPT2.....	141	G-12P24.....	116	G-2STRE40.....	30
3PCCPL400.....	46	CLV00325-SPT2.....	141	G-12P24SM.....	117	G-2STRR05.....	40
42GFI.....	8	CLV0506.....	141	G-12P58.....	116	G-2STRR07.....	40
4B.....	6	CLV0689.....	141	G-12P58SM.....	117	G-2STRR10.....	40
4BK.....	6	CLV0781.....	141	G-12P912.....	116	G-2STRR12.....	40
4D.....	7	CLV0782.....	141	G-12P912SM.....	117	G-2STRR15.....	40
4DD.....	8	CMT425.....	88	G-15-TR-W.....	84	G-2STRR20.....	40
4DGFI.....	8	CT31000-Y.....	130	G-15-TR-W-USB-C.....	84	G-2STRR25.....	40
4DSR.....	8	D3105R6-457.....	131	G-15-TRWR-W.....	84	G-2STRR30.....	40

G-2STRR35.....	40	G-ACW 4-8.....	170	G-BXFSC125.....	20	G-CCSSER75.....	31
G-2STRR40.....	40	G-ACW 6-10.....	170	G-BXFSC150.....	20	G-CE10-12.....	169
G-3000037EG.....	122	G-ACW 6-8.....	170	G-BXFSC200.....	20	G-CE10-16.....	169
G-3000050EG.....	122	G-BB50.....	31	G-BXFSC38.....	20	G-CEB050.....	31
G-3000062EG.....	122	G-BC-1213WM.....	121	G-BXFSC50.....	20	G-CEB075.....	31
G-3000075EG.....	122	G-BC-1420WM.....	121	G-BXFSC75.....	20	G-CEW12-12.....	169
G-302P3W.....	85	G-BC-3816WM.....	121	G-BXMCCON38.....	16	G-CMB050.....	74
G-302P3WSF.....	85	G-BC12P.....	119	G-BXMCSAD38.....	16	G-CMB075.....	74
G-303P3W.....	85	G-BC16P.....	119	G-BXSTRAP.....	17	G-CMB100.....	74
G-303P3WSF.....	85	G-BC18KC112.....	116	G-C10.....	169	G-CMB38.....	74
G-3100037EG.....	122	G-BC200CD0B.....	121	G-C20.....	169	G-CN050.....	38
G-3100050EG.....	122	G-BC200CD1B.....	121	G-C30.....	169	G-CN050L.....	38
G-32M.....	118	G-BC200CD2.5B.....	121	G-CAT12.....	124	G-CN075.....	38
G-32M24.....	116	G-BC200CD2B.....	121	G-CAT12BC.....	124	G-CN075L.....	38
G-32M24SM.....	117	G-BC200CD3B.....	121	G-CAT12SS.....	124	G-CN100.....	38
G-32M4I.....	118	G-BC200CD4B.....	121	G-CAT21.....	124	G-CN100L.....	38
G-32M58SM.....	117	G-BC200CD5B.....	121	G-CAT21BC.....	124	G-CN125.....	38
G-32M912SM.....	117	G-BC3816.....	119	G-CAT21SS.....	124	G-CN150.....	38
G-38AST.....	18	G-BC3816SS.....	119	G-CAT32.....	124	G-CN200.....	38
G-4G16.....	125	G-BC516KC1.....	116	G-CAT324Z34.....	125	G-CN250.....	38
G-4Z3412P.....	119	G-BC516KC112.....	116	G-CAT32BC.....	124	G-CN300.....	38
G-4Z3416P.....	119	G-BC516KC114.....	116	G-CAT32SS.....	124	G-CN350.....	38
G-4Z348P.....	119	G-BC516KC2.....	116	G-CAT64.....	124	G-CN400.....	38
G-502.....	95	G-BC8P.....	119	G-CAT64SS.....	124	G-CONSS050.....	24
G-502P3W.....	85	G-BCS001.....	123	G-CAT84.....	124	G-CONSS075.....	24
G-502P3WF.....	85	G-BCS002.....	123	G-CB10-28.....	169	G-CONSS100.....	24
G-503P3WSF.....	85	G-BDSG.....	95	G-CBC1213.....	122	G-CONSS125.....	24
G-503P3WSFM.....	85	G-BI.....	113	G-CBC1213BK.....	122	G-CONSS150.....	24
G-503P4W.....	85	G-BXFL038.....	17	G-CBC1213SS.....	122	G-CONSS200.....	24
G-503P4WSF.....	85	G-BXFL100.....	17	G-CBC3410.....	122	G-CONSS250.....	24
G-6M.....	118	G-BXFL100I.....	17	G-CBC3410BK.....	122	G-CONSS300.....	24
G-6M24.....	116	G-BXFL125.....	17	G-CBC3410SS.....	122	G-CONSS350.....	24
G-6M24SM.....	117	G-BXFL125I.....	17	G-CBC3816BK.....	122	G-CONSS400.....	24
G-6M4I.....	118	G-BXFL150.....	17	G-CBC3816SS.....	122	G-COUPSS050.....	24
G-6M58.....	116	G-BXFL150I.....	17	G-CBC581I.....	122	G-COUPSS075.....	24
G-6M912.....	116	G-BXFL200.....	17	G-CBC581BK.....	122	G-COUPSS100.....	24
G-6M912SM.....	117	G-BXFL200I.....	17	G-CBC581SS.....	122	G-COUPSS125.....	24
G-6Z3412P.....	119	G-BXFL250.....	17	G-CBI050M.....	42	G-COUPSS150.....	24
G-6Z3416P.....	119	G-BXFL300.....	17	G-CBI075M.....	42	G-COUPSS200.....	24
G-6Z348P.....	119	G-BXFL350.....	17	G-CBI100M.....	42	G-COUPSS250.....	24
G-812M.....	118	G-BXFL400.....	17	G-CBI125M.....	42	G-COUPSS300.....	24
G-812M24.....	116	G-BXFL50.....	17	G-CBI150M.....	42	G-COUPSS350.....	24
G-812M24SM.....	117	G-BXFL50I.....	17	G-CBI200M.....	42	G-COUPSS400.....	24
G-812M4I.....	118	G-BXFL75.....	17	G-CBI250M.....	42	G-CR125.....	112
G-812M58.....	116	G-BXFL75I.....	17	G-CBI300M.....	42	G-CR150.....	112
G-812M58SM.....	117	G-BXFL90-100.....	18	G-CBI350M.....	42	G-CR200.....	112
G-812M912.....	116	G-BXFL90-100I.....	18	G-CBI400M.....	42	G-CR400.....	112
G-812M912SM.....	117	G-BXFL90-125.....	18	G-CBS.....	111	G-CS-1.....	151
G-855.....	10	G-BXFL90-125I.....	18	G-CCELT100.....	32	G-DC38.....	16
G-859.....	10	G-BXFL90-150.....	18	G-CCELT50.....	32	G-DC90-38.....	16
G-8P.....	118	G-BXFL90-150I.....	18	G-CCELT75.....	32	G-DSI2A.....	123
G-8P12P.....	118	G-BXFL90-200.....	18	G-CCER100.....	32	G-ENT050-100.....	66
G-8P16P.....	118	G-BXFL90-200I.....	18	G-CCER50.....	32	G-ENT050-1500R.....	66
G-8P24.....	116	G-BXFL90-250.....	18	G-CCER75.....	32	G-ENT075-100.....	66
G-8P24SM.....	117	G-BXFL90-300.....	18	G-CCPLT100.....	75	G-ENT075-1000R.....	66
G-8P58.....	116	G-BXFL90-350.....	18	G-CCPLT125.....	75	G-ENT100-100.....	66
G-8P58SM.....	117	G-BXFL90-38.....	18	G-CCPLT150.....	75	G-ENT100-750R.....	66
G-8P8P.....	118	G-BXFL90-38I.....	18	G-CCPLT200.....	75	G-ENT125-1000R.....	66
G-8P912.....	116	G-BXFL90-400.....	18	G-CCPLT38.....	75	G-ENT150-750R.....	66
G-8P912SM.....	117	G-BXFL90-50.....	18	G-CCPLT50.....	75	G-ENT200-500R.....	66
G-911-8.....	10	G-BXFL90-50I.....	18	G-CCPLT75.....	75	G-ENTC50.....	67
G-911-16.....	10	G-BXFL90-75.....	18	G-CCSSER100.....	31	G-ENTC75.....	67
G-911-17.....	10	G-BXFL90-75I.....	18	G-CCSSER50.....	31	G-ENTC100.....	67
G-ACD60NF.....	170	G-BXFLSS-38.....	16				
G-ACW 4-10.....	170	G-BXFSC100.....	20				

Index

G-ENTC125.....	67	G-IP650P.....	85	G-LTCN125I.....	70	G-MP4AB.....	148
G-ENTC150.....	67	G-JC100.....	123	G-LTCN150.....	70	G-MP4S.....	148
G-ENTC200.....	67	G-JC125.....	123	G-LTCN150I.....	70	G-MP4SB.....	148
G-ENTSNP100.....	67	G-JC150.....	123	G-LTCN200.....	70	G-MX3.....	127
G-ENTSNP50.....	67	G-JC250.....	123	G-LTCN200I.....	70	G-MX6.....	127
G-ENTSNP75.....	67	G-JC350.....	123	G-LTCN250.....	70	G-NM2PCB125.....	21
G-ENTTA100.....	67	G-JC50.....	123	G-LTCN300.....	70	G-NM2PCB150.....	21
G-ENTTA125.....	67	G-JC75.....	123	G-LTCN350.....	70	G-NM2PCB38-50.....	21
G-ENTTA150.....	67	G-JHK21BC.....	125	G-LTCN38I.....	70	G-NM2PCB75-100.....	21
G-ENTTA200.....	67	G-JHK32BC.....	125	G-LTCN400.....	70	G-NMCON-100.....	20
G-ENTTA50.....	67	G-JHK64BC.....	125	G-LTCN50.....	70	G-NMCON-125.....	20
G-ENTTA75.....	67	G-K12.....	120	G-LTCN50I.....	70	G-NMCON-150.....	20
G-FHR.....	112	G-K16.....	120	G-LTCN75.....	70	G-NMCON-200.....	20
G-FHS.....	112	G-K20.....	120	G-LTCN75I.....	70	G-NMCON-34.....	20
G-FLEXC100.....	20	G-K8.....	120	G-LTCN90-100.....	71	G-NMCON-38.....	20
G-FLEXC125.....	20	G-KOS050S.....	171	G-LTCN90-100I.....	71	G-NMSC50.....	21
G-FLEXC150.....	20	G-KOS075S.....	171	G-LTCN90-125.....	71	G-NMSC75.....	21
G-FLEXC200.....	20	G-KOS100S.....	171	G-LTCN90-125I.....	71	G-NMSCT50.....	21
G-FLEXC50.....	20	G-KOS125S.....	171	G-LTCN90-150.....	71	G-NMSCT75.....	21
G-FLEXC75.....	20	G-KOS150S.....	171	G-LTCN90-150I.....	71	G-OC100.....	29
G-GC.....	58	G-KOS200S.....	171	G-LTCN90-200.....	71	G-OC50.....	29
G-GC100A750.....	75	G-KOS250S.....	171	G-LTCN90-200I.....	71	G-OC75.....	29
G-GC100A880.....	75	G-KOS300S.....	171	G-LTCN90-250.....	71	G-OCC100.....	33
G-GC100A985.....	75	G-KOS350S.....	171	G-LTCN90-300.....	71	G-OCC50.....	33
G-GC50A250.....	75	G-KOS400S.....	171	G-LTCN90-350.....	71	G-OCC75.....	33
G-GC50A375.....	75	G-KRA-100M.....	106	G-LTCN90-400.....	71	G-ON050.....	40
G-GC50A500.....	75	G-KRA-125M.....	106	G-LTCN90-50.....	71	G-ON075.....	40
G-GC75A500.....	75	G-KRA-150M.....	106	G-LTCN90-50I.....	71	G-ON100.....	40
G-GC75A625.....	75	G-KRA-200M.....	106	G-LTCN90-75.....	71	G-ON125.....	40
G-GC75A750.....	75	G-KRA-250M.....	106	G-LTCN90-75I.....	71	G-ON150.....	40
G-GGS.....	58	G-KRA-300M.....	106	G-LTNM100.....	70	G-ON200.....	40
G-GLN100.....	42	G-KRA-350M.....	106	G-LTNM125.....	70	G-ON250.....	40
G-GLN125.....	42	G-KRA-400M.....	106	G-LTNM150.....	70	G-ON300.....	40
G-GLN150.....	42	G-KRA-50M.....	106	G-LTNM200.....	70	G-ON350.....	40
G-GLN200.....	42	G-KRA-75M.....	106	G-LTNM38.....	70	G-ON400.....	40
G-GLN250.....	42	G-KS100S.....	170	G-LTNM50.....	70	G-OS050.....	171
G-GLN300.....	42	G-KS125S.....	170	G-LTNM75.....	70	G-OS075.....	171
G-GLN350.....	42	G-KS150S.....	170	G-LTNM90-100.....	71	G-OS100.....	171
G-GLN400.....	42	G-KS200S.....	170	G-LTNM90-125.....	71	G-OS112.....	171
G-GLN50.....	42	G-KS50S.....	170	G-LTNM90-150.....	71	G-OS114.....	171
G-GLN75.....	42	G-KS75S.....	170	G-LTNM90-200.....	71	G-OS200.....	171
G-HB100.....	106	G-KSU1/0-4.....	59	G-LTNM90-38.....	71	G-OS250.....	171
G-HB125A.....	106	G-KSU2-6.....	59	G-LTNM90-50.....	71	G-OS300.....	171
G-HB125.....	106	G-KSU2/0-2.....	59	G-LTNM90-75.....	71	G-OS350.....	171
G-HB150.....	106	G-KSU250-1/0.....	59	G-M24.....	121	G-OS400.....	171
G-HB200.....	106	G-KSU3-6.....	59	G-M24S.....	120	G-OWC.....	112
G-HB250.....	106	G-KSU3/0-2.....	59	G-M58.....	121	G-PC100HDG.....	125
G-HB300.....	106	G-KSU350-4/0.....	59	G-M58S.....	120	G-PC125HDG.....	125
G-HB350.....	106	G-KSU4-8.....	59	G-M912.....	121	G-PC150HDG.....	125
G-HB400.....	106	G-KSU500-250.....	59	G-M912S.....	120	G-PC200HDG.....	125
G-HB50.....	106	G-KSU6-10.....	59	G-MC50.....	19	G-PC250HDG.....	125
G-HB75.....	106	G-KX.....	120	G-MCDX-38.....	16	G-PC300HDG.....	125
G-IB100.....	33	G-LN050.....	41	G-MLD143-8.....	143	G-PC350HDG.....	125
G-IB125.....	33	G-LN075.....	41	G-MLD163-8.....	143	G-PC400HDG.....	125
G-IB150.....	33	G-LN100.....	41	G-MLGB100M.....	43	G-PC50HDG.....	125
G-IB200.....	33	G-LN125.....	41	G-MLGB125M.....	43	G-PC75HDG.....	125
G-IB250.....	33	G-LN150.....	41	G-MLGB150M.....	43	G-PCS1.....	119
G-IB300.....	33	G-LN200.....	41	G-MLGB200M.....	43	G-PCS2.....	119
G-IB350.....	33	G-LN250.....	41	G-MLGB250M.....	43	G-PE050EBG.....	32
G-IB400.....	33	G-LN300.....	41	G-MLGB300M.....	43	G-PE050EEG.....	33
G-IB50.....	33	G-LN350.....	41	G-MLGB350M.....	43	G-PE050ERG.....	47
G-IB75.....	33	G-LN400.....	41	G-MLGB400M.....	43	G-PE075EBG.....	32
G-IP1030P.....	85	G-LTCN100.....	70	G-MLGB50M.....	43	G-PE075EEG.....	33
G-IP1050P.....	85	G-LTCN100I.....	70	G-MLGB75M.....	43	G-PE075ERG.....	47
G-IP1450P.....	85	G-LTCN125.....	70	G-MP4A.....	148	G-PE100EBG.....	32

G-PE100EEG.....	33	G-RCON200RTI.....	45	G-RW400100.....	37	G-SCONSS125.....	25
G-PE100ERG.....	47	G-RCON200S.....	44	G-RW400125.....	37	G-SCONSS125I.....	25
G-PE125EBG.....	32	G-RCON250S.....	44	G-RW400150.....	37	G-SCONSS150.....	25
G-PE125EEG.....	33	G-RCON300S.....	44	G-RW400200.....	37	G-SCONSS150I.....	25
G-PE125ERG.....	47	G-RCON350S.....	44	G-RW400250.....	37	G-SCONSS200.....	25
G-PEC100.....	74	G-RCON400S.....	44	G-RW400300.....	37	G-SCONSS200I.....	25
G-PEC125.....	74	G-RCON50RTI.....	45	G-RW400350.....	37	G-SCONSS250.....	25
G-PEC50.....	74	G-RCON50S.....	44	G-RW40050.....	37	G-SCONSS250I.....	25
G-PEC75.....	74	G-RCON75RTI.....	45	G-RW40075.....	37	G-SCONSS300.....	25
G-PNY100.....	47	G-RCON75S.....	44	G-RW7550.....	37	G-SCONSS300I.....	25
G-PNY125.....	47	G-RCOUP100RT.....	45	G-SC2D.....	120	G-SCONSS350.....	25
G-PNY150.....	47	G-RCOUP100S.....	44	G-SC2F.....	120	G-SCONSS350I.....	25
G-PNY200.....	47	G-RCOUP125RT.....	45	G-SC4D.....	120	G-SCONSS400.....	25
G-PNY250.....	47	G-RCOUP125S.....	44	G-SC4E.....	120	G-SCONSS400I.....	25
G-PNY300.....	47	G-RCOUP150RT.....	45	G-SCCON050.....	26	G-SCOUPSS050.....	26
G-PNY350.....	47	G-RCOUP150S.....	44	G-SCCON075.....	26	G-SCOUPSS075.....	26
G-PNY400.....	47	G-RCOUP200RT.....	45	G-SCCON100.....	26	G-SCOUPSS100.....	26
G-PNY50.....	47	G-RCOUP200S.....	44	G-SCCON100I.....	27	G-SCOUPSS125.....	26
G-PNY500.....	47	G-RCOUP250S.....	44	G-SCCON125.....	26	G-SCOUPSS150.....	26
G-PNY600.....	47	G-RCOUP300S.....	44	G-SCCON125I.....	27	G-SCOUPSS200.....	26
G-PNY75.....	47	G-RCOUP350S.....	44	G-SCCON150.....	26	G-SCOUPSS250.....	26
G-PR-1.....	12	G-RCOUP400S.....	44	G-SCCON150I.....	27	G-SCOUPSS300.....	26
G-PR-2.....	12	G-RCOUP50RT.....	45	G-SCCON200.....	26	G-SCOUPSS350.....	26
G-PR-3.....	12	G-RCOUP50S.....	44	G-SCCON200I.....	27	G-SCOUPSS400.....	26
G-PR-4.....	12	G-RCOUP75RT.....	45	G-SCCON250.....	26	G-SCS038.....	100
G-RB100-50.....	36	G-RCOUP75S.....	44	G-SCCON250I.....	27	G-SCS050.....	100
G-RB100-75.....	36	G-RCR050.....	20	G-SCCON300.....	26	G-SCS075.....	100
G-RB125-100.....	36	G-RCR075.....	20	G-SCCON300I.....	27	G-SCS110.....	100
G-RB125-50.....	36	G-RMX58.....	121	G-SCCON350.....	26	G-SCS125.....	100
G-RB125-75.....	36	G-RSS50-BK.....	85	G-SCCON350I.....	27	G-SCS150.....	100
G-RB150-100.....	36	G-RW 200125.....	37	G-SCCON400.....	26	G-SCS200.....	100
G-RB150-125.....	36	G-RW 200150.....	37	G-SCCON400I.....	27	G-SCS250.....	100
G-RB150-50.....	36	G-RW10050.....	37	G-SCCON50I.....	27	G-SCS300.....	100
G-RB150-75.....	36	G-RW10075.....	37	G-SCCON75I.....	27	G-SCS350.....	100
G-RB200-100.....	36	G-RW125100.....	37	G-SCCOUP050.....	27	G-SCS400.....	100
G-RB200-125.....	36	G-RW12550.....	37	G-SCCOUP050RT.....	29	G-SHC100C.....	92
G-RB200-150.....	36	G-RW12575.....	37	G-SCCOUP075.....	27	G-SHC100T.....	92
G-RB200-50.....	36	G-RW150100.....	37	G-SCCOUP075RT.....	29	G-SHC125.....	92
G-RB200-75.....	36	G-RW150125.....	37	G-SCCOUP100.....	27	G-SHC125T.....	92
G-RB250-150.....	36	G-RW15050.....	37	G-SCCOUP100RT.....	29	G-SHC150C.....	92
G-RB300-150.....	36	G-RW15075.....	37	G-SCCOUP125.....	27	G-SHC150T.....	92
G-RB300-200.....	36	G-RW200100.....	37	G-SCCOUP125RT.....	29	G-SHC200T.....	92
G-RB300-250.....	36	G-RW20050.....	37	G-SCCOUP150.....	27	G-SHC200C.....	92
G-RB400-300.....	36	G-RW20075.....	37	G-SCCOUP150RT.....	29	G-SHC250C.....	92
G-RB400-350.....	36	G-RW250100.....	37	G-SCCOUP200.....	27	G-SHC250T.....	92
G-RB50-38.....	36	G-RW250125.....	37	G-SCCOUP200RT.....	29	G-SHC300C.....	92
G-RB75-50.....	36	G-RW250150.....	37	G-SCCOUP250.....	27	G-SHC300T.....	92
G-RC050.....	107	G-RW250200.....	37	G-SCCOUP250RT.....	29	G-SHC350C.....	92
G-RC075.....	107	G-RW25050.....	37	G-SCCOUP300.....	27	G-SHC350T.....	92
G-RC100.....	107	G-RW25075.....	37	G-SCCOUP300RT.....	29	G-SHC400C.....	92
G-RC125.....	107	G-RW300100.....	37	G-SCCOUP350.....	27	G-SHC400T.....	92
G-RC150.....	107	G-RW300125.....	37	G-SCCOUP350RT.....	29	G-SHC50C.....	92
G-RC200.....	107	G-RW300150.....	37	G-SCCOUP400.....	27	G-SHC50T.....	92
G-RC250.....	107	G-RW300200.....	37	G-SCCOUP400RT.....	29	G-SHC75C.....	92
G-RC300.....	107	G-RW300250.....	37	G-SCCTF050.....	31	G-SHC75T.....	92
G-RC350.....	107	G-RW30050.....	37	G-SCCTF100.....	31	G-SL100.....	41
G-RC400.....	107	G-RW30075.....	37	G-SCCTF75.....	31	G-SL125C.....	41
G-RC500.....	107	G-RW350100.....	37	G-SCONSS050.....	25	G-SL150.....	41
G-RC600.....	107	G-RW350125.....	37	G-SCONSS050I.....	25	G-SL200.....	41
G-RCON100RTI.....	45	G-RW350150.....	37	G-SCONSS075.....	25	G-SL250.....	41
G-RCON100S.....	44	G-RW350200.....	37	G-SCONSS075I.....	25	G-SL300.....	41
G-RCON125RTI.....	45	G-RW350250.....	37	G-SCONSS100.....	25	G-SL350.....	41
G-RCON125S.....	44	G-RW350300.....	37	G-SCONSS100I.....	25	G-SL400.....	41
G-RCON150RTI.....	45	G-RW35050.....	37				
G-RCON150S.....	44	G-RW35075.....	37				

Index

G-SL50.....	41	G-WTHG-350I.....	46	G24RF.....	6	G4R58.....	6
G-SL75.....	41	G-WTHG-400I.....	46	G25R1.....	9	G4RB.....	6
G-SMS8.....	113	G-WTHG-50I.....	46	G25R112.....	9	G4RBK.....	6
G-SP100-3/3.....	95	G-WTHG-75I.....	46	G25R114.....	9	G512.....	112
G-SP125-2/3.....	95	G027.....	155	G25R12.....	9	G5816.....	108
G-SP150.....	95	G028.....	155	G25R2.....	9	G5816-N.....	108
G-SP200.....	95	G029.....	155	G25R34.....	9	G5816-SW.....	108
G-SP4/0.....	95	G030.....	155	G25R58.....	9	G5819.....	108
G-SP50-75.....	95	G035.....	155	G25RF.....	9	G5R1.....	9
G-SSCON050RT.....	28	G036.....	155	G2700.....	93	G5R112.....	9
G-SSCON050RTI.....	28	G12-1316-158-O.....	98	G2750.....	93	G5R114.....	9
G-SSCON075RT.....	28	G12-158-158-HDG.....	98	G2850.....	93	G5R12.....	9
G-SSCON075RTI.....	28	G12-158-158-O.....	98	G2850L.....	92	G5R2.....	9
G-SSCON100RT.....	28	G12-3-158-BRB.....	98	G2950.....	93	G5R20.....	10
G-SSCON100RTI.....	28	G139.....	108	G3000N.....	93	G5R34.....	9
G-SSCON125RT.....	28	G14-1316-158-O.....	98	G301.....	102	G5R58.....	9
G-SSCON125RTI.....	28	G14-158-158-O.....	98	G302.....	102	G5RF.....	9
G-SSCON150RT.....	28	G14-3-158-BRB.....	98	G305.....	102	G606-1.....	102
G-SSCON150RTI.....	28	G140.....	108	G3050.....	93	G606-2.....	102
G-SSCON200RT.....	28	G140-LN.....	108	G306.....	102	G620.....	100
G-SSCON200RTI.....	28	G140-SN.....	108	G307-1.....	102	G6912.....	94
G-SSCON250RT.....	28	G140SW.....	108	G309.....	102	G6913.....	94
G-SSCON250RTI.....	28	G141.....	108	G311.....	102	G8424-8.....	169
G-SSCON300RT.....	28	G141-LN.....	108	G311-2.....	102	G8426-11.....	169
G-SSCON300RTI.....	28	G141-SN.....	108	G312.....	102	G8427-12.....	169
G-SSCON350RT.....	28	G141SW.....	108	G313.....	102	G8428-12.....	169
G-SSCON350RTI.....	28	G157X.....	82	G3150.....	93	G901.....	122
G-SSCON400RT.....	28	G163-30.....	143	G317-1.....	102	G904.....	122
G-SSCON400RTI.....	28	G163-30Y.....	143	G317-2.....	102	G904S.....	122
G-TA050.....	74	G1634FG-PC.....	82	G319-1.....	102	G905.....	122
G-TA075.....	74	G1634FGL.....	82	G319-10.....	102	G9165.....	107
G-TA100.....	74	G1634P-L.....	82	G319-11.....	102	G9168.....	107
G-TA125.....	74	G184.....	167	G319-2.....	102	GB157.....	82
G-TA150.....	74	G1940.....	94	G319-3.....	102	GB38.....	95
G-TA200.....	74	G1988.....	94	G319-4.....	102	GB911-1/2.....	103
G-TCB100H.....	168	G1996.....	94	G319-5.....	102	GB911-1/4.....	103
G-TCB100P.....	168	G1G-GAS.....	12	G319-6.....	102	GB911-3/8.....	103
G-TCB50H.....	168	G201-037.....	101	G319-7.....	102	GB917.....	103
G-TCB50P.....	168	G201-050.....	101	G319-8.....	102	GB921.....	103
G-TCB75H.....	168	G201-062.....	101	G319-9.....	102	GB922.....	103
G-TCB75P.....	168	G201-075.....	101	G320-10.....	102	GB923.....	103
G-TSRBS1625.....	126	G205.....	102	G320-11.....	102	GB924.....	103
G-USB.....	151	G206.....	102	G320-5.....	102	GB936.....	103
G-WGC2/0-4/0.....	94	G207-1.....	102	G320-6.....	102	GB938.....	103
G-WGC4-1/0.....	94	G208.....	102	G320-7.....	102	GB939.....	103
G-WGC6-2.....	94	G210.....	102	G320-8.....	102	GBC100P.....	150
G-WTCO100.....	21	G214.....	102	G322.....	102	GBC100S.....	150
G-WTCO100-A.....	21	G216.....	102	G329-1.....	102	GBCV-B156.....	161
G-WTCO100-B.....	21	G217.....	102	G3600.....	93	GBCV-R156.....	161
G-WTCO125.....	21	G218.....	102	G402-1.....	102	GBG.....	166
G-WTCO125-A.....	21	G219.....	102	G403.....	102	GBLKG.....	166
G-WTCO125-B.....	21	G219-1.....	102	G4050.....	94	GBUCN-B.....	162
G-WTCO150.....	21	G2200.....	133	G4111.....	94	GBUCN-Y.....	162
G-WTCO150-A.....	21	G221.....	101	G4112.....	94	GBUCV-B.....	162
G-WTCO200.....	21	G2350.....	93	G4170.....	94	GBUCV-R.....	162
G-WTCO200-A.....	21	G2350BL.....	93	G4172.....	94	GBUCV-Y.....	162
G-WTCO200-B.....	21	G2350L.....	92	G4400.....	94	GC-1/2PT.....	167
G-WTCO200-C.....	21	G24R1.....	6	G4500.....	94	GC-GAL.....	167
G-WTCO200-D.....	21	G24R112.....	6	G4600.....	94	GC-PT.....	167
G-WTHG-100I.....	46	G24R114.....	6	G4R1.....	6	GC-QT.....	167
G-WTHG-125I.....	46	G24R12.....	6	G4R112.....	6	GC110-050.....	99
G-WTHG-150I.....	46	G24R14.....	6	G4R114.....	6	GC110-050YZ.....	99
G-WTHG-200I.....	46	G24R2.....	6	G4R12.....	6	GC110-075.....	99
G-WTHG-250I.....	46	G24R34.....	6	G4R14.....	6	GC110-075YZ.....	99
G-WTHG-300I.....	46	G24R58.....	6	G4R34.....	6	GC110-100.....	99

GC110-100YZ.....	99	GCT1550-B.....	148	GFUL0500-100.....	63	GR348.....	56
GC110-125.....	99	GCT1550-N.....	149	GFUL0500-1000.....	63	GR5810.....	56
GC110-125YZ.....	99	GCT418-B.....	148	GFUL0750-100.....	63	GR5812.....	56
GC110-150.....	99	GCT418-BH.....	149	GFUL0750-500.....	63	GR588.....	56
GC110-150YZ.....	99	GCT418-N.....	149	GFUL1000-400.....	63	GR588UL.....	56
GC110-200.....	99	GCT418-NH.....	149	GFUL1000-50.....	63	GRB-B10.....	157
GC110-200YZ.....	99	GCT518-N.....	149	GFUL1250-250.....	63	GRB-B14.....	157
GC112-050.....	98	GCT618-B.....	148	GFUL1250-50.....	63	GRB-B38.....	157
GC112-050YZ.....	98	GCT618-BH.....	149	GFUL1500-150.....	63	GRB-B4.....	157
GC112-075.....	98	GCT618-NH.....	149	GFUL1500-25.....	63	GRB-B516.....	157
GC112-075YZ.....	98	GCT750-B.....	148	GFUL2000-100.....	63	GRB-B6.....	157
GC112-100.....	98	GCT750-BH.....	149	GFUL2000-25.....	63	GRB-B8.....	157
GC112-100YZ.....	98	GCT750-N.....	149	GFUL2000-50.....	63	GRB-R10.....	157
GC112-125.....	98	GCT750-NH.....	149	GFUL2500-25.....	63	GRB-R14.....	157
GC112-125YZ.....	98	GCT850-B.....	148	GFUL3000-25.....	63	GRB-R38.....	157
GC112-150.....	98	GCT850-BH.....	149	GFUL3500-25.....	63	GRB-R4.....	157
GC112-150YZ.....	98	GCT850-N.....	149	GFUL4000-25.....	63	GRB-R516.....	157
GC112-200.....	98	GCT850-NH.....	149	GG12-12.....	58	GRB-R6.....	157
GC112-200YZ.....	98	GDBR121200.....	88	GG12-7.....	58	GRB-R8.....	157
GC112-250.....	98	GDBR12600.....	88	GGR588.....	56	GRB-Y10.....	157
GC112-250YZ.....	98	GDBR34300.....	88	GH120.....	101	GRB-Y14.....	157
GC112-300.....	98	GDBR34600.....	88	GH23.....	126	GRB-Y38.....	157
GC112-300YZ.....	98	GDBR38600.....	88	GHBS.....	112	GRB-Y4.....	157
GC112-350.....	98	GDBR581200.....	88	GI-75.....	112	GRB-Y516.....	157
GC112-350YZ.....	98	GDBR58300.....	88	GJ-6.....	107	GRB-Y6.....	157
GC112-400.....	98	GDBR58600.....	88	GLO 185.....	167	GRB-Y8.....	157
GC112-400YZ.....	98	GDBR781200.....	88	GLO 213.....	102	GRB16.....	126
GC112-500.....	98	GDBR78300.....	88	GLT.....	168	GRC-UNV.....	56
GC112-500YZ.....	98	GDBR78600.....	88	GMDV-B187.....	160	GRC12.....	56
GC112-600.....	98	GDBR916600.....	88	GMDV-B25.....	160	GRC34.....	56
GC112-600YZ.....	98	GF0375-100.....	62	GMDV-R187.....	160	GRC34S.....	56
GC114-050.....	99	GF0375-1000.....	62	GMDV-R25.....	160	GRC58.....	56
GC114-050YZ.....	99	GF0375-250.....	62	GMDV-Y25.....	160	GRCV-B156.....	161
GC114-075.....	99	GF0500-100.....	62	GN-820.....	100	GRCV-R156.....	161
GC114-075YZ.....	99	GF0500-1000.....	62	GN-821.....	100	GRG.....	166
GC114-100.....	99	GF0500-500.....	62	GN-822.....	100	GRN-B10.....	155
GC114-100YZ.....	99	GF0750-100.....	62	GN-830.....	100	GRN-B14.....	155
GC114-125.....	99	GF0750-500.....	62	GN-831.....	100	GRN-B38.....	155
GC114-125YZ.....	99	GF1000-400.....	62	GN800.....	100	GRN-B4.....	155
GC114-150.....	99	GF1000-50.....	62	GN801.....	100	GRN-B516.....	155
GC114-150YZ.....	99	GF1250-250.....	62	GN810.....	100	GRN-B6.....	155
GC114-200.....	99	GF1250-50.....	62	GN811.....	100	GRN-B8.....	155
GC114-200YZ.....	99	GF1500-150.....	62	GN812.....	100	GRN-R10.....	155
GC3G.....	166	GF1500-25.....	62	GPBV-B25.....	161	GRN-R14.....	155
GC510.....	169	GF2000-100.....	62	GPBV-R25.....	161	GRN-R38.....	155
GC5G.....	166	GF2000-25.....	62	GPBV-Y25.....	161	GRN-R4.....	155
GC610.....	169	GF2500-25.....	62	GPC050.....	57	GRN-R516.....	155
GC620.....	169	GF3000-25.....	62	GPC050-360.....	57	GRN-R6.....	155
GCA.....	109	GF3500-25.....	62	GPC114.....	57	GRN-R8.....	155
GCC-16-10.....	163	GF4000-25.....	62	GPC250.....	57	GRN-Y10.....	156
GCC-22-11.....	163	GFDN-B.....	163	GPR-O.....	12	GRN-Y14.....	156
GCC-22-14.....	163	GFDN-B25.....	161	GPR-PT.....	167	GRN-Y38.....	156
GCCH58W.....	151	GFDN-R.....	163	GPR-QT.....	167	GRN-Y4.....	156
GCFB.....	111	GFDN-R25.....	161	GQSCV-B.....	162	GRN-Y516.....	156
GCL-1/2PT.....	167	GFDN-Y25.....	161	GQSCV-R.....	162	GRN-Y6.....	156
GCL-PT.....	167	GFDV-B187.....	160	GQSCV-Y.....	162	GRN-Y8.....	156
GCL-QT.....	167	GFDV-B25.....	160	GR110.....	56	GRV-B10.....	156
GCT1150-B.....	148	GFDV-R187.....	160	GR1210.....	56	GRV-B14.....	156
GCT1150-BH.....	149	GFDV-R25.....	160	GR128.....	56	GRV-B38.....	156
GCT1150-N.....	149	GFDV-Y25.....	160	GR128UL.....	56	GRV-B4.....	156
GCT1150-NH.....	149	GFDV-Y375.....	160	GR3410.....	56	GRV-B516.....	156
GCT1450-B.....	148	GFPP77.....	133	GR3410S.....	56	GRV-B6.....	156
GCT1450-BH.....	149	GFUL0375-100.....	63	GR3410UL.....	56	GRV-B8.....	156
GCT1450-N.....	149	GFUL0375-1000.....	63				
GCT1450-NH.....	149	GFUL0375-250.....	63				

Index

GRV-R10.....	156	GTSN801.....	100	GVM-480-L.....	154	HDGB150.....	43
GRV-R14.....	156	GTSN802.....	100	GVM-480-M.....	153	HDGB200.....	43
GRV-R38.....	156	GTY-12.....	84	GVM-480/3P-L.....	154	HDGB250.....	43
GRV-R4.....	156	GTY-3S.....	84	GVM-550-L.....	154	HDGB300.....	43
GRV-R516.....	156	GTY-5.....	84	GVM-550-M.....	153	HDGB350.....	43
GRV-R6.....	156	G-UB50HDG.....	113	GVM-600-L.....	154	HDGB400.....	43
GRV-R8.....	156	G-UB75HDG.....	113	GVM-600-M.....	153	HO1G.....	167
GRV-Y10.....	157	G-UB100HDG.....	113	GVM-AC-L.....	154	IMTC1/0-2.....	78
GRV-Y14.....	157	G-UB125HDG.....	113	GVM-AC-M.....	153	IMTC1/0-3.....	78
GRV-Y38.....	157	G-UB150HDG.....	113	GVM-BLANK-L.....	154	IMTC1/0-4.....	78
GRV-Y4.....	157	G-UB200HDG.....	113	GVM-BLANK-M.....	153	IMTC1/0-6.....	78
GRV-Y516.....	157	G-UB250HDG.....	113	GVM-CABLE-L.....	154	IMTC2-2.....	78
GRV-Y6.....	157	G-UB300HDG.....	113	GVM-CABLE-M.....	153	IMTC2-3.....	78
GRV-Y8.....	157	G-UB350HDG.....	113	GVM-DC-L.....	154	IMTC2-4.....	78
GS258.....	169	G-UB400HDG.....	113	GVM-DC-M.....	153	IMTC2-5.....	78
GS358.....	169	GVM-110-L.....	154	GVM-EMER-L.....	154	IMTC2-6.....	78
GSB-B10.....	160	GVM-110-M.....	153	GVM-EMER-M.....	153	IMTC2/0-2.....	78
GSB-B14.....	160	GVM-110-S.....	152	GVM-FO-L.....	154	IMTC2/0-3.....	78
GSB-B4.....	160	GVM-115-L.....	154	GVM-FO-M.....	153	IMTC2/0-4.....	78
GSB-B516.....	160	GVM-115-M.....	153	GVM-HIGH VOLT-L.....	154	IMTC2/0-5.....	78
GSB-B6.....	160	GVM-115-S.....	152	GVM-HIGH VOLT-M.....	153	IMTC2/0-6.....	78
GSB-B8.....	160	GVM-120-L.....	154	GVM-LT/POWER-L.....	154	IMTC2/0-8.....	78
GSB-R10.....	160	GVM-120-M.....	153	GVM-LT/POWER-M.....	153	IMTC250-2.....	78
GSB-R14.....	160	GVM-120-S.....	152	GVM-LTG-L.....	154	IMTC250-3.....	78
GSB-R4.....	160	GVM-120/208-L.....	154	GVM-LTG-M.....	153	IMTC250-4.....	78
GSB-R6.....	160	GVM-120/208-M.....	153	GVM-MAIN DIS-L.....	154	IMTC250-5.....	78
GSB-R8.....	160	GVM-120/208-S.....	152	GVM-MAIN DIS-M.....	153	IMTC250-6.....	78
GSB-Y10.....	160	GVM-120/240-L.....	154	GVM-POWER-L.....	154	IMTC250-8.....	78
GSB-Y14.....	160	GVM-120/240-M.....	153	GVM-POWER-M.....	153	IMTC3/0-2.....	78
GSB-Y6.....	160	GVM-120/240-S.....	152	GVM-TEL-L.....	154	IMTC3/0-3.....	78
GSB-Y8.....	160	GVM-13200-L.....	154	GVM-TEL-M.....	153	IMTC3/0-4.....	78
GSI.....	110	GVM-13200-M.....	153	GYC.....	84	IMTC3/0-6.....	78
GSN-B10.....	159	GVM-13800-L.....	154	GYR121200.....	89	IMTC350-2.....	79
GSN-B14.....	159	GVM-13800-M.....	153	GYR12250.....	89	IMTC350-3.....	79
GSN-B4.....	159	GVM-1P-L.....	154	GYR12600.....	89	IMTC350-4.....	79
GSN-B516.....	159	GVM-1P-M.....	153	GYR141200.....	89	IMTC350-6.....	79
GSN-B6.....	159	GVM-208-L.....	154	GYR142400.....	89	IMTC350-8.....	79
GSN-B8.....	159	GVM-208-M.....	153	GYR14250.....	89	IMTC500-2.....	79
GSN-R10.....	159	GVM-208-S.....	152	GYR14600.....	89	IMTC500-3.....	79
GSN-R14.....	159	GVM-220-L.....	154	GYR316250.....	89	IMTC500-4.....	79
GSN-R4.....	159	GVM-220-M.....	153	GYR341200.....	89	IMTC500-5.....	79
GSN-R6.....	159	GVM-220-S.....	152	GYR34250.....	89	IMTC500-6.....	79
GSN-R8.....	159	GVM-230-L.....	154	GYR34600.....	89	IMTC500-8.....	79
GSN-Y10.....	159	GVM-230-M.....	153	GYR381200.....	89	IMTC600-2.....	79
GSN-Y14.....	159	GVM-230-S.....	152	GYR382400.....	89	IMTC600-3.....	79
GSN-Y6.....	159	GVM-240-L.....	154	GYR38250.....	89	IMTC600-4.....	79
GSN-Y8.....	159	GVM-240-M.....	153	GYR38600.....	89	IMTC600-5.....	79
GSV-B10.....	158	GVM-240-S.....	152	GYR5161200.....	89	IMTC750-2.....	79
GSV-B14.....	158	GVM-2400-L.....	154	GYR516600.....	89	IMTC750-3.....	79
GSV-B4.....	158	GVM-2400-M.....	153	GYR581200.....	89	IMTC750-4.....	79
GSV-B516.....	158	GVM-277-L.....	154	GYR58250.....	89	IMTC750-5.....	79
GSV-B6.....	158	GVM-277-M.....	153	GYR58600.....	89	IMTC750-6.....	79
GSV-B8.....	158	GVM-277-S.....	152	H22.....	83	IMTS 1/0-1.....	79
GSV-R10.....	158	GVM-277/240-L.....	154	H38.....	83	IMTS 2/0-1.....	79
GSV-R14.....	158	GVM-277/240-M.....	153	HB-B.....	13	IMTS 250-1.....	79
GSV-R4.....	158	GVM-277/240-S.....	152	HB-D.....	13	IMTS 3/0-1.....	79
GSV-R6.....	158	GVM-3P-L.....	154	HB-GAS.....	13	IMTS 350-1.....	79
GSV-R8.....	158	GVM-3P-M.....	153	HB-GFI.....	13	IMTS 500-1.....	79
GSV-Y10.....	158	GVM-4160-L.....	154	HB-KO.....	13	IMTS 600-1.....	79
GSV-Y14.....	158	GVM-4160-M.....	153	HB-PO.....	13	IMTS 700-1.....	79
GSV-Y6.....	158	GVM-440-L.....	154	HB-SR.....	13	JC10.....	109
GSV-Y8.....	158	GVM-440-M.....	153	HB-T.....	13	JC100.....	109
GTSGB16.....	126	GVM-460-L.....	154	HDGB075.....	43	KW-1030.....	171
GTSGB24.....	126	GVM-460-M.....	153	HDGB100.....	43	LBC050.....	51
GTSN800.....	100	GVM-480-3P-M.....	153	HDGB112.....	43	LBC075.....	51

LBC100.....	51	LTC350-E.....	50	SJOOW123-250.....	145	TR14.....	136
LBC125.....	51	LTC350-R.....	50	SJOOW124-1000.....	145	TR14-SS.....	136
LBC150.....	51	LTC400-E.....	50	SJOOW124-250.....	145	TR1410.....	136
LBC200.....	51	LTC400-R.....	50	SJOOW142-250.....	145	TR34.....	136
LBC250-E.....	51	MB.....	168	SJOOW143-1000.....	145	TR34-HDG.....	136
LBC250-R.....	51	MICLB050.....	38	SJOOW143-250.....	145	TR34-SS.....	136
LBC300-E.....	51	MICLB075.....	38	SJOOW144-1000.....	145	TR38.....	136
LBC300-R.....	51	MICLB100.....	38	SJOOW144-250.....	145	TR38-HDG.....	136
LBC350-E.....	51	MICLB125.....	38	SJOOW162-250.....	145	TR38-SS.....	136
LBC350-R.....	51	MICLB150.....	38	SJOOW163-250.....	145	TR3810.....	136
LBC400-E.....	51	MICLB200.....	38	SJOOW164-250.....	145	TR3812.....	136
LBC400-R.....	51	MICLB250.....	38	SJOOW182-250.....	145	TR516.....	136
LC50.....	109	MICLB300.....	38	SJOOW183-250.....	145	TR58.....	136
LCC050.....	50	MICLB350.....	38	SJOOW184-250.....	145	TRC12.....	137
LCC075.....	50	MICLB400.....	38	SOOW103-1000.....	143	TRC14.....	137
LCC100.....	50	MISTP050.....	39	SOOW103-250.....	143	TRC34.....	137
LCC125.....	50	MISTP075.....	39	SOOW104-1000.....	143	TRC38.....	137
LCC150.....	50	MISTP100.....	39	SOOW104-250.....	143	TRC516.....	137
LCC200.....	50	MISTP125.....	39	SOOW104-500.....	143	TRC58.....	137
LCC250-E.....	50	MISTP150.....	39	SOOW105-1000.....	143	UL0500-100.....	65
LCC250-R.....	50	MISTP200.....	39	SOOW123-1000.....	143	UL0500-500.....	65
LCC300-E.....	50	MISTP250.....	39	SOOW123-250.....	143	UL0750-100.....	65
LCC300-R.....	50	MISTP300.....	39	SOOW124-1000.....	143	UL0750-500.....	65
LCC350-E.....	50	MISTP350.....	39	SOOW124-250.....	143	UL1000-100.....	65
LCC350-R.....	50	MISTP400.....	39	SOOW125-1000.....	143	UL1000-400.....	65
LCC400-E.....	50	NP.....	110	SOOW125-250.....	143	UL1250-050.....	65
LCC400-R.....	50	NPS.....	110	SOOW125-500.....	143	UL1250-250.....	65
LLC050.....	51	P1000.....	150	SOOW143-250.....	143	UL1500-050.....	65
LLC075.....	51	P1100.....	150	SOOW144-1000.....	143	UL1500-150.....	65
LLC100.....	51	P1101.....	150	SOOW144-250.....	143	UL2000-050.....	65
LLC125.....	51	P1200.....	150	SOOW23-1000.....	144	UL2000-100.....	65
LLC150.....	51	P1201.....	150	SOOW23-250.....	144	UL2500-025.....	65
LLC200.....	51	P1300.....	150	SOOW23-500.....	144	UL3000-025.....	65
LLC250-E.....	51	P1301.....	150	SOOW24-1000.....	144	UL4000-025.....	65
LLC250-R.....	51	P1700.....	150	SOOW24-250.....	144	WS.....	127
LLC300-E.....	51	P2000.....	150	SOOW24-500.....	144		
LLC300-R.....	51	P3000.....	150	SOOW25-1000.....	144		
LLC350-E.....	51	P3B00.....	150	SOOW25-500.....	144		
LLC350-R.....	51	P9900.....	150	SOOW43-1000.....	144		
LLC400-E.....	51	P9901.....	150	SOOW43-250.....	144		
LLC400-R.....	51	PB050.....	36	SOOW43-500.....	144		
LRC050.....	52	PB075.....	36	SOOW44-1000.....	144		
LRC075.....	52	PB100.....	36	SOOW44-250.....	144		
LRC100.....	52	PB125.....	36	SOOW44-500.....	144		
LRC125.....	52	PB150.....	36	SOOW63-1000.....	144		
LRC150.....	52	PB200.....	36	SOOW63-500.....	144		
LRC200.....	52	PB250.....	36	SOOW64-1000.....	144		
LRC250-E.....	52	PB300.....	36	SOOW64-500.....	144		
LRC250-R.....	52	PB350.....	36	SOOW65-1000.....	144		
LRC300-E.....	52	PB400.....	36	SOOW65-250.....	144		
LRC300-R.....	52	PT2-66.....	131	SOOW83-1000.....	144		
LRC350-E.....	52	PT3460.....	131	SOOW83-250.....	144		
LRC350-R.....	52	PW-PT.....	167	SOOW83-500.....	144		
LRC400-E.....	52	PW-QT.....	167	SOOW84-1000.....	144		
LRC400-R.....	52	RL31000-R.....	130	SOOW84-500.....	144		
LTC050.....	50	RT2.....	130	SP6.....	142		
LTC075.....	50	RT34.....	130	STL100.....	83		
LTC100.....	50	S-HOOKS.....	110	STLED-100.....	83		
LTC125.....	50	SJOOW103-1000.....	145	TR12.....	136		
LTC150.....	50	SJOOW103-250.....	145	TR12-HDG.....	136		
LTC200.....	50	SJOOW104-1000.....	145	TR12-SS.....	136		
LTC250-E.....	50	SJOOW104-250.....	145	TR1210.....	136		
LTC250-R.....	50	SJOOW122-1000.....	145	TR1212.....	136		
LTC300-E.....	50	SJOOW122-250.....	145				
LTC300-R.....	50	SJOOW123-1000.....	145				



info@global-manufacturing.com

Phone: 718.257.2111

Fax: 718.257.2626

Corporate Office:

155 Marcus Blvd.

Remit to: PO Box 14248

Hauppauge, NY 11788

NY Distribution Center:

63-15 Traffic Avenue

Ridgewood, NY 11385